


DISCOVER THE
DIFFERENCE



TSEK



'23

ÜRÜN
KATALOĞU
PRODUCT
CATALOGUE

EVACOND
ISI DEĞİŞTİRİCİLER | HEAT EXCHANGERS

TİCARİ KONDENSERLER | COMMERCIAL CONDENSERS | CONDENSADORES COMERCIALES | ODA SOĞUTUCULAR | UNIT AIR COOLERS | UNIDAD DE ENFRIADORES DE AIRE | ENDÜSTRİYEL KONDENSERLER | INDUSTRIAL CONDENSERS | CONDENSADORES INDUSTRIALES | SICAK-SOĞUK SU BATARYALARI | HOT-COLD WATER COILS | BOBINAS DE AGUA CALIENTE | BUHAR BATARYALARI | STEAM COILS | BOBINAS DE VAPOR | SU-GLİKOL SOĞUTUCULAR | WATER-GLYCOL UNIT COOLERS | ENFRIADORES DE AGUA-GLİCOL | ŞOK DONDURUCULAR | BLAST FREEZERS | CONGELADORES BLAST | TEK ÜFLEMELİ SOĞUTUCULAR | SINGLE FLOW UNIT COOLERS | ENFRIADORES DE UNIDAD DE FLUJO ÚNICO | ÇİFT ÜFLEMELİ ODA SOĞUTUCULARI | DOUBLE FLOW UNIT COOLERS | UNIDAD DE FLUJO DOBLE ENFRIADORES | VİTRİN SOĞUTUCULAR | GRAVITY AND FORCED AIR COOLER FOR REFRIGERATION CABINET | ENFRIADOR DE AIRE POR GRAVEDAD Y FORZADO PARA REFRIGERACIÓN CABINET | TAVAN TİPİ ODA SOĞUTUCULAR | CEILING TYPE UNIT AIR COOLERS | UNIDAD TIPO DE TECHO ENFRIADORES DE AIRE | YAĞ SOĞUTUCULAR | OIL COOLERS | ENFRIADORES DE ACEITE | KURU SOĞUTUCULAR | DRY COOLERS | ENFRIADORES SECOS

BATARYA

Lamel Geometrileri: 2522-3/8" | 3228-3/8" | 3228-1/2" | 4035-1/2" | 4035-5/8" | 5548-1/2" | 5548-5/8"

Lamel Dizilimi: Şaşırtmalı boru dizilimi.

Boru: 3/8" | 1/2" | 5/8" bakır boru

Lamel: 1.8-12 mm "V" tipi alüminyum lamel

Manifold: Giriş - Çıkış (manifold) kolektör malzemesi bakırdır.

Çalışma Basıncı: Standart ürünler için izin verilen en yüksek çalışma basıncı PS=35bar.

Akışkan Gazlar: Bataryalar R404A, R407C, R407F, R507F, R22, R134A, R449A, R290A, R410A Soğutucu gazlarla çalışmaya uygundur.

KABİN

- Galvaniz çelik üzerine elektrostatik RAL 9016 boyalıdır.
- Standart ürünlerde kabin malzemesi galvanizli çeliktir. Opsiyonel olarak; paslanmaz çelik veya alüminyum levha seçeneği de üretilebilmektedir..

FAN

- Fan bölmeleri sac levhalar ile birbirinden ayrılmış ve basınç kayıplarının daha çok artması önlenmiştir.
- Standart ürünlerde Ø200-Ø250-Ø300-Ø350-Ø400-Ø450-Ø500 mm fanlar - 230V-50Hz Monofaze 900-1400rpm/ Ø800-Ø900 mm fanlar - 380V-50Hz Trifaze 880-660rpm olarak hesaplanmıştır.
- İsteğe bağlı AC ya da EC fan motor seçenekleri ürünler için kullanıma uygundur.
- Fan koruma sınıfı IP54, fan konstrüksiyonu izolasyon malzeme sınıfı F.
- Hesaplamalardaki Fan Çalışma aralığı -40°C/+50°C'dir.

SEÇENEKLER

- Farklı dış kabin rengi,
- Farklı boru et kalınlığı ve hatve,
- Korozif atmosferlerde çalışma durumunda gold epoksi, hidrofilik kaplı alüminyum kanatlar ve komple epoksi boyalı batarya opsiyonel olarak üretilebilmektedir.
- Kondenser ünitelerinde opsiyonel olarak dolu grup veya likit depolu grup olarak da üretim yapılabilir.

NOT

- Katalogda standart ürünlerin nominal kapasiteleri R404A gaza göre Eurovent EN 328 standartları dikkate alınarak hesaplanmıştır.
- Montaj, Bakım - Taşıma ve Kaldırma detayları için kullanım Kılavuzuna başvurunuz.
- Katalogda belirtilmeyen özel ürünler için lütfen satış departmanı ile irtibata geçiniz.
- EVACOND Katalogdaki fiyatları haber vermeksizin değiştirme hakkını saklı tutar.
- Güncel ürün fiyatlarını www.evacond.com web sitemizden kontrol ediniz.

BATTERY

Fin Geometries: 2522-3/8" | 3228-3/8" | 3228-1/2" | 4035-1/2" | 4035-5/8" | 5548-1/2" | 5548-5/8"

Fin Sequence: Staggered pipe array.

Pipe: 3/8" | 1/2" | 5/8" copper pipe

Fin: 1.8-12 mm "V" type aluminum lamella

Manifold: Input - Output (manifold) collector material is copper.

Operating pressure: The highest allowed working pressure for standard products is PS=35bar.

Fluid Gases: Batteries R404A, R407C, R407F, R507F, R22, R134A, R449A, R290A, R410A are suitable for working with refrigerants.

CABIN

Electrostatic RAL 9016 painted on galvanized steel.

In standard products, the cabinet material is galvanized steel. Optionally; Stainless steel or aluminum plate options can also be produced.

FAN

- Fan sections are separated from each other by sheet metal and pressure losses are prevented from increasing further.
- In standard products, it is calculated as Ø200-Ø250-Ø300-Ø350-Ø400-Ø450-Ø500 mm fans - 230V-50Hz Monophase 900-1400rpm/ Ø800-Ø900 mm fans - 380V-50Hz Three-phase 880-660rpm.
- Optional AC or EC fan motor options are available for products.
- Fan protection class IP54, fan construction insulation material class F.
- Fan operating range in calculations is -40°C/+50°C.

OPTIONS

- Different exterior cabin color,
- Different pipe wall thickness and pitch,
- In case of operation in corrosive atmospheres, gold epoxy, hydrophilic coated aluminum wings and a complete epoxy painted battery can be produced optionally.
- Condenser units can optionally be produced as a full group or liquid tank group.

NOTE

- The nominal capacities of standard products in the catalog are calculated for R404A gas, taking into account Eurovent EN 328 standards.
- Please refer to the User Manual for Assembly, Maintenance - Transportation and Lifting details.
- For special products not specified in the catalogue, please contact the sales department.
- EVACOND reserves the right to change the prices in the catalog without notice.
- Check current product prices on our website www.evacond.com.

İÇİNDEKİLER / INDEX

KONDENSERLER CONDENSERS	ECB • ECA • EIB • EIC • EWA • EWB • EWC	04
KONDENSER ÜNİTELERİ CONDENSER UNITS	EBBOX • EABOX • ESBBX • ESABOX • EUBOX EFBOX • EHB BOX • EC BOX • EWA-FBOX • EWB-FBOX EWA-DBOX • EWB-DBOX • EWA-EBOX • EWB-EBOX	32
MONOBLOK ÜNİTELERİ MONOBLOCK UNITS	EMB	62
STANDART ODA SOĞUTUCULARI STANDARD ROOM COOLERS	EEF • EEA • EEB • EEC • EED	64
TAVAN TİPİ SOĞUTUCULAR CEILING TYPE COOLERS	ESB • ESA • EDB • EDA	148
ŞOK EVAPORATÖRLER BLAST FREEZERS	EFA • EFB • ETA • ETB	176
GLİKOLLÜ SOĞUTUCULAR GLYCOL COOLERS	GEEA • GEEB • GEDA • GEDB	186
VİTRİN SOĞUTUCULARI SHOWCASE COOLERS	EVA • EVY • EPA • EPDB • EVC • EVD • EVE • EVF EVG • ERD • ERF • ERG • EAF • EAG • EYF	212



Hakkımızda

EVACOND ısı değıştirici teknolojisinde önde gelen firmalardan olma hedefi ile 2022 yılında faaliyete geçmiştir. Müşterilere sürdürülebilir ısı transferi çözümleri sunarak ihtiyaçları karşılama konusunda makine parkuru ve yetkin bir kadroya sahiptir. EVACOND olarak, her türlü sektördeki müşterilerimize, kalite standartlarına uygun özel ısı değıştirici sistemleri ve ekipmanları sunmayı amaçlamaktadır.

Misyonumuz

Müşterilerimizin enerji maliyetlerini azaltmak ve verimliliklerini artırmak için yenilikçi ve özelleştirilebilir ısı değıştirici çözümleri sunmak için yola çıktık. Misyonumuz, hem endüstriyel hem de ticari müşterilerimize enerji tasarrufu sağlayan, çevre dostu ve mükemmel performans sunan ısı değıştiricileri üretmek ve tedarik etmekle ilgilidir.

Vizyonumuz

EVACOND, teknoloji ve mühendislikteki en son gelişmeleri yakından takip ederken, gelecekteki ısı değıştirici ihtiyaçlarını şimdiden tahmin etmekte ve müşterilerimize uygun çözümler sunmaktadır. Vizyonumuz, müşterilerimizin başarısına katkıda bulunmak ve dünya genelinde sürdürülebilir enerji yönetimine katkıda bulunmaktır.

Neden EVACOND?

Deneyim: EVACOND ısı değıştirici teknolojiler konusunda alanında uzman ekibiyle hizmet vermektedir.

Özelleştirme: Müşterilerimize ihtiyaçlarına özel çözümler sunarız. İhtiyaçlarınıza uygun ısı değıştirici sistemleri tasarlayabiliriz.

Kalite: Ürünlerimiz ISO 9001:2015 kalite yönetim sistemi standartlarına uygun olarak üretilmektedir.

Müşterilerimize en iyi ısı değıştirici çözümlerini sunmak için buradayız ve işbirliği fırsatları için sabırsızlanıyoruz. Bize ulaşarak ihtiyaçlarınızı paylaşın ve size nasıl yardımcı olabileceğimizi öğrenin.

EVACOND olarak, size sıcaklık farklarını avantaja dönüştürme fırsatı sunmak için buradayız.

Doğayı Koruyoruz!

“Üretim süreçlerimizde kullanmış olduğumuz enerjinin tamamını güneş panellerimiz aracılığıyla yenilenebilir enerji kaynaklarından elde ediyoruz.”

We are Protecting Nature!

“We obtain all the energy we use in our production processes from renewable energy sources through our solar panels.”

About Us

EVACOND was established in 2022 with the goal of becoming a leading company in heat exchanger technology. With a well-equipped machinery park and a competent team, we aim to meet the needs of our customers by providing sustainable heat transfer solutions. At EVACOND, we strive to offer customized heat exchanger systems and equipment that meet quality standards for customers in various industries.

Our Mission

We set out to provide innovative and customizable heat exchanger solutions to reduce our customers' energy costs and enhance their efficiency. Our mission is to produce and supply heat exchangers that contribute to energy savings, are environmentally friendly, and deliver excellent performance for both industrial and commercial customers.

Our Vision

EVACOND closely follows the latest developments in technology and engineering while anticipating future heat exchanger needs to provide tailored solutions to our customers. Our vision is to contribute to our customers' success and sustainable energy management on a global scale.

Why EVACOND?

There are several reasons to choose EVACOND:


Experience: EVACOND provides services with a team of experts in heat exchanger technologies.

Customization: They offer tailored solutions to meet the specific needs of customers, ensuring that each customer's unique requirements are met.

Quality: Products are manufactured in compliance with ISO 9001:2015 quality management system standards, ensuring product quality.

EVACOND is here to provide customers with the best heat exchanger solutions and to offer the opportunity to turn temperature differentials into an advantage. They are eager for collaboration opportunities, so feel free to get in touch with them, share your needs, and learn how they can assist you.

KONDENSERLER CONDENSERS







ECB • ECA • EIB • EIC • EWA • EWB • EWC
Serisi / Series

ECB Serisi | ECB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"



6

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity $\Delta t = 15^\circ\text{C}$	Fanlar / Fans		
					Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	pcs	mm	m ³ /h
ECB 1/5	1,30	0,2	€ 15	416	-	200	430
ECB 1/4	1,98	0,3	€ 20	668	-	200	492
ECB 1/3	2,49	0,3	€ 24	1.011	-	250	1.011
ECB 1/2	3,73	0,5	€ 33	1.426	-	250	672
ECB 3/4	4,75	0,7	€ 44	1.692	-	250	607
ECB 1HP	6,23	0,8	€ 53	2.653	-	300	1.024
ECB-120- 1/5	1,30	0,2	€ 16	416	1	200	430
ECB-120-1/4	1,98	0,3	€ 21	668	1	200	492
ECB-125-1/3	2,49	0,3	€ 25	1.011	1	250	1.011
ECB-125-1/2	3,73	0,5	€ 35	1.426	1	250	672
ECB-125-3/4	4,75	0,7	€ 45	1.692	1	250	607
ECB-130-5	5,40	0,6	€ 44	2.330	1	300	1.116
ECB-130-1HP	6,23	0,8	€ 56	2.653	1	300	1.024
ECB-130-7,5	7,74	0,7	€ 54	3.090	1	300	1.178
ECB-130- 8,5	8,42	1,0	€ 66	3.280	1	300	1.122
ECB-130-10	10,10	1,2	€ 80	3.467	1	300	1.231
ECB-135-12	11,87	1,5	€ 93	5.321	1	350	2.104
ECB-135-14	13,45	1,7	€ 107	5.983	1	350	2.305
ECB-135-16	15,20	1,7	€ 111	6.332	1	350	2.253
ECB-220-1/3	3,22	0,4	€ 30	1.344	2	200	895
ECB-220-1/2	4,78	0,5	€ 36	1.697	2	200	780
ECB-220-3/4	4,84	0,6	€ 40	1.820	2	200	780
ECB-220-1HP	6,45	0,8	€ 52	2.108	2	200	698
ECB-225-7,5	7,42	0,9	€ 59	3.026	2	250	1.243
ECB-225-8,5	8,35	0,9	€ 61	3.211	2	250	1.206
ECB-225-10	10,52	1,1	€ 75	3.527	2	250	1.374
ECB-225-12	11,68	1,3	€ 83	3.917	2	250	1.482
ECB-230-14	13,45	1,3	€ 88	5.469	2	300	2.180
ECB-230-16	15,77	2,1	€ 108	5.963	2	300	2.025


Boyutlar Dimensions					Bağlantılar Connections	
A	A1	B	C	F	Giriş Input	Çıkış Output
cm	cm	cm	cm	cm	mm	mm
29	26	23	22	11,5	3/8	3/8
32	29	28,5	22	11,5	3/8	3/8
39	35,5	28,5	22	11,5	3/8	3/8
39	35,5	28,5	23	12,5	3/8	3/8
39	35,5	28,5	27	16,5	3/8	3/8
39	35,5	34,5	30	18	3/8	3/8
29	26	23	22	11,5	3/8	3/8
32	29	28,5	22	11,5	3/8	3/8
39	35,5	28,5	22	11,5	3/8	3/8
39	35,5	28,5	23	12,5	3/8	3/8
39	35,5	28,5	27	16,5	3/8	3/8
39	35,5	34,5	29	16,5	3/8	3/8
39	35,5	34,5	30	18	3/8	3/8
45	42	34,5	29	16,5	3/8	3/8
45	42	34,5	30	18	3/8	3/8
47	42	41	34	19	5/8	5/8
55	50	41	35	22	5/8	5/8
55	50	47	35	22	5/8	5/8
55	50	47	35	22	5/8	5/8
57	54	23	22	11,5	3/8	3/8
57	54	23	23	12,5	3/8	3/8
57	54	23	23	12,5	3/8	3/8
57	54	23	27	16,5	3/8	3/8
65	61,5	28,5	23	12,5	3/8	3/8
65	61,5	28,5	23	12,5	3/8	3/8
67	61,5	34,5	29	16,5	5/8	5/8
75	70	34,5	29	16,5	5/8	5/8
75	70	34,5	29	16,5	5/8	5/8
75	70	34,5	30	18	5/8	5/8

ECA Serisi | ECA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 2522-3/8"

Bakır Boru / Copper Pipe : 3/8"



7

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity $\Delta t = 15^\circ\text{C}$	Fanlar / Fans			Boyutlar Dimensions					Bağlantılar Connections	
					Adet Qty	Çap Diameter	Hava Debisi Air Flow	A	A1	B	C	F	Giriş Input	Çıkış Output
	m ²	dm ³	Euro	W	pcs	mm	m ³ /h	cm	cm	cm	cm	cm	mm	mm
ECA 1/5	1,24	0,2	€ 19	453	-	200	331	29	26	23	22	11,5	3/8	3/8
ECA 1/4	1,58	0,3	€ 23	570	-	200	360	32	29	24	22	11,5	3/8	3/8
ECA 1/3	2,44	0,4	€ 32	1.217	-	250	791	39	35,5	29,5	22	11,5	3/8	3/8
ECA 1/2	3,65	0,7	€ 45	1.609	-	250	698	39	35,5	29,5	23	12,5	3/8	3/8
ECA 3/4	4,87	0,9	€ 59	1.854	-	250	624	39	35,5	29,5	27	16,5	3/8	3/8
ECA 1HP	5,76	1,1	€ 68	2.737	-	300	983	39	35,5	35	27	16,5	3/8	3/8
ECA-120-1/5	1,24	0,2	€ 20	453	1	200	331	29	26	23	22	11,5	3/8	3/8
ECA-120-1/4	1,58	0,3	€ 23	570	1	200	360	32	29	24	22	11,5	3/8	3/8
ECA-125-1/3	2,44	0,4	€ 33	1.217	1	250	791	39	35,5	29,5	22	11,5	3/8	3/8
ECA-125-1/2	3,65	0,7	€ 46	1.609	1	250	698	39	35,5	29,5	23	12,5	3/8	3/8
ECA-125-3/4	4,87	0,9	€ 59	1.854	1	250	624	39	35,5	29,5	27	16,5	3/8	3/8
ECA-125-5-E2	4,97	0,7	€ 50	1.862	1	250	653	43	39	27	23	12,5	3/8	3/8
ECA-130-1HP	5,76	1,1	€ 69	2.737	1	300	983	39	35,5	35	27	16,5	3/8	3/8
ECA-130-7,5	7,42	1,3	€ 82	3.047	1	300	1.087	46	42	35	27	16,5	5/8	5/8
ECA-130-8,5	8,60	1,3	€ 85	3.219	1	300	1.050	46	42	35	27	16,5	5/8	5/8
ECA-220-1/3	2,57	0,5	€ 36	1.145	2	200	701	57	54	23	22	11,5	3/8	3/8
ECA-220-1/2	3,77	0,6	€ 43	1.434	2	200	636	57	54	23	23	12,5	3/8	3/8
ECA-220-3/4	3,86	0,8	€ 49	1.528	2	200	636	57	54	23	23	12,5	3/8	3/8
ECA-220-1HP	5,14	1,1	€ 63	1.763	2	200	583	57	54	23	27	16,5	3/8	3/8
ECA-225-7,5	7,36	1,2	€ 78	3.116	2	250	1.290	66	61,5	29,5	23	12,5	5/8	5/8
ECA-225-8,5	8,59	1,2	€ 82	3.325	2	250	1.237	66	61,5	29,5	23	12,5	5/8	5/8
ECA-225-10	10,16	1,4	€ 96	3.852	2	250	1.373	66	61,5	35	23	12,5	5/8	5/8
ECA-225-12	11,75	1,7	€ 108	4.322	2	250	1.487	75	70,5	35	23	12,5	5/8	5/8
ECA-230-14	13,93	2,3	€ 135	6.033	2	300	1.966	75	70,5	35	27	16,5	5/8	5/8
ECA-230-16	16,08	2,6	€ 155	6.536	2	300	2.152	75	70,5	40	27	16,5	19	5/8

ECB Serisi | ECB Series

Batarya Özellikleri / Heat Exchanger Specifications





Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
ECB 135 15M2	15,65	1,5	€ 127	6.547	4.881	1	350	2.556	1.643
ECB 140 15M2	15,65	1,5	€ 127	7.275	5.852	1	400	3.025	2.150
ECB 135 18M2	17,66	1,6	€ 133	7.022	5.810	1	350	2.566	1.937
ECB 140 18M2	17,66	1,6	€ 133	7.298	6.266	1	400	3.041	2.162
ECB 140 20M2	19,42	1,7	€ 143	7.902	6.370	1	400	3.164	2.272
ECB 145 25M2	24,16	2,6	€ 190	10.466	8.575	1	450	3.973	2.945
ECB 150 25M2	24,16	2,6	€ 190	12.719	9.240	1	500	5.464	3.291
ECB 145 30M2	29,58	2,6	€ 215	11.606	9.794	1	450	4.680	3.599
ECB 150 30M2	29,58	2,6	€ 215	14.502	10.792	1	500	6.759	4.175
ECB 150 35M2	35,32	3,2	€ 245	15.903	11.355	1	500	5.869	3.560
ECB 150 40M2	39,44	3,5	€ 265	17.509	12.495	1	500	6.231	3.806
ECB 150 50M2	49,29	4,4	€ 320	18.955	13.092	1	500	5.780	3.513
ECB 150 50M2-E2	52,17	5,1	€ 350	20.746	15.023	1	500	7.339	4.602
ECB 163 50M2	52,17	5,1	€ 350	21.300	-	1	630	7.639	-
ECB 150 70M2	70,43	5,9	€ 430	24.046	16.711	1	500	6.920	4.298
ECB 163 70M2	70,43	5,9	€ 430	24.079	-	1	630	6.933	-
ECB 150 85M2	84,66	7,4	€ 503	24.980	16.903	1	500	6.606	4.063
ECB 163 85M2	84,66	7,4	€ 503	24.572	-	1	630	6.467	-
ECB 230 20M2	19,56	1,9	€ 155	6.966	-	2	300	2.619	-
ECB 235 20M2	19,56	1,9	€ 155	9.266	7.620	2	350	4.067	2.988
ECB 230 25M2	26,09	2,5	€ 190	7.819	-	2	300	2.433	-
ECB 235 25M2	26,09	2,5	€ 190	10.259	8.320	2	350	3.609	2.656
ECB 230 30M2	28,25	2,5	€ 207	8.028	-	2	300	2.398	-
ECB 235 30M2	28,25	2,5	€ 207	10.532	8.526	2	350	3.525	2.606
ECB 235 35M2	35,31	3,2	€ 242	14.043	11.619	2	350	5.132	3.879
ECB 240 35M2	35,31	3,2	€ 242	15.665	12.531	2	400	6.082	4.325
ECB 235 40M2	38,84	3,5	€ 259	14.095	11.710	2	350	5.293	4.013
ECB 240 40M2	38,84	3,5	€ 259	15.804	12.740	2	400	6.328	4.544
ECB 235 45M2	43,48	4,2	€ 295	15.419	12.513	2	350	4.867	3.642
ECB 240 45M2	43,48	4,2	€ 295	17.165	13.349	2	400	5.685	3.978
ECB 245 50M2	48,92	4,8	€ 360	20.369	17.226	2	450	9.115	6.957
ECB 250 50M2	48,92	4,8	€ 360	25.073	18.819	2	500	13.029	8.009
ECB 245 55M2	54,62	5,3	€ 388	22.245	18.886	2	450	9.438	7.291
ECB 250 55M2	54,62	5,3	€ 388	27.752	20.801	2	500	13.691	8.478
ECB 245 60M2	59,16	5,2	€ 396	23.213	19.588	2	450	9.360	7.198
ECB 250 60M2	59,16	5,2	€ 396	29.006	21.581	2	500	13.517	8.349
ECB 245 65M2	65,22	6,3	€ 446	24.696	20.279	2	450	8.524	6.405
ECB 250 65M2	65,22	6,3	€ 446	30.717	22.138	2	500	11.939	7.260
ECB 245 70M2	70,64	6,4	€ 455	25.509	20.793	2	450	8.413	6.294
ECB 250 70M2	70,64	6,4	€ 455	31.805	22.709	2	500	11.738	7.120
ECB 245 80M2 E2	77,08	6,4	€ 468	27.233	21.983	2	450	8.290	6.184
ECB 250 80M2E2	77,08	6,4	€ 468	32.953	24.019	2	500	11.520	6.967
ECB 245 80M2	78,88	7,0	€ 496	27.723	22.688	2	450	8.814	6.663
ECB 250 80M2	78,88	7,0	€ 496	35.016	24.989	2	500	12.462	7.611
ECB 245 90M2	88,28	7,8	€ 546	27.468	21.862	2	450	7.912	5.851
ECB 250 90M2	88,28	7,8	€ 546	35.388	24.437	2	500	10.866	6.534
ECB 245 100M2	98,58	8,8	€ 597	29.818	23.814	2	450	8.335	6.220



Model Model	Boyutlar Dimensions					Bağlantılar Connections	
	A	A1	B	C	F	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	mm	mm
ECB 135 15M2	57	53	55	38	25	5/8	5/8
ECB 140 15M2	57	53	55	38	25	5/8	5/8
ECB 135 18M2	59	55	55	38	25	5/8	5/8
ECB 140 18M2	59	55	55	38	25	5/8	5/8
ECB 140 20M2	64	60	55	38	25	5/8	5/8
ECB 145 25M2	64	60	57	38	25	19	5/8
ECB 150 25M2	64	60	57	38	25	19	5/8
ECB 145 30M2	76	72	68	38	25	22	19
ECB 150 30M2	76	72	68	38	25	22	19
ECB 150 35M2	69	65	68	38	25	22	19
ECB 150 40M2	76	72	68	38	25	22	19
ECB 150 50M2	76	72	68	41	28	28	22
ECB 150 50M2-E2	90	85	80	38	25	28	22
ECB 163 50M2	90	85	80	38	25	28	22
ECB 150 70M2	90	85	80	41	28	28	22
ECB 163 70M2	90	85	80	41	28	28	22
ECB 150 85M2	90	85	80	41	28	28	22
ECB 163 85M2	90	85	80	41	28	28	22
ECB 230 20M2	89	85	43	38	25	5/8	5/8
ECB 235 20M2	89	85	43	38	25	5/8	5/8
ECB 230 25M2	89	85	43	38	25	5/8	5/8
ECB 235 25M2	89	85	43	38	25	5/8	5/8
ECB 230 30M2	89	85	43	38	25	22	19
ECB 235 30M2	89	85	43	38	25	22	19
ECB 235 35M2	110	105	55	38	25	22	19
ECB 240 35M2	110	105	55	38	25	22	19
ECB 235 40M2	120	115	55	38	25	22	19
ECB 240 40M2	120	115	55	38	25	22	19
ECB 235 45M2	110	105	55	38	25	22	19
ECB 240 45M2	110	105	55	38	25	22	19
ECB 245 50M2	130	125	68	38	25	28	22
ECB 250 50M2	130	125	68	38	25	28	22
ECB 245 55M2	130	125	68	38	25	28	22
ECB 250 55M2	130	125	68	38	25	28	22
ECB 245 60M2	130	125	68	38	25	28	22
ECB 250 60M2	130	125	68	38	25	28	22
ECB 245 65M2	130	125	68	38	25	28	22
ECB 250 65M2	130	125	68	38	25	28	22
ECB 245 70M2	130	125	68	38	25	28	22
ECB 250 70M2	130	125	68	38	25	28	22
ECB 245 80M2 E2	130	125	68	38	25	35	28
ECB 250 80M2E2	130	125	68	38	25	35	28
ECB 245 80M2	144	139	68	38	25	35	28
ECB 250 80M2	144	139	68	38	25	35	28
ECB 245 90M2	130	125	68	41	28	28	22
ECB 250 90M2	130	125	68	41	28	28	22
ECB 245 100M2	144	139	68	41	28	28	22



ECB Serisi | ECB Series

Batarya Özellikleri / Heat Exchanger Specifications







Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
ECB 250 100M2	98,58	8,8	€ 597	37.909	26.185	2	500	11.560	7.026
ECB 250 105M2	104,35	10,1	€ 663	41.926	30.327	2	500	14.677	9.204
ECB 263 105M2	104,35	10,1	€ 663	43.050	-	2	630	15.277	-
ECB 245 120M2	118,31	10,6	€ 696	31.976	24.943	2	450	7.923	5.861
ECB 250 120M2	118,31	10,6	€ 695	39.187	26.387	2	500	10.884	6.558
ECB 250 140M2	141,26	12,6	€ 816	48.469	33.646	2	500	13.840	8.594
ECB 263 140M2	141,26	12,6	€ 816	48.536	-	2	630	13.866	-
ECB 250 170M2	169,51	15,2	€ 954	50.560	34.139	2	500	13.212	8.126
ECB 263 170M2	169,51	15,2	€ 954	49.729	-	2	630	12.934	-
ECB 345 105M2	105,96	9,6	€ 654	39.110	31.829	3	450	12.619	9.441
ECB 350 105M2	105,96	9,6	€ 652	45.008	32.344	3	500	17.607	10.679
ECB 345 120M2	118,32	10,5	€ 735	42.401	34.650	3	450	13.221	9.995
ECB 350 120M2	118,32	10,5	€ 733	49.866	35.791	3	500	18.693	11.417
ECB 345 135M2	132,42	11,7	€ 803	41.870	33.275	3	450	11.868	8.777
ECB 350 135M2	132,42	11,7	€ 803	52.612	36.243	3	500	16.299	9.801
ECB 345 150M2	147,87	13,2	€ 884	45.369	36.185	3	450	12.502	9.330
ECB 350 150M2	147,87	13,2	€ 884	57.764	39.810	3	500	17.394	10.539
ECB 350 155M2	156,52	15,2	€ 960	62.234	45.068	3	500	22.016	13.085
ECB 363 155M2	156,52	15,2	€ 960	63.896	-	3	630	22.916	-
ECB 350 170M2	169,52	15,2	€ 983	64.482	46.380	3	500	21.793	13.665
ECB 363 170M2	169,52	15,2	€ 983	65.938	-	3	630	22.529	-
ECB 350 200M2	195,66	18,9	€ 1.164	71.707	50.127	3	500	21.008	13.067
ECB 363 200M2	195,66	18,9	€ 1.164	72.097	-	3	630	21.167	-
ECB 350 250M2	254,27	22,7	€ 1.398	76.756	51.716	3	500	19.818	12.189
ECB 363 250M2	254,27	22,7	€ 1.398	75.487	-	3	630	19.400	-
ECB 445 120M2	118,32	10,4	€ 779	48.886	41.139	4	450	18.720	14.396
ECB 450 120M2	118,32	10,4	€ 779	58.011	43.203	4	500	27.034	16.721
ECB 445 130M2	130,44	12,6	€ 873	51.052	41.826	4	450	17.048	12.810
ECB 450 130M2	130,44	12,6	€ 872	61.438	44.274	4	500	23.878	14.520
ECB 445 150M2	154,16	12,8	€ 960	53.666	44.222	4	450	17.828	13.529
ECB 450 150M2	154,16	12,8	€ 960	67.616	48.664	4	500	25.308	15.480
ECB 450 160M2	157,76	14,0	€ 982	70.030	49.976	4	500	24.924	15.222
ECB 450 175M2	176,56	15,6	€ 1.076	70.774	48.693	4	500	31.732	13.068
ECB 450 180M2	182,61	17,7	€ 1.118	78.749	56.854	4	500	28.011	17.423
ECB 450 200M2	197,16	17,6	€ 1.175	75.374	52.105	4	500	23.197	14.051
ECB 450 200M2	197,77	17,7	€ 1.144	81.560	58.366	4	500	27.662	17.166
ECB 450 210M2	208,70	20,2	€ 1.262	82.979	60.091	4	500	29.354	18.407
ECB 463 210M2	208,70	20,2	€ 1.262	85.192	-	4	630	30.554	-
ECB 450 240M2	236,62	21,2	€ 1.370	80.530	53.973	4	500	21.767	13.115
ECB 450 260M2	260,87	25,3	€ 1.542	94.345	66.076	4	500	28.011	17.423
ECB 463 260M2	260,87	25,3	€ 1.542	94.856	-	4	630	28.223	-
ECB 450 315M2	313,05	30,3	€ 1.812	99.165	67.670	4	500	26.790	16.533
ECB 463 315M2	313,05	30,3	€ 1.812	98.013	-	4	630	26.382	-
ECB 650 270M2	264,84	23,4	€ 1.539	104.758	72.210	6	500	32.598	19.601
ECB 650 315M2	313,05	30,3	€ 1.842	124.468	90.136	6	500	44.031	27.610
ECB 663 315M2	313,05	30,3	€ 1.842	127.792	-	6	630	45.830	-



Model Model	Boyutlar Dimensions					Bağlantılar Connections	
	A	A1	B	C	F	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	mm	mm
ECB 250 100M2	144	139	68	41	28	28	22
ECB 250 105M2	170	165	80	38	25	35	28
ECB 263 105M2	170	165	80	38	25	35	28
ECB 245 120M2	144	139	68	41	28	35	28
ECB 250 120M2	144	139	68	41	28	35	28
ECB 250 140M2	170	165	80	41	28	35	28
ECB 263 140M2	170	165	80	41	28	35	28
ECB 250 170M2	170	165	80	41	28	35	28
ECB 263 170M2	170	165	80	41	28	35	28
ECB 345 105M2	190	185	68	38	25	35	28
ECB 350 105M2	190	185	68	38	25	35	28
ECB 345 120M2	210	206	68	38	25	35	28
ECB 350 120M2	210	206	68	38	25	35	28
ECB 345 135M2	190	185	68	41	28	35	28
ECB 350 135M2	190	185	68	41	28	35	28
ECB 345 150M2	210	206	68	41	28	42	35
ECB 350 150M2	210	206	68	41	28	42	35
ECB 350 155M2	250	245	80	38	25	42	35
ECB 363 155M2	250	245	80	38	25	42	35
ECB 350 170M2	250	245	80	38	25	42	35
ECB 363 170M2	250	245	80	38	25	42	35
ECB 350 200M2	250	245	80	41	28	42	35
ECB 363 200M2	250	245	80	41	28	42	35
ECB 350 250M2	250	245	80	41	28	42	35
ECB 363 250M2	250	245	80	41	28	42	35
ECB 445 120M2	144	139	132	38	25	35	28
ECB 450 120M2	144	139	132	38	25	35	28
ECB 445 130M2	130	125	132	38	25	35	28
ECB 450 130M2	130	125	132	38	25	35	28
ECB 445 150M2	144	139	132	38	25	42	35
ECB 450 150M2	144	139	132	38	25	42	35
ECB 450 160M2	144	139	132	38	25	42	35
ECB 450 175M2	130	125	132	41	28	42	35
ECB 450 180M2	290	285	80	38	25	42	35
ECB 450 200M2	144	139	132	41	28	42	35
ECB 450 200M2	290	285	80	38	25	42	35
ECB 450 210M2	170	165	145	38	25	42	35
ECB 463 210M2	170	165	145	38	25	42	35
ECB 450 240M2	144	139	132	41	28	42	35
ECB 450 260M2	170	165	145	41	28	42	35
ECB 463 260M2	170	165	145	41	28	42	35
ECB 450 315M2	170	165	145	41	28	54	42
ECB 463 315M2	170	165	145	41	28	54	42
ECB 650 270M2	190	185	132	41	28	54	42
ECB 650 315M2	250	245	145	38	25	54	42
ECB 663 315M2	250	245	145	38	25	54	42



ECA Serisi | ECA Series

Batarya Özellikleri / Heat Exchanger Specifications







Geometri / Geometry : 2522-3/8"

Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
ECA-140-15M2	14,42	2,2	€ 162	7.143	5.331	1	400	2.263	1.532
ECA-140-20M2	19,65	2,8	€ 213	9.067	6.880	1	400	2.712	1.892
ECA-150-25M2-E2	24,24	3,7	€ 253	15.155	10.396	1	500	5.058	3.027
ECA-145-25M2	24,67	3,7	€ 255	11.084	8.478	1	450	3.053	2.178
ECA-145-30M2-E2	28,05	4,6	€ 299	12.476	9.712	1	450	3.502	2.547
ECA-150-30M2	29,52	4,3	€ 297	13.805	8.964	1	500	3.702	2.176
ECA-150-35M2	33,66	5,5	€ 345	16.114	10.579	1	500	4.383	2.600
ECA-150-40M2	39,49	6,0	€ 375	17.512	11.406	1	500	4.537	2.699
ECA-235-20M2	20,63	3,4	€ 234	10.431	8.327	2	350	3.338	2.465
ECA-235-25M2	25,80	4,2	€ 278	10.961	8.690	2	350	2.989	2.234
ECA-240-30M2-E2	28,84	4,4	€ 296	14.584	10.868	2	400	4.522	3.064
ECA-235-30M2	30,95	5,1	€ 323	11.112	8.740	2	350	2.731	2.053
ECA-240-35M2	33,37	5,4	€ 347	15.209	11.130	2	400	4.216	2.845
ECA-240-40M2	39,49	6,0	€ 384	18.338	13.899	2	400	5.423	3.784
ECA-240-45M2	44,66	6,9	€ 452	19.576	15.148	2	400	6.066	4.325
ECA-250-50M2	48,26	6,9	€ 461	29.509	20.305	2	500	10.116	6.054
ECA-250-55M2	56,10	9,2	€ 545	31.273	21.043	2	500	9.445	5.633
ECA-250-60M2	60,60	9,2	€ 556	31.854	21.358	2	500	9.480	5.656
ECA-250-70M2	67,31	11,0	€ 637	32.211	21.248	2	500	8.991	5.340
ECA-250-80M2	78,99	11,9	€ 698	35.109	22.969	2	500	9.323	5.551
ECA-350-90M2	90,90	13,7	€ 811	47.780	32.035	3	500	14.220	8.484
ECA-350-100M2	100,97	16,5	€ 930	48.317	31.870	3	500	13.487	8.009
ECA-350-120M2	118,48	17,9	€ 1.026	52.663	34.452	3	500	13.984	8.326
ECA-450-100M2	96,89	14,5	€ 935	58.665	40.538	4	500	20.668	12.389
ECA-450-120M2	121,20	18,3	€ 1.125	63.706	42.713	4	500	18.959	11.311
ECA-450-135M2	134,34	21,4	€ 1.289	65.269	42.965	4	500	17.983	10.679
ECA-450-150M2	145,92	23,2	€ 1.386	69.962	46.054	4	500	19.029	11.335
ECA-450-175M2	175,53	26,5	€ 1.578	83.186	56.147	4	500	23.825	14.473
ECA-450-200M2	194,98	31,8	€ 1.811	85.684	56.791	4	500	22.779	13.770
ECA-450-250M2	250,75	37,9	€ 2.176	96.872	64.043	4	500	24.697	15.058
ECA-650-300M2	292,47	47,7	€ 2.671	128.525	85.186	6	500	34.168	20.655



Model Model	Boyutlar Dimensions					Bağlantılar Connections	
	A	A1	B	C	F	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	mm	mm
ECA-140-15M2	56	51	48	35	22	5/8	5/8
ECA-140-20M2	64	59	56	35	22	5/8	5/8
ECA-150-25M2-E2	67	63	63	35	22	22	18
ECA-145-25M2	64	59	56	38	25	18	5/8
ECA-145-30M2-E2	67	63	63	38	25	22	18
ECA-150-30M2	64	59	56	38	25	22	18
ECA-150-35M2	67	63	63	38	25	22	18
ECA-150-40M2	73	68	63	38	25	22	18
ECA-235-20M2	90	85	43	35	22	18	5/8
ECA-235-25M2	90	85	43	38	25	18	5/8
ECA-240-30M2-E2	102	97	48	35	22	18	5/8
ECA-235-30M2	90	85	43	38	25	18	5/8
ECA-240-35M2	102	97	48	38	25	22	18
ECA-240-40M2	118	113	56	35	22	22	18
ECA-240-45M2	126	121	63	35	22	28	22
ECA-250-50M2	126	121	63	35	22	28	22
ECA-250-55M2	126	121	63	38	25	28	22
ECA-250-60M2	126	121	63	38	25	28	22
ECA-250-70M2	126	121	63	38	25	28	22
ECA-250-80M2	126	131	63	38	25	28	22
ECA-350-90M2	185	179	63	38	25	35	28
ECA-350-100M2	185	179	63	38	25	35	28
ECA-350-120M2	200	194	63	38	25	35	28
ECA-450-100M2	127	121	125	35	22	35	28
ECA-450-120M2	127	121	125	38	25	35	28
ECA-450-135M2	127	121	125	38	25	35	28
ECA-450-150M2	137	131	125	38	25	35	28
ECA-450-175M2	155	149	145	38	25	42	35
ECA-450-200M2	155	149	145	38	25	42	35
ECA-450-250M2	171	165	155	38	25	42	35
ECA-650-300M2	227	221	145	38	25	54	42



EIB Serisi | EIB Series

Batarya Özellikleri / Heat Exchanger Specifications







Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø500mm 1/ 230V AC 50Hz 1400 rpm	L Ø500mm 3/ 400V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1/ 230V AC 1210 rpm	L Hava Debisi Air Flow 3/ 400V AC 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EIB-1150-52M2	52,53	4,7	€ 551	21.015	15.587	1	500	8.002	5.129
EIB-1150-57M2	57,33	4,7	€ 560	22.007	16.182	1	500	7.954	5.082
EIB-1150-70M2	70,04	6,3	€ 644	25.164	17.999	1	500	7.727	4.906
EIB-1150-76M2	76,43	6,3	€ 656	26.072	18.457	1	500	7.661	4.848
EIB-2150-105M2	105,06	9,4	€ 950	42.029	31.173	2	500	16.003	10.257
EIB-1250-105M2	105,06	9,4	€ 966	42.029	31.173	2	500	16.003	10.257
EIB-2150-114M2	114,65	9,4	€ 968	44.014	32.363	2	500	15.908	10.164
EIB-1250-115M2	114,65	9,4	€ 984	44.014	32.363	2	500	15.908	10.164
EIB-2150-140M2	140,08	12,5	€ 1.123	50.327	35.998	2	500	15.453	9.812
EIB-1250-140M2	140,08	12,5	€ 1.151	50.327	35.998	2	500	15.453	9.812
EIB-2150-153M2	152,86	12,5	€ 1.148	52.144	36.913	2	500	15.322	9.695
EIB-1250-153M2	152,86	12,5	€ 1.194	52.144	36.913	2	500	15.322	9.695
EIB-3150-158M2	157,59	14,1	€ 1.355	63.044	46.760	3	500	24.005	15.386
EIB-3150-170M2	171,98	14,1	€ 1.382	66.021	48.545	3	500	23.862	15.246
EIB-3150-210M2	210,12	18,8	€ 1.638	75.491	53.997	3	500	23.180	14.718
EIB-3150-230M2	229,29	18,8	€ 1.674	78.216	55.370	3	500	22.983	14.543
EIB-4150-210M2	210,12	18,8	€ 1.743	84.058	62.346	4	500	32.006	20.514
EIB-2250-210M2	210,12	18,8	€ 1.675	84.058	62.346	4	500	32.006	20.514
EIB-4150-230M2	229,30	18,8	€ 1.778	88.028	64.726	4	500	31.816	20.328
EIB-2250-230M2	229,30	18,8	€ 1.712	88.028	64.726	4	500	31.816	20.328
EIB-4150-280M2	280,16	25,0	€ 2.107	100.654	71.996	4	500	30.906	19.624
EIB-2250-280M2	280,16	25,0	€ 2.078	100.654	71.996	4	500	30.906	19.624
EIB-4150-306M2	305,72	25,0	€ 2.155	104.288	73.826	4	500	30.644	19.390
EIB-2250-306M2	305,72	25,0	€ 2.127	104.288	73.826	4	500	30.644	19.390
EIB-3250-315M2	315,18	28,2	€ 2.411	126.087	93.519	6	500	48.009	30.771
EIB-3250-344M2	343,95	28,2	€ 2.465	132.042	97.089	6	500	47.724	30.492
EIB-3250-420M2	420,24	37,5	€ 3.020	150.981	107.994	6	500	46.359	29.436
EIB-3250-460M2	458,58	37,5	€ 3.093	156.432	110.739	6	500	45.966	29.085
EIB-4250-420M2	420,24	37,6	€ 3.202	168.116	124.692	8	500	64.012	41.028
EIB-4250-458M2	458,60	37,6	€ 3.275	176.056	129.452	8	500	63.632	40.656
EIB-4250-560M2	560,32	50,0	€ 3.999	201.308	143.992	8	500	61.812	39.248
EIB-4250-610M2	611,44	50,0	€ 3.973	208.576	147.652	8	500	61.288	38.780



Model Model	Boyutlar Dimensions							Bağlantılar Connections		
	A	B	C	D	E	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EIB-1150-52M2	125	140	107	42	85	99	85	1	22	19
EIB-1150-57M2	125	140	107	42	85	99	85	1	22	19
EIB-1150-70M2	125	140	107	42	85	99	85	1	22	19
EIB-1150-76M2	125	140	107	42	85	99	85	1	22	19
EIB-2150-105M2	210	140	107	42	85	99	170	1	35	28
EIB-1250-105M2	120	140	196	42	85	188	85	1	35	28
EIB-2150-114M2	210	140	107	42	85	99	170	1	35	28
EIB-1250-115M2	120	140	196	42	85	188	85	1	35	28
EIB-2150-140M2	210	140	107	42	85	99	170	1	35	28
EIB-1250-140M2	120	140	196	42	85	188	85	1	35	28
EIB-2150-153M2	210	140	107	42	85	99	170	1	35	28
EIB-1250-153M2	120	140	196	42	85	188	85	1	42	35
EIB-3150-158M2	295	140	107	42	85	99	255	1	42	35
EIB-3150-170M2	295	140	107	42	85	99	255	1	42	35
EIB-3150-210M2	295	140	107	42	85	99	255	1	54	42
EIB-3150-230M2	295	140	107	42	85	99	255	1	54	42
EIB-4150-210M2	380	140	107	42	85	99	340	1	42	35
EIB-2250-210M2	200	140	196	42	85	188	170	1	42	35
EIB-4150-230M2	380	140	107	42	85	99	340	1	42	35
EIB-2250-230M2	200	140	196	42	85	188	170	1	42	35
EIB-4150-280M2	380	140	107	42	85	99	340	1	54	42
EIB-2250-280M2	200	140	196	42	85	188	170	1	54	42
EIB-4150-306M2	380	140	107	42	85	99	340	1	54	42
EIB-2250-306M2	200	140	196	42	85	188	170	1	54	42
EIB-3250-315M2	280	140	196	42	85	188	255	2	54	42
EIB-3250-344M2	280	140	196	42	85	188	255	2	54	42
EIB-3250-420M2	280	140	196	42	85	188	255	2	64	54
EIB-3250-460M2	280	140	196	42	85	188	255	2	64	54
EIB-4250-420M2	360	140	196	42	85	188	340	2	64	54
EIB-4250-458M2	360	140	196	42	85	188	340	2	66	54
EIB-4250-560M2	360	140	196	42	85	188	340	2	64	64
EIB-4250-610M2	360	140	196	42	85	188	340	2	66	54



EIB Serisi | EIB Series

Batarya Özellikleri / Heat Exchanger Specifications




Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø630mm 1/ 230V AC 50Hz 1320 rpm	L Ø630mm 3/ 400V AC 50Hz 850 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1/ 230V AC 1400 rpm	L Hava Debisi Air Flow 3/ 400V AC 900 rpm
	m²	dm³	Euro	W	W	pcs	mm	m³/h	m³/h
EIB-1163-78M2	77,70	7,0	€ 707	40.399	29.968	1	630	16.928	10.577
EIB-1163-85M2	84,78	7,0	€ 720	42.449	31.262	1	630	16.782	10.479
EIB-1163-103M2	103,59	9,3	€ 845	48.505	34.770	1	630	16.132	10.025
EIB-1163-113M2	113,05	9,3	€ 863	45.816	32.913	1	630	15.957	9.903
EIB-2163-155M2	155,39	13,9	€ 1.254	80.797	59.935	2	630	33.856	21.154
EIB-1263-155M2	155,39	13,9	€ 1.275	80.797	59.935	2	630	33.856	21.154
EIB-2163-170M2	169,56	13,9	€ 1.281	84.898	62.524	2	630	33.564	20.958
EIB-1263-170M2	169,56	13,9	€ 1.302	84.898	62.524	2	630	33.564	20.958
EIB-2163-207M2	207,18	18,5	€ 1.508	97.009	69.539	2	630	32.263	20.050
EIB-1263-207M2	207,18	18,5	€ 1.541	97.009	69.539	2	630	32.263	20.050
EIB-2163-226M2	226,09	18,5	€ 1.543	91.632	65.826	2	630	31.913	19.805
EIB-1263-225M2	226,09	18,5	€ 1.577	91.632	65.826	2	630	31.913	19.805
EIB-3163-233M2	233,09	20,9	€ 1.781	121.196	89.903	3	630	50.784	31.731
EIB-3163-255M2	254,34	20,9	€ 1.821	127.347	93.786	3	630	50.346	31.437
EIB-3163-310M2	310,77	27,8	€ 2.155	145.514	104.309	3	630	48.395	30.075
EIB-3163-340M2	339,14	27,8	€ 2.209	137.448	98.739	3	630	47.870	29.708
EIB-4163-310M2	310,78	27,8	€ 2.366	161594,00	119870,00	4	630	67.712	42.308
EIB-2263-310M2	310,78	27,8	€ 2.329	161.594	119.870	4	630	67.712	42.308
EIB-4163-340M2	339,12	27,8	€ 2.419	169.796	125.048	4	630	67.128	41.916
EIB-2263-340M2	339,12	27,8	€ 2.383	169.796	125.048	4	630	67.128	41.916
EIB-4163-414M2	414,36	37,0	€ 2.860	194.018	139.078	4	630	64.526	40.100
EIB-2263-414M2	414,36	37,0	€ 2.836	194.018	139.078	4	630	64.526	40.100
EIB-4163-450M2	452,18	37,0	€ 2.931	183.264	131.652	4	630	63.826	39.610
EIB-2263-450M2	452,18	37,0	€ 2.907	183.264	131.652	4	630	63.826	39.610
EIB-3263-465M2	466,17	41,7	€ 3.379	242.391	179.805	6	630	101.568	63.462
EIB-3263-510M2	508,68	41,7	€ 3.459	254.694	187.572	6	630	100.692	62.874
EIB-3263-620M2	621,54	55,5	€ 4.127	291.027	208.617	6	630	96.789	60.150
EIB-3263-680M2	678,27	55,5	€ 4.234	274.896	197.478	6	630	95.739	59.415
EIB-4263-620M2	621,56	55,6	€ 4.382	323.188	239.740	8	630	135.424	84.616
EIB-4263-680M2	678,24	55,6	€ 4.489	339.592	250.096	8	630	134.256	83.832
EIB-4263-830M2	828,72	74,0	€ 5.371	388.036	278.156	8	630	129.052	80.200
EIB-4263-905M2	904,36	74,0	€ 5.514	366.528	263.304	8	630	127.652	79.220



Model Model	Boyutlar Dimensions							Bağlantılar Connections		
	A	B	C	D	E	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EIB-1163-78M2	150	140	120	42	85	112	110	1	22	19
EIB-1163-85M2	150	140	120	42	85	112	110	1	22	19
EIB-1163-103M2	150	140	120	42	85	112	110	1	28	22
EIB-1163-113M2	150	140	120	42	85	112	110	1	28	22
EIB-2163-155M2	260	140	120	42	85	112	220	1	35	28
EIB-1263-155M2	150	140	222	42	85	214	110	1	35	28
EIB-2163-170M2	260	140	120	42	85	112	220	1	35	28
EIB-1263-170M2	150	140	222	42	85	214	110	1	35	28
EIB-2163-207M2	260	140	120	42	85	112	220	1	35	28
EIB-1263-207M2	150	140	222	42	85	214	110	1	35	28
EIB-2163-226M2	260	140	120	42	85	112	220	1	35	28
EIB-1263-225M2	150	140	222	42	85	214	110	1	35	28
EIB-3163-233M2	270	140	120	42	85	112	330	1	42	35
EIB-3163-255M2	270	140	120	42	85	112	330	1	42	35
EIB-3163-310M2	270	140	120	42	85	112	330	1	42	35
EIB-3163-340M2	270	140	120	42	85	112	330	1	42	35
EIB-4163-310M2	480	140	120	42	85	112	440	1	54	42
EIB-2263-310M2	260	140	222	42	85	214	220	1	54	42
EIB-4163-340M2	480	140	120	42	85	112	440	1	54	42
EIB-2263-340M2	260	140	222	42	85	214	220	1	54	42
EIB-4163-414M2	480	140	120	42	85	112	440	1	54	42
EIB-2263-414M2	260	140	222	42	85	214	220	1	54	42
EIB-4163-450M2	480	140	120	42	85	112	440	1	54	42
EIB-2263-450M2	260	140	222	42	85	214	220	1	54	42
EIB-3263-465M2	270	140	222	42	85	214	330	2	66	54
EIB-3263-510M2	270	140	222	42	85	214	330	2	66	54
EIB-3263-620M2	270	140	222	42	85	214	330	2	66	54
EIB-3263-680M2	270	140	222	42	85	214	330	2	66	54
EIB-4263-620M2	480	140	222	42	85	214	440	2	66	54
EIB-4263-680M2	480	140	222	42	85	214	440	2	66	54
EIB-4263-830M2	480	140	222	42	85	214	440	2	66	54
EIB-4263-905M2	480	140	222	42	85	214	440	2	66	54



EIB Serisi | EIB Series

Batarya Özellikleri / Heat Exchanger Specifications







Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø800mm 3/ 400V AC 50Hz 880 rpm	L Ø800mm 3/ 400V AC 50Hz 670 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 400V AC 880 rpm	L Hava Debisi Air Flow 3/ 400V AC 670 rpm
	m²	dm³	Euro	W	W	pcs	mm	m³/h	m³/h
EIB-1180-90M2	89,98	7,9	€ 819	43.135	37.131	1	800	18.671	14.645
EIB-1180-100M2	98,20	7,9	€ 834	45.210	38.693	1	800	18.460	14.425
EIB-1180-105M2	104,98	9,2	€ 888	48.450	41.832	1	800	19.613	15.562
EIB-1180-115M2	114,56	9,2	€ 907	50.767	43.631	1	800	19.425	15.383
EIB-1180-120M2	120,08	10,8	€ 972	49.556	41.561	1	800	17.447	13.447
EIB-1180-130M2	131,03	10,8	€ 992	51.338	42.707	1	800	17.176	13.168
EIB-1180-140M2	140,09	12,5	€ 1.065	55.738	47.045	1	800	18.577	14.545
EIB-1180-152M2	152,87	12,5	€ 1.089	57.763	48.469	1	800	18.342	14.325
EIB-2180-180M2	179,96	15,8	€ 1.449	86.270	74.262	2	800	37.342	29.289
EIB-1280-180M2	179,96	15,8	€ 1.467	86.270	74.262	2	800	37.342	29.289
EIB-2180-200M2	196,39	15,8	€ 1.480	90.419	77.386	2	800	36.919	28.850
EIB-1280-200M2	196,39	15,8	€ 1.498	90.419	77.386	2	800	36.919	28.850
EIB-2180-210M2	209,95	18,4	€ 1.588	96.899	83.663	2	800	39.226	31.124
EIB-1280-210M2	209,95	18,4	€ 1.606	96.899	83.663	2	800	39.226	31.124
EIB-2180-230M2	229,12	18,4	€ 1.624	101.534	87.262	2	800	38.849	30.765
EIB-1280-230M2	229,12	18,4	€ 1.643	101.534	87.262	2	800	38.849	30.765
EIB-2180-240M2	240,15	21,5	€ 1.741	99.112	83.122	2	800	34.894	26.894
EIB-1280-240M2	240,15	21,5	€ 1.773	99.112	83.122	2	800	34.894	26.894
EIB-2180-260M2	262,05	21,5	€ 1.783	102.676	85.414	2	800	34.352	26.336
EIB-1280-360M2	262,05	21,5	€ 1.814	102.676	85.414	2	800	34.352	26.336
EIB-2180-280M2	280,17	25,0	€ 1.927	111.476	94.090	2	800	37.154	29.089
EIB-1280-280M2	280,17	25,0	€ 1.959	111.476	94.090	2	800	37.154	29.089
EIB-2180-305M2	305,73	25,0	€ 1.976	115.526	96.938	2	800	36.683	28.650
EIB-1280-305M2	305,73	25,0	€ 2.007	115.526	96.938	2	800	36.683	28.650
EIB-3180-270M2	269,94	23,7	€ 2.167	129.405	111.393	3	800	56.013	43.934
EIB-3180-300M2	294,59	23,7	€ 2.214	135.629	116.079	3	800	55.379	43.275
EIB-3180-315M2	314,93	27,6	€ 2.376	145.349	125.495	3	800	58.839	46.686
EIB-3180-340M2	343,68	27,6	€ 2.431	152.301	130.893	3	800	58.274	46.148
EIB-3180-360M2	360,23	32,3	€ 2.599	148.668	124.683	3	800	52.341	40.341
EIB-3180-390M2	393,08	32,3	€ 2.661	154.014	128.121	3	800	51.528	39.504
EIB-3180-420M2	420,26	37,5	€ 2.878	167.214	141.135	3	800	55.731	43.634
EIB-3180-460M2	458,60	37,5	€ 2.951	173.289	145.407	3	800	55.025	42.975
EIB-2280-360M2	359,92	31,6	€ 2.808	172.540	148.524	4	800	74.684	58.578
EIB-2280-390M2	392,78	31,6	€ 2.871	180.838	154.772	4	800	73.838	57.700
EIB-2280-420M2	419,90	36,8	€ 3.088	193.798	167.326	4	800	78.452	62.248
EIB-2280-460M2	458,24	36,8	€ 3.160	203.068	174.524	4	800	77.698	61.530
EIB-2280-480M2	480,30	43,0	€ 3.394	198.224	166.244	4	800	69.788	53.788
EIB-2280-525M2	524,10	43,0	€ 3.476	205.352	170.828	4	800	68.704	52.672
EIB-2280-560M2	560,34	50,0	€ 3.766	222.952	188.180	4	800	74.308	58.178
EIB-2280-610M2	611,46	50,0	€ 3.862	231.052	193.876	4	800	73.366	57.300
EIB-3280-540M2	539,88	47,4	€ 4.089	258.810	222.786	6	800	112.026	87.867
EIB-3280-590M2	589,17	47,4	€ 4.182	271.257	232.158	6	800	110.757	86.550
EIB-3280-630M2	629,85	55,2	€ 4.508	290.697	250.989	6	800	117.678	93.372
EIB-3280-690M2	687,36	55,2	€ 4.616	304.602	261.786	6	800	116.547	92.295
EIB-3280-720M2	720,45	64,5	€ 4.954	297.336	249.366	6	800	104.682	80.682
EIB-3280-785M2	786,15	64,5	€ 5.078	308.028	256.242	6	800	103.056	79.008
EIB-3280-840M2	840,51	75,0	€ 5.512	334.428	282.270	6	800	111.462	87.267
EIB-3280-918M2	917,19	75,0	€ 5.656	346.578	290.814	6	800	110.049	85.950



Model Model	Boyutlar Dimensions							Bağlantılar Connections		
	A	B	C	D	E	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EIB-1180-90M2	160	140	126	42	85	118	120	1	35	28
EIB-1180-100M2	160	140	126	42	85	118	120	1	35	28
EIB-1180-105M2	160	140	126	42	85	118	120	1	35	28
EIB-1180-115M2	160	140	126	42	85	118	120	1	35	28
EIB-1180-120M2	160	140	126	42	85	118	120	1	35	28
EIB-1180-130M2	160	140	126	42	85	118	120	1	35	28
EIB-1180-140M2	160	140	126	42	85	118	120	1	35	28
EIB-1180-152M2	160	140	126	42	85	118	120	1	35	28
EIB-2180-180M2	280	140	126	42	85	118	240	1	42	35
EIB-1280-180M2	160	140	235	42	85	227	120	1	35	28
EIB-2180-200M2	280	140	126	42	85	118	240	1	42	35
EIB-1280-200M2	160	140	235	42	85	227	120	1	35	28
EIB-2180-210M2	280	140	126	42	85	118	240	1	42	35
EIB-1280-210M2	160	140	235	42	85	227	120	1	35	28
EIB-2180-230M2	280	140	126	42	85	118	240	1	42	35
EIB-1280-230M2	160	140	235	42	85	227	120	1	35	28
EIB-2180-240M2	280	140	126	42	85	118	240	1	42	35
EIB-1280-240M2	160	140	235	42	85	227	120	1	35	28
EIB-2180-260M2	280	140	126	42	85	118	240	1	42	35
EIB-1280-360M2	160	140	235	42	85	227	120	1	35	28
EIB-2180-280M2	280	140	126	42	85	118	240	1	42	35
EIB-1280-280M2	160	140	235	42	85	227	120	1	35	28
EIB-2180-305M2	280	140	126	42	85	118	240	1	42	35
EIB-1280-305M2	160	140	235	42	85	227	120	1	35	28
EIB-3180-270M2	400	140	126	42	85	118	360	1	64	54
EIB-3180-300M2	400	140	126	42	85	118	360	1	64	54
EIB-3180-315M2	400	140	126	42	85	118	360	1	64	54
EIB-3180-340M2	400	140	126	42	85	118	360	1	64	54
EIB-3180-360M2	400	140	126	42	85	118	360	1	64	54
EIB-3180-390M2	400	140	126	42	85	118	360	1	64	54
EIB-3180-420M2	400	140	126	42	85	118	360	1	64	54
EIB-3180-460M2	400	140	126	42	85	118	360	1	64	54
EIB-2280-360M2	280	140	235	42	85	227	240	1	64	54
EIB-2280-390M2	280	140	235	42	85	227	240	1	64	54
EIB-2280-420M2	280	140	235	42	85	227	240	1	64	54
EIB-2280-460M2	280	140	235	42	85	227	240	1	64	54
EIB-2280-480M2	280	140	235	42	85	227	240	1	64	54
EIB-2280-525M2	280	140	235	42	85	227	240	1	64	54
EIB-2280-560M2	280	140	235	42	85	227	240	1	64	54
EIB-2280-610M2	280	140	235	42	85	227	240	1	64	54
EIB-3280-540M2	400	140	235	42	85	227	360	2	80	64
EIB-3280-590M2	400	140	235	42	85	227	360	2	80	64
EIB-3280-630M2	400	140	235	42	85	227	360	2	80	64
EIB-3280-690M2	400	140	235	42	85	227	360	2	80	64
EIB-3280-720M2	400	140	235	42	85	227	360	2	80	64
EIB-3280-785M2	400	140	235	42	85	227	360	2	80	64
EIB-3280-840M2	400	140	235	42	85	227	360	2	80	64
EIB-3280-918M2	400	140	235	42	85	227	360	2	80	64



EIC Serisi | EIC Series

Batarya Özellikleri / Heat Exchanger Specifications




Geometri / Geometry : 3228-1/2"

Bakır Boru / Copper Pipe : 1/2"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity $\Delta t = 15^{\circ}\text{C}$		Fanlar / Fans			
				S Ø500mm 1/ 230V AC 50Hz 1400 rpm	L Ø500mm 3/ 400V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1/ 230V AC 1400 rpm	L Hava Debisi Air Flow 3/ 400V AC 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EIC-1150-50M2	49,54	8,2	€ 611	21.820	15.790	1	500	7.736	4.706
EIC-1150-54M2	53,99	8,2	€ 621	23.509	16.818	1	500	7.675	4.860
EIC-1150-66M2	66,24	11,4	€ 724	26.400	18.311	1	500	7.387	4.637
EIC-1150-72M2	72,03	11,4	€ 737	26.707	18.401	1	500	7.308	4.579
EIC-1250-100M2	99,07	16,3	€ 1.086	43.640	31.579	2	500	15.471	9.412
EIC-2150-100M2	99,07	16,3	€ 1.076	43.640	31.579	2	500	15.471	9.412
EIC-1250-108M2	107,98	16,3	€ 1.106	47.018	33.636	2	500	15.349	9.719
EIC-2150-108M2	107,98	16,3	€ 1.097	47.018	33.636	2	500	15.349	9.719
EIC-1250-132M2	132,47	22,8	€ 1.311	52.799	36.621	2	500	14.773	9.274
EIC-2150-132M2	132,47	22,8	€ 1.292	52.799	36.621	2	500	14.773	9.274
EIC-1250-144M2	144,06	22,8	€ 1.337	53.414	36.802	2	500	14.616	9.157
EIC-2150-144M2	144,06	22,8	€ 1.318	53.414	36.802	2	500	14.616	9.157
EIC-3150-150M2	148,61	24,5	€ 1.548	65.460	47.369	3	500	23.207	14.118
EIC-3150-162M2	161,97	24,5	€ 1.578	70.527	50.454	3	500	23.024	14.579
EIC-3150-200M2	198,71	34,2	€ 1.867	79.199	54.932	3	500	22.160	13.911
EIC-3150-216M2	216,09	34,2	€ 1.907	80.121	55.203	3	500	21.924	13.736
EIC-2250-200M2	198,14	32,6	€ 1.928	87.280	63.158	4	500	30.942	18.824
EIC-4150-200M2	198,14	32,6	€ 2.001	87.280	63.158	4	500	30.942	18.824
EIC-2250-216M2	215,96	32,6	€ 1.967	94.036	67.272	4	500	30.698	19.438
EIC-4150-216M2	215,96	32,6	€ 2.040	94.036	67.272	4	500	30.698	19.438
EIC-2250-265M2	264,94	45,6	€ 2.359	105.598	73.242	4	500	29.546	18.548
EIC-4150-265M2	264,94	45,6	€ 2.423	105.598	73.242	4	500	29.546	18.548
EIC-2250-288M2	288,12	45,6	€ 2.412	106.828	73.604	4	500	29.232	18.314
EIC-4150-288M2	288,12	45,6	€ 2.476	106.828	73.604	4	500	29.232	18.314
EIC-3250-300M2	297,21	48,9	€ 2.796	130.920	94.737	6	500	46.413	28.236
EIC-3250-324M2	323,94	48,9	€ 2.855	141.054	100.908	6	500	46.047	29.157
EIC-3250-400M2	397,41	68,4	€ 3.435	158.397	109.863	6	500	44.319	27.822
EIC-3250-432M2	432,18	68,4	€ 3.513	160.242	110.406	6	500	43.848	27.471
EIC-4250-400M2	396,28	65,2	€ 3.719	174.560	126.316	8	500	61.884	37.648
EIC-4250-432M2	431,92	65,2	€ 3.797	188.072	134.544	8	500	61.396	38.876
EIC-4250-530M2	529,88	91,2	€ 4.564	211.196	146.484	8	500	59.092	37.096
EIC-4250-576M2	576,24	91,2	€ 4.669	213.656	147.208	8	500	58.464	36.628



Model Model	Boyutlar Dimensions							Bağlantılar Connections		
	A	B	C	D	E	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EIC-1150-50M2	125	140	107	42	85	99	85	1	22	19
EIC-1150-54M2	125	140	107	42	85	99	85	1	22	19
EIC-1150-66M2	125	140	107	42	85	99	85	1	22	19
EIC-1150-72M2	125	140	107	42	85	99	85	1	22	19
EIC-1250-100M2	120	140	196	42	85	188	85	1	35	28
EIC-2150-100M2	210	140	107	42	85	99	170	1	35	28
EIC-1250-108M2	120	140	196	42	85	188	85	1	35	28
EIC-2150-108M2	210	140	107	42	85	99	170	1	35	28
EIC-1250-132M2	120	140	196	42	85	188	85	1	35	28
EIC-2150-132M2	210	140	107	42	85	99	170	1	35	28
EIC-1250-144M2	120	140	196	42	85	188	85	1	35	28
EIC-2150-144M2	210	140	107	42	85	99	170	1	35	28
EIC-3150-150M2	295	140	107	42	85	99	255	1	42	35
EIC-3150-162M2	295	140	107	42	85	99	255	1	42	35
EIC-3150-200M2	295	140	107	42	85	99	255	1	42	35
EIC-3150-216M2	295	140	107	42	85	99	255	1	42	35
EIC-2250-200M2	200	140	196	42	85	188	170	1	42	35
EIC-4150-200M2	380	140	107	42	85	99	340	1	42	35
EIC-2250-216M2	200	140	196	42	85	188	170	1	42	35
EIC-4150-216M2	380	140	107	42	85	99	340	1	42	35
EIC-2250-265M2	200	140	196	42	85	188	170	1	42	35
EIC-4150-265M2	380	140	107	42	85	99	340	1	42	35
EIC-2250-288M2	200	140	196	42	85	188	170	1	42	35
EIC-4150-288M2	380	140	107	42	85	99	340	1	42	35
EIC-3250-300M2	280	140	196	42	85	188	255	2	54	42
EIC-3250-324M2	280	140	196	42	85	188	255	2	54	42
EIC-3250-400M2	280	140	196	42	85	188	255	2	54	42
EIC-3250-432M2	280	140	196	42	85	188	255	2	54	42
EIC-4250-400M2	360	140	196	42	85	188	340	2	64	54
EIC-4250-432M2	360	140	196	42	85	188	340	2	64	54
EIC-4250-530M2	360	140	196	42	85	188	340	2	64	54
EIC-4250-576M2	360	140	196	42	85	188	340	2	64	54



EIC Serisi | EIC Series

Batarya Özellikleri / Heat Exchanger Specifications







Geometri / Geometry : 3228-1/2"

Bakır Boru / Copper Pipe : 1/2"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø630mm 1/ 230V AC 50Hz 1320 rpm	L Ø630mm 3/ 400V AC 50Hz 850 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1/ 230V AC 1400 rpm	L Hava Debisi Air Flow 3/ 400V AC 900 rpm
	m²	dm³	Euro	W	W	pcs	mm	m³/h	m³/h
EIC-1163-73M2	73,47	12,7	€ 803	40.557	29.459	1	630	16.171	10.050
EIC-1163-80M2	80,06	12,7	€ 817	42.332	30.519	1	630	15.996	9.927
EIC-1163-98M2	97,96	16,9	€ 966	48.216	33.747	1	630	15.238	9.400
EIC-1163-407M2	106,74	16,9	€ 985	49.802	34.545	1	630	15.044	9.265
EIC-1263-147M2	146,94	25,3	€ 1.456	81.113	58.918	2	630	32.341	20.099
EIC-2163-147M2	146,94	25,3	€ 1.443	81.113	58.918	2	630	32.341	20.099
EIC-1263-160M2	160,11	25,3	€ 1.485	84.664	61.037	2	630	31.991	19.854
EIC-2163-160M2	160,11	25,3	€ 1.472	84.664	61.037	2	630	31.991	19.854
EIC-1263-196M2	195,92	33,7	€ 1.782	96.432	67.494	2	630	30.476	18.799
EIC-2163-196M2	195,92	33,7	€ 1.759	96.432	67.494	2	630	30.476	18.799
EIC-1263-213M2	213,48	33,7	€ 1.821	99.604	69.090	2	630	30.088	18.529
EIC-2163-213M2	213,48	33,7	€ 1.798	99.604	69.090	2	630	30.088	18.529
EIC-3163-220M2	220,41	38,0	€ 2.068	121.670	88.377	3	630	48.512	30.149
EIC-3163-240M2	240,17	38,0	€ 2.112	126.996	91.556	3	630	47.987	29.781
EIC-3163-294M2	293,88	50,6	€ 2.537	144.648	101.241	3	630	45.714	28.199
EIC-3163-320M2	320,22	50,6	€ 2.596	149.406	103.635	3	630	45.132	27.794
EIC-2263-294M2	293,88	50,6	€ 2.705	162.226	117.836	4	630	64.682	40.198
EIC-4163-297M2	293,88	50,6	€ 2.750	162.226	117.836	4	630	64.682	40.198
EIC-2263-320M2	320,22	50,6	€ 2.763	169.328	122.074	4	630	63.982	39.708
EIC-4163-320M2	320,22	50,6	€ 2.808	169.328	122.074	4	630	63.982	39.708
EIC-2263-392M2	391,84	67,4	€ 3.337	192.864	134.988	4	630	60.952	37.598
EIC-4163-392M2	391,84	67,4	€ 3.372	192.864	134.988	4	630	60.952	37.598
EIC-2263-427M2	426,96	67,4	€ 3.415	199.208	138.180	4	630	60.176	37.058
EIC-4163-427M2	426,96	67,4	€ 3.449	199.208	138.180	4	630	60.176	37.058
EIC-3263-441M2	440,82	75,9	€ 3.954	243.339	176.754	6	630	97.023	60.297
EIC-3263-480M2	480,33	75,9	€ 4.041	253.992	183.111	6	630	95.973	59.562
EIC-3263-588M2	587,76	101,1	€ 4.892	289.296	202.482	6	630	91.428	56.397
EIC-3263-640M2	640,44	101,1	€ 5.008	298.812	207.270	6	630	90.264	55.587
EIC-4263-588M2	587,76	101,2	€ 5.151	324.452	235.672	8	630	129.364	80.396
EIC-4263-640M2	640,44	101,2	€ 5.267	338.656	244.148	8	630	127.964	79.416
EIC-4263-784M2	783,68	134,8	€ 6.395	385.728	269.976	8	630	121.904	75.196
EIC-4263-854M2	853,92	134,8	€ 6.550	398.416	276.360	8	630	120.352	74.116



Model Model	Boyutlar Dimensions							Bağlantılar Connections		
	A	B	C	D	E	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EIC-1163-73M2	150	140	120	42	85	112	110	1	28	22
EIC-1163-80M2	150	140	120	42	85	112	110	1	28	22
EIC-1163-98M2	150	140	120	42	85	112	110	1	28	22
EIC-1163-407M2	150	140	120	42	85	112	110	1	28	22
EIC-1263-147M2	150	140	222	42	85	214	110	1	35	28
EIC-2163-147M2	260	140	120	42	85	112	220	1	35	28
EIC-1263-160M2	150	140	222	42	85	214	110	1	35	28
EIC-2163-160M2	260	140	120	42	85	112	220	1	35	28
EIC-1263-196M2	150	140	222	42	85	214	110	1	35	28
EIC-2163-196M2	260	140	120	42	85	112	220	1	35	28
EIC-1263-213M2	150	140	222	42	85	214	110	1	35	28
EIC-2163-213M2	260	140	120	42	85	112	220	1	35	28
EIC-3163-220M2	270	140	120	42	85	112	330	1	42	35
EIC-3163-240M2	270	140	120	42	85	112	330	1	42	35
EIC-3163-294M2	270	140	120	42	85	112	330	1	42	35
EIC-3163-320M2	270	140	120	42	85	112	330	1	42	35
EIC-2263-294M2	260	140	222	42	85	214	220	1	54	42
EIC-4163-297M2	480	140	120	42	85	112	440	1	54	42
EIC-2263-320M2	260	140	222	42	85	214	220	1	54	42
EIC-4163-320M2	480	140	120	42	85	112	440	1	54	42
EIC-2263-392M2	260	140	222	42	85	214	220	1	54	42
EIC-4163-392M2	480	140	120	42	85	112	440	1	54	42
EIC-2263-427M2	260	140	222	42	85	214	220	1	54	42
EIC-4163-427M2	480	140	120	42	85	112	440	1	54	42
EIC-3263-441M2	270	140	222	42	85	214	330	2	64	54
EIC-3263-480M2	270	140	222	42	85	214	330	2	64	54
EIC-3263-588M2	270	140	222	42	85	214	330	2	64	54
EIC-3263-640M2	270	140	222	42	85	214	330	2	64	54
EIC-4263-588M2	480	140	222	42	85	214	440	2	64	54
EIC-4263-640M2	480	140	222	42	85	214	440	2	64	54
EIC-4263-784M2	480	140	222	42	85	214	440	2	64	54
EIC-4263-854M2	480	140	222	42	85	214	440	2	64	54



EIC Serisi | EIC Series

Batarya Özellikleri / Heat Exchanger Specifications


Geometri / Geometry : 3228-1/2"

Bakır Boru / Copper Pipe : 1/2"



Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø800mm 1/ 230V AC 50Hz 880 rpm	L Ø800mm 3/ 400V AC 50Hz 670 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 400V AC 880 rpm	L Hava Debisi Air Flow 3/ 400V AC 670 rpm
	m²	dm³	Euro	W	W	pcs	mm	m³/h	m³/h
EIC-1180-85M2	85,16	14,7	€ 925	45.644	38.337	1	800	17.494	13.487
EIC-1180-93M2	92,79	14,7	€ 942	47.474	39.598	1	800	17.235	13.228
EIC-1180-100M2	99,36	17,1	€ 1.014	51.312	43.411	1	800	18.613	14.585
EIC-1180-108M2	108,26	17,1	€ 1.034	53.398	44.918	1	800	18.389	14.365
EIC-1180-114M2	113,55	19,6	€ 1.113	52.745	42.766	1	800	16.046	12.091
EIC-1180-124M2	123,73	19,6	€ 1.136	54.133	43.543	1	800	15.740	11.812
EIC-1180-132M2	132,47	22,8	€ 1.232	59.241	49.143	1	800	17.365	13.368
EIC-1180-144M2	144,12	22,2	€ 1.258	58.804	49.550	1	800	17.094	13.088
EIC-1280-170M2	170,32	29,3	€ 1.765	91.287	76.673	2	800	34.988	26.974
EIC-2180-170M2	170,32	29,3	€ 1.704	91.287	76.673	2	800	34.988	26.974
EIC-1280-185M2	185,58	29,3	€ 1.799	94.947	79.195	2	800	34.470	26.456
EIC-2180-186M2	185,58	29,3	€ 1.738	94.947	79.195	2	800	34.470	26.456
EIC-1280-200M2	198,71	34,2	€ 1.943	102.624	86.821	2	800	37.225	29.169
EIC-2180-200M2	198,71	34,2	€ 1.881	102.624	86.821	2	800	37.225	29.169
EIC-1280-216M2	216,51	34,2	€ 1.982	106.795	89.835	2	800	36.777	28.730
EIC-2180-216M2	216,51	34,2	€ 1.921	106.795	89.835	2	800	36.777	28.730
EIC-1280-227M2	227,09	39,1	€ 2.141	105.490	85.532	2	800	32.092	24.181
EIC-2180-227M2	227,09	39,1	€ 2.069	105.490	85.532	2	800	32.092	24.181
EIC-1280-247M2	247,45	39,1	€ 2.186	108.266	87.085	2	800	31.480	23.623
EIC-2180-247M2	247,45	39,1	€ 2.114	108.266	87.085	2	800	31.480	23.623
EIC-1280-265M2	264,94	45,6	€ 2.378	118.481	98.285	2	800	34.729	26.735
EIC-2180-165M2	264,94	45,6	€ 2.306	118.481	98.285	2	800	34.729	26.735
EIC-1280-288M2	288,23	44,3	€ 2.430	117.607	99.100	2	800	34.187	26.176
EIC-2180-288M2	288,23	44,3	€ 2.358	117.607	99.100	2	800	34.187	26.176
EIC-3180-255M2	255,48	44,0	€ 2.500	136.931	115.010	3	800	52.482	40.461
EIC-3180-278M2	278,37	44,0	€ 2.550	142.421	118.793	3	800	51.705	39.684
EIC-3180-300M2	298,07	51,3	€ 2.766	153.936	130.232	3	800	55.838	43.754
EIC-3180-325M2	324,77	51,3	€ 2.825	160.193	134.753	3	800	55.166	43.095
EIC-3180-340M2	340,64	58,7	€ 3.042	158.235	128.298	3	800	48.138	36.272
EIC-3180-370M2	371,18	58,7	€ 3.110	162.399	130.628	3	800	47.220	35.435
EIC-3180-397M2	397,41	68,4	€ 3.397	177.722	147.428	3	800	52.094	40.103
EIC-3180-432M2	432,35	66,5	€ 3.476	176.411	148.650	3	800	51.281	39.264
EIC-2280-340M2	340,64	58,6	€ 3.247	182.574	153.346	4	800	69.976	53.948
EIC-2280-370M2	371,16	58,6	€ 3.314	189.894	158.390	4	800	68.940	52.912
EIC-2280-400M2	397,42	68,4	€ 3.602	205.248	173.642	4	800	74.450	58.338
EIC-2280-433M2	433,02	68,4	€ 3.680	213.590	179.670	4	800	73.554	57.460
EIC-2280-454M2	454,18	78,2	€ 3.978	210.980	171.064	4	800	64.184	48.362
EIC-2280-495M2	494,90	78,2	€ 4.068	216.532	174.170	4	800	62.960	47.246
EIC-2280-530M2	529,88	91,2	€ 4.450	236.962	196.570	4	800	69.458	53.470
EIC-2280-576M2	576,46	88,6	€ 4.555	235.214	198.200	4	800	68.374	52.352
EIC-3280-510M2	510,96	87,9	€ 4.753	273.861	230.019	6	800	104.964	80.922
EIC-3280-557M2	556,74	87,9	€ 4.854	284.841	237.585	6	800	103.410	79.368
EIC-3280-600M2	596,13	102,6	€ 5.285	307.872	260.463	6	800	111.675	87.507
EIC-3280-650M2	649,53	102,6	€ 5.403	320.385	269.505	6	800	110.331	86.190
EIC-3280-680M2	681,27	117,3	€ 5.839	316.470	256.596	6	800	96.276	72.543
EIC-3280-742M2	742,35	117,3	€ 5.973	324.798	261.255	6	800	94.440	70.869
EIC-3280-795M2	794,82	136,8	€ 6.548	355.443	294.855	6	800	104.187	80.205
EIC-3280-865M2	864,69	132,9	€ 6.705	352.821	297.300	6	800	102.561	78.528



Model Model	Boyutlar Dimensions							Bağlantılar Connections		
	A	B	C	D	E	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EIC-1180-85M2	160	140	126	42	85	118	120	1	35	28
EIC-1180-93M2	160	140	126	42	85	118	120	1	35	28
EIC-1180-100M2	160	140	126	42	85	118	120	1	35	28
EIC-1180-108M2	160	140	126	42	85	118	120	1	35	28
EIC-1180-114M2	160	140	126	42	85	118	120	1	35	28
EIC-1180-124M2	160	140	126	42	85	118	120	1	35	28
EIC-1180-132M2	160	140	126	42	85	118	120	1	35	28
EIC-1180-144M2	160	140	126	42	85	118	120	1	35	28
EIC-1280-170M2	160	140	235	42	85	227	120	1	54	42
EIC-2180-170M2	280	140	126	42	85	118	240	1	54	42
EIC-1280-185M2	160	140	235	42	85	227	120	1	54	42
EIC-2180-186M2	280	140	126	42	85	118	240	1	54	42
EIC-1280-200M2	160	140	235	42	85	227	120	1	54	42
EIC-2180-200M2	280	140	126	42	85	118	240	1	54	42
EIC-1280-216M2	160	140	235	42	85	227	120	1	54	42
EIC-2180-216M2	280	140	126	42	85	118	240	1	54	42
EIC-1280-227M2	160	140	235	42	85	227	120	1	54	42
EIC-2180-227M2	280	140	126	42	85	118	240	1	54	42
EIC-1280-247M2	160	140	235	42	85	227	120	1	54	42
EIC-2180-247M2	280	140	126	42	85	118	240	1	54	42
EIC-1280-265M2	160	140	235	42	85	227	120	1	54	42
EIC-2180-165M2	280	140	126	42	85	118	240	1	54	42
EIC-1280-288M2	160	140	235	42	85	227	120	1	54	42
EIC-2180-288M2	280	140	126	42	85	118	240	1	54	42
EIC-3180-255M2	400	140	126	42	85	118	360	1	64	54
EIC-3180-278M2	400	140	126	42	85	118	360	1	64	54
EIC-3180-300M2	400	140	126	42	85	118	360	1	64	54
EIC-3180-325M2	400	140	126	42	85	118	360	1	64	54
EIC-3180-340M2	400	140	126	42	85	118	360	1	64	54
EIC-3180-370M2	400	140	126	42	85	118	360	1	64	54
EIC-3180-397M2	400	140	126	42	85	118	360	1	64	54
EIC-3180-432M2	400	140	126	42	85	118	360	1	64	54
EIC-2280-340M2	280	140	235	42	85	227	240	1	64	54
EIC-2280-370M2	280	140	235	42	85	227	240	1	64	54
EIC-2280-400M2	280	140	235	42	85	227	240	1	64	54
EIC-2280-433M2	280	140	235	42	85	227	240	1	64	54
EIC-2280-454M2	280	140	235	42	85	227	240	1	64	54
EIC-2280-495M2	280	140	235	42	85	227	240	1	64	54
EIC-2280-530M2	280	140	235	42	85	227	240	1	64	54
EIC-2280-576M2	280	140	235	42	85	227	240	1	64	54
EIC-3280-510M2	400	140	235	42	85	227	360	2	80	64
EIC-3280-557M2	400	140	235	42	85	227	360	2	80	64
EIC-3280-600M2	400	140	235	42	85	227	360	2	80	64
EIC-3280-650M2	400	140	235	42	85	227	360	2	80	64
EIC-3280-680M2	400	140	235	42	85	227	360	2	80	64
EIC-3280-742M2	400	140	235	42	85	227	360	2	80	64
EIC-3280-795M2	400	140	235	42	85	227	360	2	80	64
EIC-3280-865M2	400	140	235	42	85	227	360	2	80	64



25



EWA Serisi | EWA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 2522-3/8"







Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø800mm 3/ 380V AC 50Hz 880 rpm	L Ø800mm 3/ 380V AC 50Hz 660 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 380V AC 880 rpm	L Hava Debisi Air Flow 3/ 380V AC 660 rpm
	m²	dm³	Euro	W	W	pcs	mm	m³/h	m³/h
EWA 280 250M2	250,76	37,8	€ 2.287	115.204	101.308	2	800	45.984	38.226
EWA 280 270M2	272,94	37,8	€ 2.307	120.118	105.496	2	800	45.866	38.146
EWA 280 375M2	376,12	56,8	€ 3.031	145.828	126.172	2	800	44.970	37.150
EWA 280 410M2	409,40	56,8	€ 3.061	150.914	130.054	2	800	44.830	36.950
EWA 280 500M2	501,50	75,8	€ 3.776	166.286	141.628	2	800	44.076	36.152
EWA 280 545M2	545,88	75,8	€ 3.816	171.332	145.346	2	800	43.840	35.912
EWA 380 375M2	376,14	56,7	€ 3.317	172.806	151.962	3	800	68.976	57.339
EWA 380 410M2	409,41	56,7	€ 3.348	180.177	158.244	3	800	68.799	57.219
EWA 380 565M2	564,18	85,2	€ 4.416	218.742	189.258	3	800	67.455	55.725
EWA 380 615M2	614,10	85,2	€ 4.462	226.371	195.081	3	800	67.245	55.425
EWA 380 750M2	752,25	113,7	€ 5.515	249.429	212.442	3	800	66.114	54.228
EWA 380 820M2	818,82	113,7	€ 5.637	256.998	218.019	3	800	65.760	53.868
EWA 480 320M2	317,62	48,0	€ 3.354	188.468	165.166	4	800	87.540	71.664
EWA 480 345M2	345,72	48,0	€ 3.454	197.348	172.452	4	800	87.116	71.186
EWA 480 475M2	476,42	72,0	€ 4.372	242.408	208.148	4	800	84.008	67.994
EWA 480 520M2	518,58	72,0	€ 4.410	251.728	215.200	4	800	83.444	67.356
EWA 480 635M2	635,24	96,0	€ 5.314	277.498	233.834	4	800	80.900	64.802
EWA 480 690M2	691,44	96,0	€ 5.366	286.902	240.644	4	800	80.242	64.164
EWA 680 475M2	476,43	72,0	€ 5.178	282.702	247.749	6	800	131.310	107.496
EWA 680 520M2	518,58	72,0	€ 5.217	296.022	258.678	6	800	130.674	106.779
EWA 680 715M2	714,63	108,0	€ 6.571	363.612	312.222	6	800	126.012	101.991
EWA 680 780M2	777,87	108,0	€ 6.629	377.592	322.800	6	800	125.166	101.034
EWA 680 950M2	952,86	144,0	€ 8.328	416.247	350.751	6	800	121.350	97.203
EWA 680 1040M2	1037,16	144,0	€ 8.405	430.353	360.966	6	800	120.363	96.246

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions						Bağlantılar Connections		
	A	B	C	D	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EWA 280 250M2	275	196	158	170	133	250	1	35	42
EWA 280 270M2	275	196	158	170	133	250	1	42	35
EWA 280 375M2	275	196	158	170	133	250	1	42	35
EWA 280 410M2	275	196	158	170	133	250	1	42	35
EWA 280 500M2	275	196	158	170	133	250	1	42	35
EWA 280 545M2	275	196	158	170	133	250	1	42	35
EWA 380 375M2	395	196	158	170	133	370	1	35	42
EWA 380 410M2	395	196	158	170	133	370	1	42	35
EWA 380 565M2	395	196	158	170	133	370	1	42	35
EWA 380 615M2	395	196	158	170	133	370	1	42	35
EWA 380 750M2	395	196	158	170	133	370	1	42	35
EWA 380 820M2	395	196	158	170	133	370	1	54	42
EWA 480 320M2	275	224	253	197	228	250	1	42	35
EWA 480 345M2	275	224	253	197	228	250	1	42	54
EWA 480 475M2	275	224	253	197	228	250	1	54	42
EWA 480 520M2	275	224	253	197	228	250	1	54	42
EWA 480 635M2	275	224	253	197	228	250	1	54	42
EWA 480 690M2	275	224	253	197	228	250	1	54	42
EWA 680 475M2	395	224	253	197	228	370	1	76	64
EWA 680 520M2	395	224	253	197	228	370	1	76	64
EWA 680 715M2	395	224	253	197	228	370	1	76	64
EWA 680 780M2	395	224	253	197	228	370	1	76	64
EWA 680 950M2	395	224	253	197	228	370	1	105	80
EWA 680 1040M2	395	224	253	197	228	370	1	105	80



EWB Serisi | EWB Series

Batarya Özellikleri / Heat Exchanger Specifications







Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity $\Delta t = 15^{\circ}\text{C}$		Fanlar / Fans			
				S Ø800mm 3/ 380V AC 50Hz 880 rpm	L Ø800mm 3/ 380V AC 50Hz 660 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 380V AC 880 rpm	L Hava Debisi Air Flow 3/ 380V AC 660 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EWB 280 300M2	296,64	26,6	€ 1.937	112.190	99.548	2	800	46.006	38.266
EWB 280 325M2	323,72	26,6	€ 1.960	118.360	104.776	2	800	45.866	38.146
EWB 280 445M2	444,98	39,8	€ 2.507	142.920	124.544	2	800	45.018	37.190
EWB 280 485M2	485,58	39,8	€ 2.542	148.172	128.658	2	800	44.830	36.990
EWB 280 595M2	593,30	53,0	€ 3.077	163.840	140.358	2	800	44.076	36.152
EWB 280 650M2	647,44	53,0	€ 3.184	168.508	143.772	2	800	43.888	35.952
EWB 380 445M2	444,96	39,9	€ 2.803	168.285	149.322	3	800	69.009	57.399
EWB 380 485M2	485,58	39,9	€ 2.838	177.540	157.164	3	800	68.799	57.219
EWB 380 670M2	667,47	59,7	€ 3.644	214.380	186.816	3	800	67.527	55.785
EWB 380 730M2	728,37	59,7	€ 3.697	222.258	192.987	3	800	67.245	55.485
EWB 380 890M2	889,95	79,5	€ 4.486	245.760	210.537	3	800	66.114	54.228
EWB 380 970M2	971,16	79,5	€ 4.617	252.762	215.658	3	800	65.832	53.928
EWB 480 425M2	423,78	37,8	€ 3.096	191.070	169.604	4	800	89.000	73.260
EWB 480 460M2	462,44	37,8	€ 3.293	199.638	176.750	4	800	88.624	72.862
EWB 480 635M2	635,68	56,8	€ 3.984	244.824	212.822	4	800	85.986	69.990
EWB 480 695M2	693,68	56,8	€ 4.035	255.946	221.494	4	800	85.468	69.430
EWB 480 850M2	847,58	75,8	€ 4.799	285.052	243.132	4	800	83.256	67.196
EWB 480 925M2	924,90	75,8	€ 4.866	294.954	250.246	4	800	82.642	66.558
EWB 680 635M2	635,67	56,7	€ 4.799	286.605	254.406	6	800	133.500	109.890
EWB 680 695M2	693,66	56,7	€ 4.849	299.457	265.125	6	800	132.936	109.293
EWB 680 955M2	953,52	85,2	€ 6.003	367.236	319.233	6	800	128.979	104.985
EWB 680 1040M2	1040,52	85,2	€ 6.078	383.919	332.241	6	800	128.202	104.145
EWB 680 1270M2	1271,37	113,7	€ 7.570	427.578	364.698	6	800	124.884	100.794
EWB 680 1390M2	1387,35	113,7	€ 8.555	442.431	375.369	6	800	123.963	99.837



Model Model	Boyutlar Dimensions						Bağlantılar Connections		
	A	B	C	D	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EWB 280 300M2	275	180	158	153	133	250	1	35	42
EWB 280 325M2	275	180	158	153	133	250	1	42	35
EWB 280 445M2	275	180	158	153	133	250	1	42	35
EWB 280 485M2	275	180	158	153	133	250	1	42	35
EWB 280 595M2	275	180	158	153	133	250	1	42	35
EWB 280 650M2	275	180	158	153	133	250	1	42	54
EWB 380 445M2	395	180	158	153	133	370	1	35	42
EWB 380 485M2	395	180	158	153	133	370	1	42	35
EWB 380 670M2	395	180	158	153	133	370	1	42	35
EWB 380 730M2	395	180	158	153	133	370	1	42	35
EWB 380 890M2	395	180	158	153	133	370	1	42	35
EWB 380 970M2	395	180	158	153	133	370	1	42	54
EWB 480 425M2	275	224	253	197	228	250	1	42	35
EWB 480 460M2	275	224	253	197	228	250	1	42	64
EWB 480 635M2	275	224	253	197	228	250	1	54	42
EWB 480 695M2	275	224	253	197	228	250	1	54	42
EWB 480 850M2	275	224	253	197	228	250	1	54	42
EWB 480 925M2	275	224	253	197	228	250	1	54	42
EWB 680 635M2	395	224	253	197	228	370	1	76	64
EWB 680 695M2	395	224	253	197	228	370	1	76	64
EWB 680 955M2	395	224	253	197	228	370	1	76	64
EWB 680 1040M2	395	224	253	197	228	370	1	76	64
EWB 680 1270M2	395	224	253	197	228	370	1	105	80
EWB 680 1390M2	395	224	253	197	228	370	1	105	80



EWC Serisi | EWC Series

Batarya Özellikleri / Heat Exchanger Specifications







Geometri / Geometry : 3228-1/2"

Bakır Boru / Copper Pipe : 1/2"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S 3/ 380V AC 50Hz 880 rpm	L Ø800mm 3/ 380V AC 50Hz 660 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 380V AC 880 rpm	L Hava Debisi Air Flow 3/ 380V AC 660 rpm
	m²	dm³	Euro	W	W	pcs	mm	m³/h	m³/h
EWC 280 280M2	280,52	48,2	€ 2.206	120.696	105.998	2	800	45.348	37.548
EWC 280 305M2	303,66	48,2	€ 2.230	126.850	111.050	2	800	45.206	37.388
EWC 280 420M2	420,78	72,4	€ 2.986	150.626	129.682	2	800	44.124	36.232
EWC 280 460M2	458,50	72,4	€ 3.019	156.266	133.896	2	800	43.934	35.992
EWC 280 560M2	561,06	96,6	€ 3.716	169.220	143.000	2	800	42.994	34.994
EWC 280 610M2	611,34	96,6	€ 3.821	173.674	146.124	2	800	42.758	34.756
EWC 380 420M2	420,78	72,3	€ 3.271	181.044	158.997	3	800	68.022	56.322
EWC 380 455M2	455,49	72,3	€ 3.306	190.275	166.575	3	800	67.809	56.082
EWC 380 630M2	631,17	108,6	€ 4.347	225.939	194.523	3	800	66.186	54.348
EWC 380 690M2	687,75	108,6	€ 4.399	234.399	200.844	3	800	65.901	53.988
EWC 380 840M2	841,59	144,9	€ 5.423	253.830	214.500	3	800	64.491	52.491
EWC 380 920M2	917,01	144,9	€ 5.554	260.511	219.186	3	800	64.137	52.134
EWC 480 400M2	400,74	69,0	€ 3.553	207.602	181.824	4	800	87.022	71.106
EWC 480 440M2	436,66	69,0	€ 3.586	218.602	190.830	4	800	86.552	70.628
EWC 480 560M2	561,04	96,4	€ 4.286	241.392	211.996	4	800	90.696	75.096
EWC 480 600M2	601,12	103,4	€ 4.333	260.068	222.614	4	800	83.350	67.276
EWC 480 610M2	607,32	96,4	€ 4.669	253.700	222.100	4	800	90.412	74.776
EWC 480 655M2	655,00	103,4	€ 4.720	270.448	230.294	4	800	82.784	66.638
EWC 480 800M2	801,50	138,0	€ 5.712	296.252	248.182	4	800	80.148	64.004
EWC 480 840M2	841,56	144,8	€ 5.709	301.252	259.364	4	800	88.248	72.464
EWC 480 875M2	873,34	138,0	€ 5.779	304.574	253.722	4	800	79.440	63.286
EWC 480 920M2	917,00	144,8	€ 5.779	312.532	267.792	4	800	87.868	71.984
EWC 480 1120M2	1122,12	193,2	€ 7.132	338.440	286.000	4	800	85.988	69.988
EWC 480 1220M2	1222,68	193,2	€ 7.286	347.348	292.248	4	800	85.516	69.512
EWC 580 700M2	701,30	120,5	€ 5.301	301.740	264.995	5	800	113.370	93.870
EWC 580 760M2	759,15	120,5	€ 5.360	317.125	277.625	5	800	113.015	93.470
EWC 580 1050M2	1051,95	181,0	€ 7.071	376.565	324.205	5	800	110.310	90.580
EWC 580 1150M2	1146,25	181,0	€ 7.158	390.665	334.740	5	800	109.835	89.980
EWC 580 1400M2	1402,65	241,5	€ 8.841	423.050	357.500	5	800	107.485	87.485
EWC 580 1530M2	1528,35	241,5	€ 9.018	434.185	365.310	5	800	106.895	86.890
EWC 680 600M2	601,11	103,5	€ 5.465	311.403	272.736	6	800	130.533	106.659
EWC 680 655M2	654,99	103,5	€ 5.516	327.903	286.245	6	800	129.828	105.942
EWC 680 900M2	901,68	155,1	€ 7.004	390.102	333.921	6	800	125.025	100.914
EWC 680 980M2	982,50	155,1	€ 7.079	405.672	345.441	6	800	124.176	99.957
EWC 680 1200M2	1202,25	207,0	€ 8.905	444.378	372.273	6	800	120.222	96.006
EWC 680 1310M2	1310,01	207,0	€ 9.006	456.861	380.583	6	800	119.160	94.929
EWC 880 800M2	801,48	138,0	€ 7.082	415.204	363.648	8	800	174.044	142.212
EWC 880 875M2	873,32	138,0	€ 7.149	437.204	381.660	8	800	173.104	141.256
EWC 880 1200M2	1202,24	206,8	€ 9.116	520.136	445.228	8	800	166.700	134.552
EWC 880 1310M2	1310,00	206,8	€ 9.217	540.896	460.588	8	800	165.568	133.276
EWC 880 1600M2	1603,00	276,0	€ 11.513	592.504	496.364	8	800	160.296	128.008
EWC 880 1745M2	1746,68	276,0	€ 11.647	609.148	507.444	8	800	158.880	126.572
EWC 1080 1000M2	1001,85	172,5	€ 8.698	519.005	454.560	10	800	217.555	177.765
EWC 1080 1090M2	1091,65	172,5	€ 8.782	546.505	477.075	10	800	216.380	176.570
EWC 1080 1500M2	1502,80	258,5	€ 11.228	650.170	556.535	10	800	208.375	168.190
EWC 1080 1640M2	1637,50	258,5	€ 11.354	676.120	575.735	10	800	206.960	166.595
EWC 1080 2000M2	2003,75	345,0	€ 14.120	740.630	620.455	10	800	200.370	160.010
EWC 1080 2185M2	2183,35	345,0	€ 14.288	761.435	634.305	10	800	198.600	158.215



Model Model	Boyutlar Dimensions						Bağlantılar Connections		
	A	B	C	D	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EWC 280 280M2	275	180	158	153	133	250	1	35	28
EWC 280 305M2	275	180	158	153	133	250	1	35	28
EWC 280 420M2	275	180	158	153	133	250	1	42	35
EWC 280 460M2	275	180	158	153	133	250	1	42	35
EWC 280 560M2	275	180	158	153	133	250	1	42	35
EWC 280 610M2	275	180	158	153	133	250	1	42	54
EWC 380 420M2	395	180	158	153	133	370	1	35	42
EWC 380 455M2	395	180	158	153	133	370	1	42	35
EWC 380 630M2	395	180	158	153	133	370	1	42	35
EWC 380 690M2	395	180	158	153	133	370	1	42	35
EWC 380 840M2	395	180	158	153	133	370	1	42	35
EWC 380 920M2	395	180	158	153	133	370	1	42	54
EWC 480 400M2	275	224	253	197	228	250	1	42	35
EWC 480 440M2	275	224	253	197	228	250	1	42	35
EWC 480 560M2	515	180	158	153	133	490	1	35	42
EWC 480 600M2	275	224	253	197	228	250	1	54	42
EWC 480 610M2	515	180	158	153	133	490	1	42	35
EWC 480 655M2	275	224	253	197	228	250	1	54	42
EWC 480 800M2	275	224	253	197	228	250	1	54	42
EWC 480 840M2	515	180	158	153	133	490	1	42	35
EWC 480 875M2	275	224	253	197	228	250	1	54	42
EWC 480 920M2	515	180	158	153	133	490	1	42	35
EWC 480 1120M2	515	180	158	153	133	490	1	42	35
EWC 480 1220M2	515	180	158	153	133	490	1	42	54
EWC 580 700M2	635	180	158	153	133	610	1	35	42
EWC 580 760M2	635	180	158	153	133	610	1	42	35
EWC 580 1050M2	635	180	158	153	133	610	1	42	35
EWC 580 1150M2	635	180	158	153	133	610	1	42	35
EWC 580 1400M2	635	180	158	153	133	610	1	42	35
EWC 580 1530M2	635	180	158	153	133	610	1	42	54
EWC 680 600M2	395	224	253	197	228	370	1	76	64
EWC 680 655M2	395	224	253	197	228	370	1	76	64
EWC 680 900M2	395	224	253	197	228	370	1	76	64
EWC 680 980M2	395	224	253	197	228	370	1	76	64
EWC 680 1200M2	395	224	253	197	228	370	1	105	80
EWC 680 1310M2	395	224	253	197	228	370	1	105	80
EWC 880 800M2	515	224	253	197	228	490	1	76	64
EWC 880 875M2	515	224	253	197	228	490	1	76	64
EWC 880 1200M2	515	224	253	197	228	490	1	76	64
EWC 880 1310M2	515	224	253	197	228	490	1	76	64
EWC 880 1600M2	515	224	253	197	228	490	1	105	80
EWC 880 1745M2	515	224	253	197	228	490	1	105	80
EWC 1080 1000M2	635	224	253	197	228	610	1	76	64
EWC 1080 1090M2	635	224	253	197	228	610	1	76	64
EWC 1080 1500M2	635	224	253	197	228	610	1	76	64
EWC 1080 1640M2	635	224	253	197	228	610	1	76	64
EWC 1080 2000M2	635	224	253	197	228	610	1	105	80
EWC 1080 2185M2	635	224	253	197	228	610	1	105	80



KONDENSER ÜNİTELERİ

CONDENSER UNITS



TSEK



**EBBOX • EABOX • ESBBOX • ESABOX • EUBOX • EFBOX • EHB BOX • EC BOX
EWA-FBOX • EWB-FBOX • EWA-DBOX • EWB-DBOX • EWA-EBOX • EWB-EBOX**

Serisi / Series

EBBOX Serisi | EBB0X Series


Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 3228-3/8"****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity $\Delta t = 15^{\circ}\text{C}$		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EBBOX-130-7	6,85	0,7	€ 133	2.529	-	1	300	1.726	-
EBBOX-135-10	11,43	1,1	€ 163	5.003	4.300	1	350	2.950	2.273
EBBOX-135-13	13,70	1,3	€ 171	5.852	4.988	1	350	2.918	2.243
EBBOX-135-15	15,22	1,6	€ 206	6.257	5.329	1	350	3.037	2.344
EBBOX-140-15	15,22	1,6	€ 206	7.067	6.037	1	400	3.728	2.864
EBBOX-140-20	19,99	1,6	€ 208	7.890	6.663	1	400	3.601	2.683
EBBOX-145-25	24,52	2,0	€ 250	9.960	8.750	1	450	5.187	4.171
EBBOX-150-25	24,52	2,0	€ 250	12.533	9.735	1	500	7.827	4.988
EBBOX-145-30	30,45	2,9	€ 294	12.363	10.653	1	450	5.031	3.996
EBBOX-150-30	30,45	2,9	€ 294	15.760	11.889	1	500	7.500	4.731
EBBOX-150-35	35,36	3,1	€ 312	16.693	12.468	1	500	7.378	4.637
EBBOX-150-40	40,20	3,1	€ 332	18.900	13.209	1	500	7.265	4.549
EBBOX-240-45	44,92	4,3	€ 492	17.232	14.757	2	400	7.701	6.037
EBBOX-245-45	44,92	4,3	€ 491	19.690	17.333	2	450	10.485	8.453
EBBOX-240-50	50,52	4,3	€ 499	18.568	15.817	2	400	7.670	5.998
EBBOX-245-50	50,52	4,3	€ 499	21.269	18.639	2	450	10.418	8.380
EBBOX-245-55	55,14	4,3	€ 505	22.474	19.631	2	450	10.363	8.324
EBBOX-250-55	55,14	4,3	€ 505	25.522	21.930	2	500	15.628	9.953
EBBOX-250-60	57,80	4,3	€ 508	29.410	22.541	2	500	15.567	9.906
EBBOX-250-65	65,08	6,6	€ 610	32.921	24.742	2	500	15.069	9.508
EBBOX-250-70	70,04	6,6	€ 616	34.365	25.667	2	500	14.947	9.414

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
EBBOX-130-7	100	52	54	49	41	47	58	3/8	3/8
EBBOX-135-10	100	52	54	49	41	47	58	5/8	1/2
EBBOX-135-13	100	52	54	49	41	47	58	5/8	1/2
EBBOX-135-15	100	57	63	54	43	55	58	5/8	1/2
EBBOX-140-15	100	57	63	54	43	55	58	5/8	1/2
EBBOX-140-20	100	57	63	54	43	55	58	5/8	1/2
EBBOX-145-25	120	67	63	64	51	55	77	19	1/2
EBBOX-150-25	120	67	63	64	51	55	77	19	1/2
EBBOX-145-30	120	67	63	64	51	55	77	19	1/2
EBBOX-150-30	120	67	63	64	51	55	77	19	1/2
EBBOX-150-35	126	67	63	64	57	55	83	22	5/8
EBBOX-150-40	126	67	63	64	57	55	83	22	5/8
EBBOX-240-45	130	127	63	124	60	55	83	22	5/8
EBBOX-245-45	130	127	63	124	60	55	83	22	5/8
EBBOX-240-50	130	127	63	124	60	55	83	22	5/8
EBBOX-245-50	130	127	63	124	60	55	83	22	5/8
EBBOX-245-55	130	127	63	124	60	55	83	22	5/8
EBBOX-250-55	130	127	63	124	60	55	83	22	5/8
EBBOX-250-60	130	127	63	124	60	55	83	22	5/8
EBBOX-250-65	130	127	63	124	60	55	83	28	19
EBBOX-250-70	130	127	63	124	60	55	83	28	19



EABOX Serisi | EABOX Series


Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 2522-3/8"****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EABOX-130-7	6,14	0,9	€ 144	2.821	-	1	300	1.705	-
EABOX-135-10	12,10	1,3	€ 181	6.167	5.154	1	350	2.818	2.153
EABOX-135-12	12,28	1,7	€ 194	6.524	5.437	1	350	2.818	2.153
EABOX-135-15	14,69	1,8	€ 222	6.722	5.624	1	350	2.824	2.248
EABOX-140-15	14,69	1,8	€ 222	7.682	6.356	1	400	3.581	2.690
EABOX-140-20	19,49	2,9	€ 273	9.238	7.430	1	400	3.418	2.516
EABOX-145-25	24,45	2,9	€ 286	12.402	10.599	1	450	5.037	4.005
EABOX-150-25	24,45	2,9	€ 303	16.126	11.906	1	500	7.513	4.742
EABOX-145-30	30,32	4,3	€ 367	14.147	11.820	1	450	4.858	3.793
EABOX-150-30	30,32	4,3	€ 367	18.469	13.282	1	500	7.125	4.450
EABOX-150-35	34,99	4,6	€ 415	19.662	14.034	1	500	7.169	4.473
EABOX-150-40	39,43	4,7	€ 428	20.880	14.773	1	500	7.116	4.438
EABOX-240-45	44,28	5,9	€ 590	19.140	15.999	2	400	7.551	5.844
EABOX-245-45	44,28	5,9	€ 590	23.378	20.058	2	450	10.151	8.084
EABOX-240-50	50,28	8,8	€ 684	21.515	17.713	2	400	7.423	5.689
EABOX-245-50	50,28	8,8	€ 684	26.338	22.270	2	450	9.884	7.789
EABOX-245-55	56,04	8,8	€ 697	27.598	23.193	2	450	9.783	7.678
EABOX-250-55	56,04	8,8	€ 697	36.022	26.043	2	500	14.407	9.016
EABOX-250-60	60,76	8,8	€ 711	36.686	26.399	2	500	14.250	8.899
EABOX-250-65	64,03	9,3	€ 753	38.036	27.363	2	500	14.511	9.086
EABOX-250-70	69,99	9,3	€ 767	39.787	28.393	2	500	14.337	8.958

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
EABOX-130-7	100	52	54	49	41	47	58	3/8	3/8
EABOX-135-10	100	52	54	49	41	47	58	5/8	1/2
EABOX-135-12	100	52	54	49	41	47	58	5/8	1/2
EABOX-135-15	100	57	63	54	43	55	58	5/8	1/2
EABOX-140-15	100	57	63	54	43	55	58	5/8	1/2
EABOX-140-20	100	57	63	54	43	55	58	19	1/2
EABOX-145-25	120	67	63	64	51	55	77	19	1/2
EABOX-150-25	120	67	63	64	51	55	77	19	1/2
EABOX-145-30	120	67	63	64	51	55	77	22	5/8
EABOX-150-30	120	67	63	64	51	55	77	22	5/8
EABOX-150-35	126	67	63	64	57	55	83	22	5/8
EABOX-150-40	126	67	63	64	57	55	83	22	5/8
EABOX-240-45	130	127	63	124	60	55	83	22	5/8
EABOX-245-45	130	127	63	124	60	55	83	22	5/8
EABOX-240-50	130	127	63	124	60	55	83	22	5/8
EABOX-245-50	130	127	63	124	60	55	83	22	5/8
EABOX-245-55	130	127	63	124	60	55	83	28	19
EABOX-250-55	130	127	63	124	60	55	83	28	19
EABOX-250-60	130	127	63	124	60	55	83	28	19
EABOX-250-65	130	127	63	124	60	55	83	28	19
EABOX-250-70	130	127	63	124	60	55	83	28	19






ESB BOX Serisi | ESB BOX Series

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 3228-3/8****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
ESB BOX 150 44M2	44,14	3,9	€ 462	17.694	12.174	1	500	5.433	3.267
ESB BOX 250 58M2	57,81	4,7	€ 723	28.813	21.195	2	500	12.628	7.728
ESB BOX 250 65M2	65,22	6,3	€ 805	31.267	22.491	2	500	11.939	7.260
ESB BOX 250 77M2	77,07	6,3	€ 821	33.541	23.646	2	500	11.520	6.967
ESB BOX 250 88M2	88,29	7,9	€ 903	35.388	24.347	2	500	10.866	6.534
ESB BOX 450 116M2	115,61	9,5	€ 1.313	59.096	43.369	4	500	25.255	15.456
ESB BOX 450 154M2	154,15	12,6	€ 1.464	67.679	47.662	4	500	23.040	13.934
ESB BOX 450 177M2	176,58	15,8	€ 1.610	71.728	49.255	4	500	21.732	13.068
ESB BOX 650 173M2	173,42	14,2	€ 1.899	89.397	65.554	6	500	37.883	23.184
ESB BOX 650 231M2	231,22	18,9	€ 2.178	103.042	72.432	6	500	34.561	20.901
ESB BOX 650 250M2	264,87	23,7	€ 2.387	107.591	73.882	6	500	32.598	19.601
ESB BOX 450 148M2	148,37	12,2	€ 1.466	71.065	52.187	4	500	28.220	17.564
ESB BOX 463 148M2	148,37	12,2	€ 1.466	-	71.602	4	630	-	28.566
ESB BOX 450 198M2	197,83	16,2	€ 1.658	81.184	57.370	4	500	26.250	16.159
ESB BOX 463 198M2	197,83	16,2	€ 1.658	-	79.850	4	630	-	25.621
ESB BOX 450 227M2	226,61	20,3	€ 1.842	85.669	59.036	4	500	25.011	15.269
ESB BOX 463 227M2	226,61	20,3	€ 1.842	-	83.092	4	630	-	23.977
ESB BOX 650 222M2	222,55	18,2	€ 2.076	106.598	78.280	6	500	42.330	26.345
ESB BOX 663 222M2	222,55	18,2	€ 2.076	-	107.403	6	630	-	42.849
ESB BOX 650 297M2	296,74	24,3	€ 2.390	121.775	86.054	6	500	39.374	24.238
ESB BOX 663 297M2	296,74	24,3	€ 2.390	-	119.775	6	630	-	38.432
ESB BOX 650 371M2	370,92	30,4	€ 2.656	131.455	89.691	6	500	36.889	22.482
ESB BOX 663 371M2	370,92	30,4	€ 2.656	-	126.749	6	630	-	35.119



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
ESB BOX 150 44M2	138	80	76	75	66	66	98	22	19
ESB BOX 250 58M2	138	138	76	133	66	66	98	22	19
ESB BOX 250 65M2	138	138	76	133	66	66	98	28	22
ESB BOX 250 77M2	138	138	76	133	66	66	98	28	22
ESB BOX 250 88M2	138	138	76	133	66	66	98	28	22
ESB BOX 450 116M2	218	138	89	133	85	78	176	28	22
ESB BOX 450 154M2	218	138	89	133	85	78	176	35	28
ESB BOX 450 177M2	218	138	89	133	85	78	176	35	28
ESB BOX 650 173M2	278	138	89	133	85	78	236	42	35
ESB BOX 650 231M2	278	138	89	133	85	78	236	42	54
ESB BOX 650 250M2	278	138	89	133	85	78	236	42	54
ESB BOX 450 148M2	238	151	89	146	85	78	196	35	28
ESB BOX 463 148M2	238	151	89	146	85	78	196	35	28
ESB BOX 450 198M2	238	151	89	146	85	78	196	42	35
ESB BOX 463 198M2	238	151	89	146	85	78	196	42	35
ESB BOX 450 227M2	238	151	89	146	85	78	196	42	35
ESB BOX 463 227M2	238	151	89	146	85	78	196	42	35
ESB BOX 650 222M2	308	151	89	146	85	78	266	42	35
ESB BOX 663 222M2	308	151	89	146	85	78	266	42	35
ESB BOX 650 297M2	308	151	89	146	85	78	266	54	42
ESB BOX 663 297M2	308	151	89	146	85	78	266	54	42
ESB BOX 650 371M2	308	151	89	146	85	78	266	54	42
ESB BOX 663 371M2	308	151	89	146	85	78	266	54	42






ESA BOX Serisi | ESA BOX Series

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 2522-3/8"****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
ESA BOX 150 31M2	31,35	4,8	€ 508	15.914	11.463	1	500	5.159	3.332
ESA BOX 250 41M2	40,94	5,7	€ 796	26.693	20.499	2	500	12.006	8.079
ESA BOX 250 47M2	46,42	7,6	€ 885	27.720	20.854	2	500	11.416	7.546
ESA BOX 250 55M2	54,59	7,6	€ 905	29.753	22.032	2	500	10.988	7.211
ESA BOX 250 63M2	62,69	9,5	€ 1.001	31.828	22.926	2	500	10.317	6.663
ESA BOX 450 82M2	81,88	11,4	€ 1.440	53.386	40.998	4	500	24.012	16.158
ESA BOX 450 109M2	109,18	15,2	€ 1.610	59.506	44.064	4	500	21.976	14.422
ESA BOX 450 125M2	125,38	19,0	€ 1.783	63.656	45.852	4	500	20.634	13.326
ESA BOX 650 123M2	122,82	17,1	€ 2.050	80.079	61.497	6	500	36.018	24.237
ESA BOX 650 164M2	163,77	22,8	€ 2.379	89.259	66.096	6	500	32.964	21.633
ESA BOX 650 188M2	188,07	28,5	€ 2.628	95.484	68.778	6	500	30.951	19.989
ESA BOX 463 111M2	111,45	15,5	€ 1.657	-	64.707	4	630	-	26.505
ESA BOX 450 111M2	111,45	15,5	€ 1.657	65.281	46.885	4	500	26.860	16.580
ESA BOX 463 150M2	148,60	20,6	€ 1.891	-	74.219	4	630	-	23.633
ESA BOX 450 150M2	148,60	20,6	€ 1.891	76.749	52.943	4	500	24.750	15.081
ESA BOX 463 170M2	170,65	25,8	€ 2.124	-	77.628	4	630	-	22.038
ESA BOX 450 170M2	170,65	25,8	€ 2.124	81.378	54.905	4	500	23.442	14.215
ESA BOX 663 167M2	167,17	23,2	€ 2.368	-	103.662	6	630	-	39.757
ESA BOX 650 167M2	167,17	23,2	€ 2.368	104.600	74.643	6	500	40.290	24.870
ESA BOX 663 223M2	222,77	30,7	€ 2.803	-	112.975	6	630	-	35.450
ESA BOX 650 223M2	222,77	30,7	€ 2.803	116.848	80.455	6	500	37.124	22.622
ESA BOX 663 256M2	255,72	38,1	€ 3.138	-	115.027	6	630	-	33.057
ESA BOX 650 256M2	255,72	38,1	€ 3.138	120.557	81.484	6	500	35.162	21.322



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
ESA BOX 150 31M2	138	80	76	75	66	66	98	28	22
ESA BOX 250 41M2	138	138	76	133	66	66	98	35	28
ESA BOX 250 47M2	138	138	76	133	66	66	98	35	28
ESA BOX 250 55M2	138	138	76	133	66	66	98	35	28
ESA BOX 250 63M2	138	138	76	133	66	66	98	35	28
ESA BOX 450 82M2	218	138	89	133	85	78	176	42	35
ESA BOX 450 109M2	218	138	89	133	85	78	176	54	42
ESA BOX 450 125M2	218	138	89	133	85	78	176	54	42
ESA BOX 650 123M2	278	138	89	133	85	78	236	42	35
ESA BOX 650 164M2	278	138	89	133	85	78	236	54	42
ESA BOX 650 188M2	278	138	89	133	85	78	236	54	42
ESA BOX 463 111M2	238	142	89	133	85	78	176	42	35
ESA BOX 450 111M2	238	142	89	133	85	78	176	42	35
ESA BOX 463 150M2	238	142	89	133	85	78	176	54	42
ESA BOX 450 150M2	238	142	89	133	85	78	176	54	42
ESA BOX 463 170M2	238	142	89	133	85	78	176	54	42
ESA BOX 450 170M2	238	142	89	133	85	78	176	54	42
ESA BOX 663 167M2	318	142	89	133	85	78	236	42	35
ESA BOX 650 167M2	318	142	89	133	85	78	236	42	35
ESA BOX 663 223M2	318	142	89	133	85	78	236	54	42
ESA BOX 650 223M2	318	142	89	133	85	78	236	54	42
ESA BOX 663 256M2	318	142	89	133	85	78	236	54	42
ESA BOX 650 256M2	318	142	89	133	85	78	236	54	42




EUBOX Serisi | EUBOX Series

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 3228-3/8****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity $\Delta t = 15^{\circ}\text{C}$		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EUBOX 150 40M2	39,44	3,5	€ 422	17.509	12.495	1	500	6.231	3.806
EUBOX 150 50M2	49,29	4,2	€ 476	18.801	13.001	1	500	5.799	3.513
EUBOX 250 50M2	48,92	4,7	€ 627	25.073	18.819	2	500	13.029	8.009
EUBOX 250 60M2	57,81	4,7	€ 642	27.411	20.260	2	500	12.628	7.728
EUBOX 250 70M2	70,63	6,3	€ 722	31.800	22.709	2	500	11.738	7.119
EUBOX 250 80M2	78,88	7,0	€ 733	35.016	24.989	2	500	12.462	7.611
EUBOX 250 100M2	98,58	8,8	€ 897	37.601	26.003	2	500	11.599	7.026
EUBOX 250 120M2	118,31	10,6	€ 995	39.187	26.387	2	500	10.884	6.557
EUBOX 350 90M2	91,97	8,0	€ 1.000	44.352	31.915	3	500	17.346	10.503
EUBOX 350 100M2	97,38	8,5	€ 1.055	46.666	33.590	3	500	17.908	10.890
EUBOX 350 120M2	118,18	10,3	€ 1.186	53.376	38.022	3	500	18.693	11.417
EUBOX 350 155M2	155,39	13,9	€ 1.413	64.320	45.922	3	500	21.119	13.155
EUBOX 450 160M2	160,22	15,5	€ 1.601	72.061	51.959	4	500	26.494	16.323
EUBOX 450 200M2	197,77	17,7	€ 1.770	81.560	58.366	4	500	27.662	17.166



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
EUBOX 150 40M2	92	125	70	100	60	68	71	22	19
EUBOX 150 50M2	92	125	70	100	60	68	71	28	22
EUBOX 250 50M2	145	125	70	100	60	68	124	28	22
EUBOX 250 60M2	145	125	70	100	60	68	124	28	22
EUBOX 250 70M2	145	125	70	100	60	68	124	28	22
EUBOX 250 80M2	145	125	70	100	60	68	124	28	22
EUBOX 250 100M2	159	125	70	100	60	68	138	28	22
EUBOX 250 120M2	159	125	70	100	60	68	138	35	28
EUBOX 350 90M2	195	125	70	100	60	68	174	28	22
EUBOX 350 100M2	205	125	70	100	60	68	184	28	22
EUBOX 350 120M2	226	125	70	100	60	68	205	35	28
EUBOX 350 155M2	245	125	83	100	60	81	224	35	28
EUBOX 450 160M2	290	125	77	100	60	75	269	42	35
EUBOX 450 200M2	305	125	83	100	60	81	284	42	35




EF BOX Serisi | EF BOX Series

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 3228-3/8****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity $\Delta t = 15^{\circ}\text{C}$		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EF BOX 150 40M2	39,44	3,5	€ 422	17.509	12.495	1	500	6.231	3.806
EF BOX 150 50M2	49,29	4,2	€ 476	18.801	13.001	1	500	5.799	3.513
EF BOX 250 50M2	48,92	4,7	€ 626	25.073	18.819	2	500	13.029	8.009
EF BOX 250 60M2	57,81	4,7	€ 642	27.411	20.260	2	500	12.628	7.728
EF BOX 250 70M2	70,63	6,3	€ 721	31.800	22.709	2	500	11.738	7.119
EF BOX 250 80M2	78,88	7,0	€ 733	35.016	24.989	2	500	12.462	7.611
EF BOX 250 100M2	98,58	8,8	€ 897	37.601	26.003	2	500	11.599	7.026
EF BOX 250 120M2	118,31	10,6	€ 994	39.187	26.387	2	500	10.884	6.557
EF BOX 350 90M2	91,97	8,0	€ 999	44.352	31.915	3	500	17.346	10.503
EF BOX 350 100M2	97,38	8,5	€ 1.054	46.666	33.590	3	500	17.908	10.890
EF BOX 350 120M2	118,18	10,3	€ 1.184	53.376	38.022	3	500	18.693	11.417
EF BOX 350 155M2	155,39	13,9	€ 1.410	64.320	45.922	3	500	21.119	13.155
EF BOX 450 160M2	160,22	15,5	€ 1.598	72.061	51.959	4	500	26.494	16.323
EF BOX 450 200M2	197,77	17,7	€ 1.766	81.560	58.366	4	500	27.662	17.166



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
EF BOX 150 40M2	102	132	71	122	54	58	57	22	19
EF BOX 150 50M2	102	132	71	122	54	58	57	28	22
EF BOX 250 50M2	155	132	71	122	54	58	110	28	22
EF BOX 250 60M2	155	132	71	122	54	58	110	28	22
EF BOX 250 70M2	155	132	71	122	54	58	110	28	22
EF BOX 250 80M2	155	132	71	122	54	58	110	28	22
EF BOX 250 100M2	169	132	71	122	54	58	124	28	22
EF BOX 250 120M2	169	132	71	122	54	58	124	35	28
EF BOX 350 90M2	205	132	71	122	54	58	160	28	22
EF BOX 350 100M2	215	132	71	122	54	58	170	28	22
EF BOX 350 120M2	236	132	71	122	54	58	191	35	28
EF BOX 350 155M2	255	145	71	135	54	58	210	35	28
EF BOX 450 160M2	303	139	71	129	54	58	258	42	35
EF BOX 450 200M2	315	145	71	135	54	58	270	42	35



EHB BOX Serisi | EHB BOX Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8





Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S 1 / 230V AC 50Hz 1400 rpm	L 1 / 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1 / 230V AC 1400 rpm	L Hava Debisi Air Flow 1 / 230V AC 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EHB BOX 250 65M2	65,22	6,4	€ 974	31.852	24.572	2	500	16.656	10.820
EHB BOX 250 70M2	70,62	6,4	€ 983	33.620	25.816	2	500	16.596	10.772
EHB BOX 250 80M2	77,08	6,4	€ 1.019	34.300	26.244	2	500	16.526	10.702
EHB BOX 250 90M2	89,42	6,4	€ 1.040	37.630	28.478	2	500	16.394	10.586
EHB BOX 250 100M2	97,82	9,4	€ 1.164	41.372	30.830	2	500	16.108	10.350
EHB BOX 250 105M2	105,94	9,4	€ 1.178	43.250	32.006	2	500	16.028	10.280
EHB BOX 250 115M2	115,62	9,4	€ 1.194	45.274	33.220	2	500	15.924	10.188
EHB BOX 280 185M2	182,60	17,6	€ 2.889	87.964	78.218	2	800	44.312	36.392
EHB BOX 280 200M2	197,76	17,6	€ 2.915	91.548	81.222	2	800	44.124	36.192
EHB BOX 280 215M2	215,80	17,6	€ 2.945	96.874	85.716	2	800	43.912	35.992
EHB BOX 280 275M2	273,92	26,6	€ 3.364	114.504	99.746	2	800	42.710	34.676
EHB BOX 280 300M2	296,64	26,6	€ 3.402	118.580	102.956	2	800	42.476	34.436
EHB BOX 280 320M2	323,72	26,6	€ 3.448	124.018	107.230	2	800	42.192	34.156
EHB BOX 280 365M2	365,22	35,4	€ 3.809	133.472	114.106	2	800	41.274	33.200
EHB BOX 280 395M2	395,54	35,4	€ 3.860	138.130	117.668	2	800	40.992	32.960
EHB BOX 350 100M2	97,82	9,4	€ 1.404	47.778	36.860	3	500	24.986	16.228
EHB BOX 350 105M2	105,95	9,5	€ 1.418	50.427	38.724	3	500	24.893	16.158
EHB BOX 350 115M2	115,61	9,5	€ 1.434	53.409	40.749	3	500	24.789	16.053
EHB BOX 350 135M2	134,14	9,5	€ 1.465	57.161	43.209	3	500	24.593	15.877
EHB BOX 350 145M2	146,74	14,2	€ 1.645	63.035	46.909	3	500	24.161	15.526
EHB BOX 350 160M2	158,92	14,2	€ 1.666	65.900	48.693	3	500	24.043	15.421
EHB BOX 350 175M2	173,42	14,2	€ 1.706	67.909	49.830	3	500	23.886	15.280
EHB BOX 380 275M2	273,92	26,6	€ 4.257	131.944	117.326	3	800	66.468	54.588
EHB BOX 380 295M2	296,64	26,6	€ 4.300	139.172	123.418	3	800	66.186	54.288
EHB BOX 380 325M2	323,72	26,6	€ 4.349	145.962	129.128	3	800	65.868	53.988
EHB BOX 380 410M2	410,88	39,8	€ 4.964	168.244	149.622	3	800	62.064	52.014
EHB BOX 380 445M2	444,98	39,8	€ 5.026	178.368	154.846	3	800	63.714	51.654
EHB BOX 380 485M2	485,58	39,8	€ 5.099	186.542	161.268	3	800	63.288	51.234
EHB BOX 380 550M2	547,84	53,0	€ 5.636	201.396	172.124	3	800	61.910	49.800
EHB BOX 380 590M2	593,30	53,0	€ 5.717	207.600	176.828	3	800	61.488	49.440

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
EHB BOX 250 65M2	145	160	73	147	60	61	85	19	16
EHB BOX 250 70M2	145	160	73	147	60	61	85	19	16
EHB BOX 250 80M2	145	160	73	147	60	61	85	22	19
EHB BOX 250 90M2	145	160	73	147	60	61	85	22	19
EHB BOX 250 100M2	145	160	73	147	60	61	85	22	19
EHB BOX 250 105M2	145	160	73	147	60	61	85	22	19
EHB BOX 250 115M2	145	160	73	147	60	61	85	22	19
EHB BOX 280 185M2	265	242	133	213	100	121	205	28	22
EHB BOX 280 200M2	265	242	133	213	100	121	205	28	22
EHB BOX 280 215M2	265	242	133	213	100	121	205	28	22
EHB BOX 280 275M2	265	242	133	213	100	121	205	35	28
EHB BOX 280 300M2	265	242	133	213	100	121	205	35	28
EHB BOX 280 320M2	265	242	133	213	100	121	205	35	28
EHB BOX 280 365M2	265	242	133	213	100	121	205	35	28
EHB BOX 280 395M2	265	242	133	213	100	121	205	35	28
EHB BOX 350 100M2	205	160	73	147	60	61	145	22	19
EHB BOX 350 105M2	205	160	73	147	60	61	145	22	19
EHB BOX 350 115M2	205	160	73	147	60	61	145	22	19
EHB BOX 350 135M2	205	160	73	147	60	61	145	22	19
EHB BOX 350 145M2	205	160	73	147	60	61	145	22	19
EHB BOX 350 160M2	205	160	73	147	60	61	145	22	19
EHB BOX 350 175M2	205	160	73	147	60	61	145	28	22
EHB BOX 380 275M2	385	242	133	213	100	121	315	35	28
EHB BOX 380 295M2	385	242	133	213	100	121	315	35	28
EHB BOX 380 325M2	385	242	133	213	100	121	315	35	28
EHB BOX 380 410M2	385	242	133	213	100	121	315	42	35
EHB BOX 380 445M2	385	242	133	213	100	121	315	42	35
EHB BOX 380 485M2	385	242	133	213	100	121	315	42	35
EHB BOX 380 550M2	385	242	133	213	100	121	315	42	35
EHB BOX 380 590M2	385	242	133	213	100	121	315	42	35






EC BOX Serisi | EC BOX Series

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 3228-3/8****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity $\Delta t = 15^{\circ}\text{C}$		Fanlar / Fans			
				S 1/ 230V AC 50Hz 1400 rpm	L 1/ 230V AC 50Hz 900 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 1400 rpm	L Hava Debisi Air Flow 900 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EC BOX 250 50M2	48,92	4,8	€ 730	25.073	18.819	2	500	13.029	8.009
EC BOX 250 60M2	59,16	5,2	€ 815	29.006	21.581	2	500	13.517	8.349
EC BOX 250 70M2	70,64	6,4	€ 825	31.805	22.709	2	500	11.738	7.120
EC BOX 250 80M2	78,88	7,0	€ 913	35.016	24.989	2	500	12.462	7.611
EC BOX 250 90M2	88,28	7,8	€ 916	35.388	24.437	2	500	10.866	6.534
EC BOX 245 100M2	98,58	8,8	€ 1.013	29.818	23.814	2	450	8.335	6.220
EC BOX 250 100M2	98,58	8,8	€ 1.013	37.909	26.185	2	500	11.560	7.026
EC BOX 250 105M2	104,35	10,1	€ 983	41.926	30.327	2	500	14.677	9.204
EC BOX 245 120M2	118,31	10,6	€ 1.112	31.976	24.943	2	450	7.923	5.861
EC BOX 250 120M2	118,31	10,6	€ 1.111	39.187	26.387	2	500	10.884	6.558
EC BOX 250 140M2	141,26	12,6	€ 1.138	48.469	33.646	2	500	13.840	8.594
EC BOX 250 170M2	169,51	15,2	€ 1.275	50.560	34.139	2	500	13.212	8.126
EC BOX 345 105M2	105,96	9,6	€ 1.215	39.110	31.829	3	450	12.619	9.441
EC BOX 350 105M2	105,96	9,6	€ 1.213	45.008	32.344	3	500	17.607	10.679
EC BOX 345 120M2	118,32	10,5	€ 1.274	42.401	34.650	3	450	13.221	9.995
EC BOX 350 120M2	118,32	10,5	€ 1.272	49.866	35.791	3	500	18.693	11.417
EC BOX 345 135M2	132,42	11,7	€ 1.186	41.870	33.275	3	450	11.868	8.777
EC BOX 350 135M2	132,42	11,7	€ 1.186	52.612	36.243	3	500	16.299	9.801
EC BOX 345 150M2	147,87	13,2	€ 1.261	45.369	36.185	3	450	12.502	9.330
EC BOX 350 150M2	147,87	13,2	€ 1.261	57.764	39.810	3	500	17.394	10.539
EC BOX 350 155M2	156,52	15,2	€ 1.454	62.234	45.068	3	500	22.016	13.085
EC BOX 350 170M2	169,52	15,2	€ 1.477	64.482	46.380	3	500	21.793	13.665
EC BOX 350 200M2	195,66	18,9	€ 1.655	71.707	50.127	3	500	21.008	13.067
EC BOX 445 120M2	118,32	10,4	€ 1.252	48.886	41.139	4	450	18.720	14.396
EC BOX 450 120M2	118,32	10,4	€ 1.252	58.011	43.203	4	500	27.034	16.721
EC BOX 445 130M2	130,44	12,6	€ 1.287	51.052	41.826	4	450	17.048	12.810
EC BOX 450 130M2	130,44	12,6	€ 1.286	61.438	44.274	4	500	23.878	14.520
EC BOX 445 150M2	154,16	12,8	€ 1.425	53.666	44.222	4	450	17.828	13.529
EC BOX 450 150M2	154,16	12,8	€ 1.425	67.616	48.664	4	500	25.308	15.480
EC BOX 450 160M2	157,76	14,0	€ 1.447	70.030	49.976	4	500	24.924	15.222
EC BOX 450 175M2	176,56	15,6	€ 1.483	70.774	48.693	4	500	31.732	13.068
EC BOX 450 180M2	182,61	17,7	€ 1.692	78.749	56.854	4	500	28.011	17.423
EC BOX 450 200M2	197,16	17,6	€ 1.642	75.374	52.105	4	500	23.197	14.051
EC BOX 450 200M2	197,77	17,7	€ 1.718	81.560	58.366	4	500	27.662	17.166
EC BOX 450 210M2	208,70	20,2	€ 1.907	82.979	60.091	4	500	29.354	18.407
EC BOX 450 240M2	236,62	21,2	€ 1.837	80.530	53.973	4	500	21.767	13.115
EC BOX 450 260M2	260,87	25,3	€ 2.181	94.345	66.076	4	500	28.011	17.423
EC BOX 450 315M2	313,05	30,3	€ 2.451	99.165	67.670	4	500	26.790	16.533
EC BOX 650 270M2	264,84	23,4	€ 2.169	104.758	72.210	6	500	32.598	19.601
EC BOX 650 315M2	313,05	30,3	€ 2.792	124.468	90.136	6	500	44.031	27.610



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
EC BOX 250 50M2	152	88	118	78	71	108	132	28	22
EC BOX 250 60M2	166	88	118	78	71	108	146	28	22
EC BOX 250 70M2	152	88	118	78	71	108	132	28	22
EC BOX 250 80M2	166	88	118	78	71	108	146	35	28
EC BOX 250 90M2	152	88	125	78	71	115	132	28	22
EC BOX 245 100M2	166	88	125	78	71	115	146	28	22
EC BOX 250 100M2	166	88	125	78	71	115	146	28	22
EC BOX 250 105M2	192	101	118	91	71	108	182	35	28
EC BOX 245 120M2	166	88	125	78	71	115	146	35	28
EC BOX 250 120M2	166	88	125	78	71	115	146	35	28
EC BOX 250 140M2	192	101	125	91	71	115	182	35	28
EC BOX 250 170M2	192	101	125	91	71	115	182	35	28
EC BOX 345 105M2	212	88	118	78	71	108	192	35	28
EC BOX 350 105M2	212	88	118	78	71	108	192	35	28
EC BOX 345 120M2	233	88	118	78	71	108	213	35	28
EC BOX 350 120M2	233	88	118	78	71	108	213	35	28
EC BOX 345 135M2	212	88	125	78	71	115	192	35	28
EC BOX 350 135M2	212	88	125	78	71	115	192	35	28
EC BOX 345 150M2	233	88	125	78	71	115	213	42	35
EC BOX 350 150M2	233	88	125	78	71	115	213	42	35
EC BOX 350 155M2	272	101	118	91	71	108	252	42	35
EC BOX 350 170M2	272	101	118	91	71	108	252	42	35
EC BOX 350 200M2	272	101	125	91	71	115	252	42	35
EC BOX 445 120M2	166	152	118	142	71	108	146	35	28
EC BOX 450 120M2	166	152	118	142	71	108	146	35	28
EC BOX 445 130M2	152	152	118	142	71	108	132	35	28
EC BOX 450 130M2	152	152	118	142	71	108	132	35	28
EC BOX 445 150M2	166	152	118	142	71	108	146	42	35
EC BOX 450 150M2	166	152	118	142	71	108	146	42	35
EC BOX 450 160M2	166	152	118	142	71	108	146	42	35
EC BOX 450 175M2	152	152	125	142	71	115	132	42	35
EC BOX 450 180M2	312	101	118	91	71	108	292	42	35
EC BOX 450 200M2	166	152	125	142	71	115	146	42	35
EC BOX 450 200M2	312	101	118	91	71	108	292	42	35
EC BOX 450 210M2	192	178	118	168	71	108	172	42	35
EC BOX 450 240M2	166	152	125	142	71	115	146	42	35
EC BOX 450 260M2	192	178	125	168	71	115	172	42	35
EC BOX 450 315M2	192	178	125	168	71	115	172	54	42
EC BOX 650 270M2	212	152	125	142	71	115	192	54	42
EC BOX 650 315M2	272	178	118	168	71	108	252	54	42





EWA-F BOX Serisi | EWA-F BOX Series

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 2522-3/8****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø800mm 3/ 380V AC 50Hz 880 rpm	L 3/ 380V AC 50Hz 660 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 380V AC 880 rpm	L Hava Debisi Air Flow 3/ 380V AC 660 rpm
	m²	dm³	Euro	W	W	pcs	mm	m³/h	m³/h
EWA-F BOX 280 250M2	250,76	37,8	€ 3.180	115.204	101.308	2	800	45.984	38.226
EWA-F BOX 280 270M2	272,94	37,8	€ 3.221	120.118	105.496	2	800	45.866	38.146
EWA-F BOX 280 375M2	376,12	56,8	€ 4.034	145.828	126.172	2	800	44.970	37.150
EWA-F BOX 280 410M2	409,40	56,8	€ 4.096	150.914	130.054	2	800	44.830	36.950
EWA-F BOX 280 500M2	501,50	75,8	€ 4.890	166.286	141.628	2	800	44.076	36.152
EWA-F BOX 280 545M2	545,88	75,8	€ 4.972	171.332	145.346	2	800	43.840	35.912
EWA-F BOX 380 375M2	376,14	56,7	€ 4.585	172.806	151.962	3	800	68.976	57.339
EWA-F BOX 380 410M2	409,41	56,7	€ 4.646	180.177	158.244	3	800	68.799	57.219
EWA-F BOX 380 565M2	564,18	85,2	€ 5.848	218.742	189.258	3	800	67.455	55.725
EWA-F BOX 380 615M2	614,10	85,2	€ 5.940	226.371	195.081	3	800	67.245	55.425
EWA-F BOX 380 750M2	752,25	113,7	€ 7.111	249.429	212.442	3	800	66.114	54.228
EWA-F BOX 380 820M2	818,82	113,7	€ 7.294	256.998	218.019	3	800	65.760	53.868
EWA-F BOX 480 320M2	317,62	48,0	€ 4.979	188.468	165.166	4	800	87.540	71.664
EWA-F BOX 480 345M2	345,72	48,0	€ 5.106	197.348	172.452	4	800	87.116	71.186
EWA-F BOX 480 475M2	476,42	72,0	€ 6.137	242.408	208.148	4	800	84.008	67.994
EWA-F BOX 480 520M2	518,58	72,0	€ 6.214	251.728	215.200	4	800	83.444	67.356
EWA-F BOX 480 635M2	635,24	96,0	€ 7.219	277.498	233.834	4	800	80.900	64.802
EWA-F BOX 480 690M2	691,44	96,0	€ 7.323	286.902	240.644	4	800	80.242	64.164
EWA-F BOX 680 475M2	476,43	72,0	€ 7.473	282.702	247.749	6	800	131.310	107.496
EWA-F BOX 680 520M2	518,58	72,0	€ 7.551	296.022	258.678	6	800	130.674	106.779
EWA-F BOX 680 715M2	714,63	108,0	€ 9.074	363.612	312.222	6	800	126.012	101.991
EWA-F BOX 680 780M2	777,87	108,0	€ 9.190	377.592	322.800	6	800	125.166	101.034
EWA-F BOX 680 950M2	952,86	144,0	€ 11.037	416.247	350.751	6	800	121.350	97.203
EWA-F BOX 680 1040M2	1037,16	144,0	€ 11.193	430.353	360.966	6	800	120.363	96.246



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
EWA-F BOX 280 250M2	392	197	134	171	138	380	1	35	42
EWA-F BOX 280 270M2	392	197	134	171	138	380	1	42	35
EWA-F BOX 280 375M2	392	197	134	171	138	380	1	42	35
EWA-F BOX 280 410M2	392	197	134	171	138	380	1	42	35
EWA-F BOX 280 500M2	392	197	134	171	138	380	1	42	35
EWA-F BOX 280 545M2	392	197	134	171	138	380	1	42	35
EWA-F BOX 380 375M2	512	197	134	171	138	500	1	35	42
EWA-F BOX 380 410M2	512	197	134	171	138	500	1	42	35
EWA-F BOX 380 565M2	512	197	134	171	138	500	1	42	35
EWA-F BOX 380 615M2	512	197	134	171	138	500	1	42	35
EWA-F BOX 380 750M2	512	197	134	171	138	500	1	42	35
EWA-F BOX 380 820M2	512	197	134	171	138	500	1	54	42
EWA-F BOX 480 320M2	392	225	255	198	138	380	1	42	35
EWA-F BOX 480 345M2	392	225	255	198	138	380	1	42	54
EWA-F BOX 480 475M2	392	225	255	198	138	380	1	54	42
EWA-F BOX 480 520M2	392	225	255	198	138	380	1	54	42
EWA-F BOX 480 635M2	392	225	255	198	138	380	1	54	42
EWA-F BOX 480 690M2	392	225	255	198	138	380	1	54	42
EWA-F BOX 680 475M2	512	225	255	198	138	500	1	76	64
EWA-F BOX 680 520M2	512	225	255	198	138	500	1	76	64
EWA-F BOX 680 715M2	512	225	255	198	138	500	1	76	64
EWA-F BOX 680 780M2	512	225	255	198	138	500	1	76	64
EWA-F BOX 680 950M2	512	225	255	198	138	500	1	105	80
EWA-F BOX 680 1040M2	512	225	255	198	138	500	1	105	80





EWB-F BOX Serisi | EWB-F BOX Series

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 3228-3/8****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø800mm 3/ 380V AC 50Hz 880 rpm	L 3/ 380V AC 50Hz 660 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 380V AC 880 rpm	L Hava Debisi Air Flow 3/ 380V AC 660 rpm
	m²	dm³	Euro	W	W	pcs	mm	m³/h	m³/h
EWB-F BOX 280 300M2	296,64	26,6	€ 2.851	112.190	99.548	2	800	46.006	38.266
EWB-F BOX 280 325M2	323,72	26,6	€ 2.897	118.360	104.776	2	800	45.866	38.146
EWB-F BOX 280 445M2	444,98	39,8	€ 3.541	142.920	124.544	2	800	45.018	37.190
EWB-F BOX 280 485M2	485,58	39,8	€ 3.610	148.172	128.658	2	800	44.830	36.990
EWB-F BOX 280 595M2	593,30	53,0	€ 4.232	163.840	140.358	2	800	44.076	36.152
EWB-F BOX 280 650M2	647,44	53,0	€ 4.384	168.508	143.772	2	800	43.888	35.952
EWB-F BOX 380 445M2	444,96	39,9	€ 4.102	168.285	149.322	3	800	69.009	57.399
EWB-F BOX 380 485M2	485,58	39,9	€ 4.171	177.540	157.164	3	800	68.799	57.219
EWB-F BOX 380 670M2	667,47	59,7	€ 5.124	214.380	186.816	3	800	67.527	55.785
EWB-F BOX 380 730M2	728,37	59,7	€ 5.227	222.258	192.987	3	800	67.245	55.485
EWB-F BOX 380 890M2	889,95	79,5	€ 6.146	245.760	210.537	3	800	66.114	54.228
EWB-F BOX 380 970M2	971,16	79,5	€ 6.344	252.762	215.658	3	800	65.832	53.928
EWB-F BOX 480 425M2	423,78	37,8	€ 4.786	191.070	169.604	4	800	89.000	73.260
EWB-F BOX 480 460M2	462,44	37,8	€ 5.015	199.638	176.750	4	800	88.624	72.862
EWB-F BOX 480 635M2	635,68	56,8	€ 5.847	244.824	212.822	4	800	85.986	69.990
EWB-F BOX 480 695M2	693,68	56,8	€ 5.946	255.946	221.494	4	800	85.468	69.430
EWB-F BOX 480 850M2	847,58	75,8	€ 6.834	285.052	243.132	4	800	83.256	67.196
EWB-F BOX 480 925M2	924,90	75,8	€ 6.965	294.954	250.246	4	800	82.642	66.558
EWB-F BOX 680 635M2	635,67	56,7	€ 7.192	286.605	254.406	6	800	133.500	109.890
EWB-F BOX 680 695M2	693,66	56,7	€ 7.291	299.457	265.125	6	800	132.936	109.293
EWB-F BOX 680 955M2	953,52	85,2	€ 8.653	367.236	319.233	6	800	128.979	104.985
EWB-F BOX 680 1040M2	1040,52	85,2	€ 8.801	383.919	332.241	6	800	128.202	104.145
EWB-F BOX 680 1270M2	1271,37	113,7	€ 10.476	427.578	364.698	6	800	124.884	100.794
EWB-F BOX 680 1390M2	1387,35	113,7	€ 10.673	442.431	375.369	6	800	123.963	99.837



Model Model	Boyutlar Dimensions							Bağlantılar Connections	
	A	B	C	D	E	F	G	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	mm	mm
EWB-F BOX 280 300M2	392	181	134	155	138	380	1	35	42
EWB-F BOX 280 325M2	392	181	134	155	138	380	1	42	35
EWB-F BOX 280 445M2	392	181	134	155	138	380	1	42	35
EWB-F BOX 280 485M2	392	181	134	155	138	380	1	42	35
EWB-F BOX 280 595M2	392	181	134	155	138	380	1	42	35
EWB-F BOX 280 650M2	392	181	134	155	138	380	1	42	54
EWB-F BOX 380 445M2	512	181	134	155	138	500	1	35	42
EWB-F BOX 380 485M2	512	181	134	155	138	500	1	42	35
EWB-F BOX 380 670M2	512	181	134	155	138	500	1	42	35
EWB-F BOX 380 730M2	512	181	134	155	138	500	1	42	35
EWB-F BOX 380 890M2	512	181	134	155	138	500	1	42	35
EWB-F BOX 380 970M2	512	181	134	155	138	500	1	42	54
EWB-F BOX 480 425M2	392	225	255	198	138	380	1	42	35
EWB-F BOX 480 460M2	392	225	255	198	138	380	1	42	64
EWB-F BOX 480 635M2	392	225	255	198	138	380	1	54	42
EWB-F BOX 480 695M2	392	225	255	198	138	380	1	54	42
EWB-F BOX 480 850M2	392	225	255	198	138	380	1	54	42
EWB-F BOX 480 925M2	392	225	255	198	138	380	1	54	42
EWB-F BOX 680 635M2	512	225	255	198	138	500	1	76	64
EWB-F BOX 680 695M2	512	225	255	198	138	500	1	76	64
EWB-F BOX 680 955M2	512	225	255	198	138	500	1	76	64
EWB-F BOX 680 1040M2	512	225	255	198	138	500	1	76	64
EWB-F BOX 680 1270M2	512	225	255	198	138	500	1	105	80
EWB-F BOX 680 1390M2	512	225	255	198	138	500	1	105	80





EWA-D BOX Serisi | EWA-D BOXSeries

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 2522-3/8"****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø800mm 3/ 380V AC 50Hz 880 rpm	L 3/ 380V AC 50Hz 660 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 380V AC 880 rpm	L Hava Debisi Air Flow 3/ 380V AC 660 rpm
	m²	dm³	Euro	W	W	pcs	mm	m³/h	m³/h
EWA-D BOX 280 250M2	250,76	37,8	€ 3.894	115.204	101.308	2	800	45.984	38.226
EWA-D BOX 280 375M2	376,12	56,8	€ 4.748	145.828	126.172	2	800	44.970	37.150
EWA-D BOX 280 500M2	501,50	75,8	€ 5.604	166.286	141.628	2	800	44.076	36.152
EWA-D BOX 280 270M2	272,94	37,8	€ 3.935	120.118	105.496	2	800	45.866	38.146
EWA-D BOX 280 410M2	409,40	56,8	€ 4.810	150.914	130.054	2	800	44.830	36.950
EWA-D BOX 280 545M2	545,88	75,8	€ 5.686	171.332	145.346	2	800	43.840	35.912
EWA-D BOX 380 375M2	376,14	56,7	€ 5.560	172.806	151.962	3	800	68.976	57.339
EWA-D BOX 380 565M2	564,18	85,2	€ 6.823	218.742	189.258	3	800	67.455	55.725
EWA-D BOX 380 750M2	752,25	113,7	€ 8.087	249.429	212.442	3	800	66.114	54.228
EWA-D BOX 380 410M2	409,41	56,7	€ 5.622	180.177	158.244	3	800	68.799	57.219
EWA-D BOX 380 615M2	614,10	85,2	€ 6.915	226.371	195.081	3	800	67.245	55.425
EWA-D BOX 380 820M2	818,82	113,7	€ 8.270	256.998	218.019	3	800	65.760	53.868



Model Model	Boyutlar Dimensions							Bağlantılar Connections		
	A	B	C	D	E	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EWA-D 280 250M2	280	300	155	277	90	135	260	1	35	42
EWA-D 280 375M2	280	300	155	277	90	135	260	1	42	35
EWA-D 280 500M2	280	300	155	277	90	135	260	1	42	35
EWA-D 280 270M2	280	300	155	277	90	135	260	1	42	35
EWA-D 280 410M2	280	300	155	277	90	135	260	1	42	35
EWA-D 280 545M2	280	300	155	277	90	135	260	1	42	35
EWA-D 380 375M2	400	300	155	277	90	135	380	1	35	42
EWA-D 380 565M2	400	300	155	277	90	135	380	1	42	35
EWA-D 380 750M2	400	300	155	277	90	135	380	1	42	35
EWA-D 380 410M2	400	300	155	277	90	135	380	1	42	35
EWA-D 380 615M2	400	300	155	277	90	135	380	1	42	35
EWA-D 380 820M2	400	300	155	277	90	135	380	1	54	42





EWB-D BOX Serisi | EWB-D BOX Series

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 3228-3/8"****Bakır Boru / Copper Pipe : 3/8"**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar/ Fans			
				S Ø800mm 3/ 380V AC 50Hz 880 rpm	L 3/ 380V AC 50Hz 660 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 380V AC 880 rpm	L Hava Debisi Air Flow 3/ 380V AC 660 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EWB-D BOX 280 300M2	296,64	26,6	€ 3.565	112.190	99.548	2	800	46.006	38.266
EWB-D BOX 280 445M2	444,98	39,8	€ 4.255	142.920	124.544	2	800	45.018	37.190
EWB-D BOX 280 595M2	593,30	53,0	€ 4.946	163.840	140.358	2	800	44.076	36.152
EWB-D BOX 280 325M2	323,72	26,6	€ 3.611	118.360	104.776	2	800	45.866	38.146
EWB-D BOX 280 485M2	485,58	39,8	€ 4.324	148.172	128.658	2	800	44.830	36.990
EWB-D BOX 280 650M2	647,44	53,0	€ 5.098	168.508	143.772	2	800	43.888	35.952
EWB-D BOX 380 445M2	444,96	39,9	€ 5.077	168.285	149.322	3	800	69.009	57.399
EWB-D BOX 380 670M2	667,47	59,7	€ 6.099	214.380	186.816	3	800	67.527	55.785
EWB-D BOX 380 890M2	889,95	79,5	€ 7.121	245.760	210.537	3	800	66.114	54.228
EWB-D BOX 380 485M2	485,58	39,9	€ 5.146	177.540	157.164	3	800	68.799	57.219
EWB-D BOX 380 730M2	728,37	59,7	€ 6.202	222.258	192.987	3	800	67.245	55.485
EWB-D BOX 380 970M2	971,16	79,5	€ 7.319	252.762	215.658	3	800	65.832	53.928
EWB-D BOX 480 595M2	593,28	53,2	€ 6.590	224.380	199.096	4	800	92.012	76.532
EWB-D BOX 480 890M2	889,96	79,6	€ 7.943	285.840	249.088	4	800	90.036	74.380
EWB-D BOX 480 1190M2	1186,60	106,0	€ 9.296	327.680	280.716	4	800	88.152	72.304
EWB-D BOX 480 650M2	647,44	53,2	€ 6.682	236.720	209.552	4	800	91.732	76.292
EWB-D BOX 480 970M2	971,16	79,6	€ 8.081	296.344	257.316	4	800	89.660	73.980
EWB-D BOX 480 1300M2	1294,88	106,0	€ 9.541	337.016	287.544	4	800	87.776	71.904
EWB-D BOX 580 740M2	741,60	66,5	€ 8.322	280.475	248.870	5	800	115.015	95.665
EWB-D BOX 580 1110M2	1112,45	99,5	€ 10.006	357.300	311.360	5	800	112.545	92.975
EWB-D BOX 580 1480M2	1483,25	132,5	€ 11.691	409.600	350.895	5	800	110.190	90.380
EWB-D BOX 580 810M2	809,30	66,5	€ 8.437	295.900	261.940	5	800	114.665	95.365
EWB-D BOX 580 1210M2	1213,95	99,5	€ 10.179	370.430	321.645	5	800	112.075	92.475
EWB-D BOX 580 1620M2	1618,60	132,5	€ 11.981	421.270	359.430	5	800	109.720	89.880



Model Model	Boyutlar Dimensions							Bağlantılar Connections		
	A	B	C	D	E	F	G	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EWB-D BOX 280 300M2	280	285	155	261	90	135	260	1	35	42
EWB-D BOX 280 445M2	280	285	155	261	90	135	260	1	42	35
EWB-D BOX 280 595M2	280	285	155	261	90	135	260	1	42	35
EWB-D BOX 280 325M2	280	285	155	261	90	135	260	1	42	35
EWB-D BOX 280 485M2	280	285	155	261	90	135	260	1	42	35
EWB-D BOX 280 650M2	280	285	155	261	90	135	260	1	42	54
EWB-D BOX 380 445M2	400	285	155	261	90	135	380	1	35	42
EWB-D BOX 380 670M2	400	285	155	261	90	135	380	1	42	35
EWB-D BOX 380 890M2	400	285	155	261	90	135	380	1	42	35
EWB-D BOX 380 485M2	400	285	155	261	90	135	380	1	42	35
EWB-D BOX 380 730M2	400	285	155	261	90	135	380	1	42	35
EWB-D BOX 380 970M2	400	285	155	261	90	135	380	1	42	54
EWB-D BOX 480 595M2	520	285	155	261	90	135	500	1	35	42
EWB-D BOX 480 890M2	520	285	155	261	90	135	500	1	42	35
EWB-D BOX 480 1190M2	520	285	155	261	90	135	500	1	42	35
EWB-D BOX 480 650M2	520	285	155	261	90	135	500	1	42	35
EWB-D BOX 480 970M2	520	285	155	261	90	135	500	1	42	35
EWB-D BOX 480 1300M2	520	285	155	261	90	135	500	1	42	54
EWB-D BOX 580 740M2	640	285	155	261	90	135	620	1	35	42
EWB-D BOX 580 1110M2	640	285	155	261	90	135	620	1	42	35
EWB-D BOX 580 1480M2	640	285	155	261	90	135	620	1	42	35
EWB-D BOX 580 810M2	640	285	155	261	90	135	620	1	42	35
EWB-D BOX 580 1210M2	640	285	155	261	90	135	620	1	42	35
EWB-D BOX 580 1620M2	640	285	155	261	90	135	620	1	42	54



EWA-E BOX Serisi | EWA-E BOX Series

Batarya Özellikleri / Heat Exchanger Specifications



Geometri / Geometry : 2522-3/8"

Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø800mm 3/ 380V AC 50Hz 880 rpm	L 3/ 380V AC 50Hz 660 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 380V AC 880 rpm	L Hava Debisi Air Flow 3/ 380V AC 660 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EWA-E BOX 280 145M2	142,10	21,4	€ 1.883	88.406	77.370	2	800	43.016	35.034
EWA-E BOX 280 215M2	213,14	32,2	€ 2.424	114.060	97.660	2	800	41.016	32.960
EWA-E BOX 280 285M2	284,18	43,0	€ 2.913	132.054	110.840	2	800	39.296	31.244
EWA-E BOX 280 155M2	154,66	21,4	€ 1.906	93.446	81.514	2	800	42.758	34.756
EWA-E BOX 280 230M2	231,98	32,2	€ 2.448	119.262	101.620	2	800	40.732	32.640
EWA-E BOX 280 310M2	309,34	43,0	€ 2.949	136.604	114.046	2	800	38.944	30.884
EWA-E BOX 480 285M2	284,20	42,8	€ 3.643	176.812	154.740	4	800	86.032	70.068
EWA-E BOX 480 425M2	426,28	64,4	€ 4.706	228.120	195.320	4	800	82.032	65.920
EWA-E BOX 480 570M2	568,36	86,0	€ 5.663	264.108	221.680	4	800	78.592	62.488
EWA-E BOX 480 310M2	309,32	42,8	€ 3.690	186.892	163.028	4	800	85.516	69.512
EWA-E BOX 480 465M2	463,96	64,4	€ 4.754	238.524	203.240	4	800	81.464	65.280
EWA-E BOX 480 620M2	618,68	86,0	€ 5.734	273.208	228.092	4	800	77.888	61.768
EWA-E BOX 680 425M2	426,30	64,2	€ 5.445	265.218	232.110	6	800	129.048	105.102
EWA-E BOX 680 640M2	639,42	96,6	€ 7.029	342.180	292.980	6	800	123.048	98.880
EWA-E BOX 680 850M2	852,54	129,0	€ 8.454	396.162	332.520	6	800	117.888	93.732
EWA-E BOX 680 465M2	463,98	64,2	€ 5.515	280.338	244.542	6	800	128.274	104.268
EWA-E BOX 680 695M2	695,94	96,6	€ 7.101	357.786	304.860	6	800	122.196	97.920
EWA-E BOX 680 930M2	928,02	129,0	€ 8.561	409.812	342.138	6	800	116.832	92.652
EWA-E BOX 880 570M2	568,40	85,6	€ 7.247	353.624	309.480	8	800	172.064	140.136
EWA-E BOX 880 850M2	852,56	128,8	€ 9.352	456.240	390.640	8	800	164.064	131.840
EWA-E BOX 880 1135M2	1136,72	172,0	€ 11.245	528.216	443.360	8	800	157.184	124.976
EWA-E BOX 880 620M2	618,64	85,6	€ 7.340	373.784	326.056	8	800	171.032	139.024
EWA-E BOX 880 930M2	927,92	128,8	€ 9.448	477.048	406.480	8	800	162.928	130.560
EWA-E BOX 880 1240M2	1237,36	172,0	€ 11.387	546.416	456.184	8	800	155.776	123.536
EWA-E BOX 1080 710M2	710,50	107,0	€ 9.049	442.030	386.850	10	800	215.080	175.170
EWA-E BOX 1080 1065M2	1065,70	161,0	€ 11.675	570.300	488.300	10	800	205.080	164.800
EWA-E BOX 1080 1420M2	1420,90	215,0	€ 14.036	660.270	554.200	10	800	196.480	156.220
EWA-E BOX 1080 775M2	773,30	107,0	€ 9.165	467.230	407.570	10	800	213.790	173.780
EWA-E BOX 1080 1160M2	1159,90	161,0	€ 11.795	596.310	508.100	10	800	203.660	163.200
EWA-E BOX 1080 1545M2	1546,70	215,0	€ 14.214	683.020	570.230	10	800	194.720	154.420
EWA-E BOX 1280 850M2	852,60	128,4	€ 10.850	530.436	464.220	12	800	258.096	210.204
EWA-E BOX 1280 1280M2	1278,84	193,2	€ 13.998	684.360	585.960	12	800	246.096	197.760
EWA-E BOX 1280 1705M2	1705,08	258,0	€ 16.827	792.324	665.040	12	800	235.776	187.464
EWA-E BOX 1280 930M2	927,96	128,4	€ 10.990	560.676	489.084	12	800	256.548	208.536
EWA-E BOX 1280 1390M2	1391,88	193,2	€ 14.142	715.572	609.720	12	800	244.392	195.840
EWA-E BOX 1280 1855M2	1856,04	258,0	€ 17.040	819.624	684.276	12	800	233.664	185.304
EWA-E BOX 1480 995M2	994,70	149,8	€ 12.652	618.842	541.590	14	800	301.112	245.238
EWA-E BOX 1480 1490M2	1491,98	225,4	€ 16.322	798.420	683.620	14	800	287.112	230.720
EWA-E BOX 1480 1990M2	1989,26	301,0	€ 19.618	924.378	775.880	14	800	275.072	218.708
EWA-E BOX 1480 1080M2	1082,62	149,8	€ 12.815	654.122	570.598	14	800	299.306	243.292
EWA-E BOX 1480 1625M2	1623,86	225,4	€ 16.489	834.834	711.340	14	800	285.124	228.480
EWA-E BOX 1480 2165M2	2165,38	301,0	€ 19.867	956.228	798.322	14	800	272.608	216.188
EWA-E BOX 1680 1135M2	1136,80	171,2	€ 14.454	707.248	618.960	16	800	344.128	280.272
EWA-E BOX 1680 1705M2	1705,12	257,6	€ 18.645	912.480	781.280	16	800	328.128	263.680
EWA-E BOX 1680 2275M2	2273,44	344,0	€ 22.409	1.056.432	886.720	16	800	314.368	249.952
EWA-E BOX 1680 1235M2	1237,28	171,2	€ 14.640	747.568	652.112	16	800	342.064	278.048
EWA-E BOX 1680 1855M2	1855,84	257,6	€ 18.837	954.096	812.960	16	800	325.856	261.120
EWA-E BOX 1680 2475M2	2474,72	344,0	€ 22.694	1.092.832	912.368	16	800	311.552	247.072



Model Model	Boyutlar Dimensions						Bağlantılar Connections		
	A	B	C	D	E	F	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EWA-E BOX 280 145M2	230	237	145	210	76	143	1	28	22
EWA-E BOX 280 215M2	230	237	145	210	76	143	1	35	28
EWA-E BOX 280 285M2	230	237	145	210	76	143	1	35	28
EWA-E BOX 280 155M2	230	237	145	210	76	143	1	28	22
EWA-E BOX 280 230M2	230	237	145	210	76	143	1	35	22
EWA-E BOX 280 310M2	230	237	145	210	76	143	1	35	22
EWA-E BOX 480 285M2	230	237	276	210	76	274	2	28	22
EWA-E BOX 480 425M2	230	237	276	210	76	274	2	35	28
EWA-E BOX 480 570M2	230	237	276	210	76	274	2	35	28
EWA-E BOX 480 310M2	230	237	276	210	76	274	2	28	22
EWA-E BOX 480 465M2	230	237	276	210	76	274	2	35	22
EWA-E BOX 480 620M2	230	237	276	210	76	274	2	35	22
EWA-E BOX 680 425M2	230	237	415	210	76	413	3	28	22
EWA-E BOX 680 640M2	230	237	415	210	76	413	3	35	28
EWA-E BOX 680 850M2	230	237	415	210	76	413	3	35	28
EWA-E BOX 680 465M2	230	237	415	210	76	413	3	28	22
EWA-E BOX 680 695M2	230	237	415	210	76	413	3	35	22
EWA-E BOX 680 930M2	230	237	415	210	76	413	3	35	22
EWA-E BOX 880 570M2	230	237	550	210	76	545	4	28	22
EWA-E BOX 880 850M2	230	237	550	210	76	545	4	35	28
EWA-E BOX 880 1135M2	230	237	550	210	76	545	4	35	28
EWA-E BOX 880 620M2	230	237	550	210	76	545	4	28	22
EWA-E BOX 880 930M2	230	237	550	210	76	545	4	35	22
EWA-E BOX 880 1240M2	230	237	550	210	76	545	4	35	22
EWA-E BOX 1080 710M2	230	237	690	210	76	685	5	28	22
EWA-E BOX 1080 1065M2	230	237	690	210	76	685	5	35	28
EWA-E BOX 1080 1420M2	230	237	690	210	76	685	5	35	28
EWA-E BOX 1080 775M2	230	237	690	210	76	685	5	28	22
EWA-E BOX 1080 1160M2	230	237	690	210	76	685	5	35	22
EWA-E BOX 1080 1545M2	230	237	690	210	76	685	5	35	22
EWA-E BOX 1280 850M2	230	237	830	210	76	825	6	28	22
EWA-E BOX 1280 1280M2	230	237	830	210	76	825	6	35	28
EWA-E BOX 1280 1705M2	230	237	830	210	76	825	6	35	28
EWA-E BOX 1280 930M2	230	237	830	210	76	825	6	28	22
EWA-E BOX 1280 1390M2	230	237	830	210	76	825	6	35	22
EWA-E BOX 1280 1855M2	230	237	830	210	76	825	6	35	22
EWA-E BOX 1480 995M2	230	237	975	210	76	970	7	28	22
EWA-E BOX 1480 1490M2	230	237	975	210	76	970	7	35	28
EWA-E BOX 1480 1990M2	230	237	975	210	76	970	7	35	28
EWA-E BOX 1480 1080M2	230	237	975	210	76	970	7	28	22
EWA-E BOX 1480 1625M2	230	237	975	210	76	970	7	35	22
EWA-E BOX 1480 2165M2	230	237	975	210	76	970	7	35	22
EWA-E BOX 1680 1135M2	230	237	1120	210	76	1115	8	28	22
EWA-E BOX 1680 1705M2	230	237	1120	210	76	1115	8	35	28
EWA-E BOX 1680 2275M2	230	237	1120	210	76	1115	8	35	28
EWA-E BOX 1680 1235M2	230	237	1120	210	76	1115	8	28	22
EWA-E BOX 1680 1855M2	230	237	1120	210	76	1115	8	35	22
EWA-E BOX 1680 2475M2	230	237	1120	210	76	1115	8	35	22



EWB-E BOX Serisi | EWB-E BOX Series

Batarya Özellikleri / Heat Exchanger Specifications


Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite / Capacity Δt= 15°C		Fanlar / Fans			
				S Ø800mm 3/ 380V AC 50Hz 880 rpm	L 3/ 380V AC 50Hz 660 rpm	Adet Qty	Çap Diameter	S Hava Debisi Air Flow 3/ 380V AC 880 rpm	L Hava Debisi Air Flow 3/ 380V AC 660 rpm
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h	m ³ /h
EWB-E BOX 280 180M2	180,10	16,0	€ 1.688	87.388	77.494	2	800	43.512	35.554
EWB-E BOX 280 270M2	270,16	24,2	€ 2.136	113.036	98.060	2	800	41.674	33.638
EWB-E BOX 280 360M2	360,22	32,2	€ 2.558	130.188	110.682	2	800	40.074	32.002
EWB-E BOX 280 195M2	196,54	16,0	€ 1.715	89.854	79.486	2	800	43.300	35.314
EWB-E BOX 280 295M2	294,82	24,2	€ 2.178	118.338	102.228	2	800	41.392	33.358
EWB-E BOX 280 395M2	393,08	32,2	€ 2.614	134.930	114.130	2	800	39.744	31.682
EWB-E BOX 480 360M2	360,20	32,0	€ 3.263	174.776	154.988	4	800	87.024	71.108
EWB-E BOX 480 540M2	540,32	48,4	€ 4.146	226.072	196.120	4	800	83.348	67.276
EWB-E BOX 480 720M2	720,44	64,4	€ 4.975	260.376	221.364	4	800	80.148	64.004
EWB-E BOX 480 395M2	393,08	32,0	€ 3.319	179.708	158.972	4	800	86.600	70.628
EWB-E BOX 480 590M2	589,64	48,4	€ 4.229	236.676	204.456	4	800	82.784	66.716
EWB-E BOX 480 785M2	786,16	64,4	€ 5.087	269.860	228.260	4	800	79.488	63.364
EWB-E BOX 680 540M2	540,30	48,0	€ 4.880	262.164	232.482	6	800	130.536	106.662
EWB-E BOX 680 810M2	810,48	72,6	€ 6.196	339.108	294.180	6	800	125.022	100.914
EWB-E BOX 680 1080M2	1080,66	96,6	€ 7.433	390.564	332.046	6	800	120.222	96.006
EWB-E BOX 680 590M2	589,62	48,0	€ 4.963	269.562	238.458	6	800	129.900	105.942
EWB-E BOX 680 885M2	884,46	72,6	€ 6.322	355.014	306.684	6	800	124.176	100.074
EWB-E BOX 680 1180M2	1179,24	96,6	€ 7.600	404.790	342.390	6	800	119.232	95.046
EWB-E BOX 880 720M2	720,40	64,0	€ 6.497	349.552	309.976	8	800	174.048	142.216
EWB-E BOX 880 1080M2	1080,64	96,8	€ 8.247	452.144	392.240	8	800	166.696	134.552
EWB-E BOX 880 1440M2	1440,88	128,8	€ 9.890	520.752	442.728	8	800	160.296	128.008
EWB-E BOX 880 785M2	786,16	64,0	€ 6.608	359.416	317.944	8	800	173.200	141.256
EWB-E BOX 880 1180M2	1179,28	96,8	€ 8.414	473.352	408.912	8	800	165.568	133.432
EWB-E BOX 880 1570M2	1572,32	128,8	€ 10.114	539.720	456.520	8	800	158.976	126.728
EWB-E BOX 1080 900M2	900,50	80,0	€ 8.114	436.940	387.470	10	800	217.560	177.770
EWB-E BOX 1080 1350M2	1350,80	121,0	€ 10.297	565.180	490.300	10	800	208.370	168.190
EWB-E BOX 1080 1800M2	1801,10	161,0	€ 12.348	650.940	553.410	10	800	200.370	160.010
EWB-E BOX 1080 980M2	982,70	80,0	€ 8.253	449.270	397.430	10	800	216.500	176.570
EWB-E BOX 1080 1475M2	1474,10	121,0	€ 10.507	591.690	511.140	10	800	206.960	166.790
EWB-E BOX 1080 1965M2	1965,40	161,0	€ 12.627	674.650	570.650	10	800	198.720	158.410
EWB-E BOX 1280 1080M2	1080,60	96,0	€ 9.730	524.328	464.964	12	800	261.072	213.324
EWB-E BOX 1280 1620M2	1620,96	145,2	€ 12.348	678.216	588.360	12	800	250.044	201.828
EWB-E BOX 1280 2160M2	2161,32	193,2	€ 14.806	781.128	664.092	12	800	240.444	192.012
EWB-E BOX 1280 1180M2	1179,24	96,0	€ 9.898	539.124	476.916	12	800	259.800	211.884
EWB-E BOX 1280 1770M2	1768,92	145,2	€ 12.599	710.028	613.368	12	800	248.352	200.148
EWB-E BOX 1280 2360M2	2358,48	193,2	€ 15.141	809.580	684.780	12	800	238.464	190.092
EWB-E BOX 1480 1260M2	1260,70	112,0	€ 11.347	611.716	542.458	14	800	304.584	248.878
EWB-E BOX 1480 1890M2	1891,12	169,4	€ 14.399	791.252	686.420	14	800	291.718	235.466
EWB-E BOX 1480 2520M2	2521,54	225,4	€ 17.263	911.316	774.774	14	800	280.518	224.014
EWB-E BOX 1480 1375M2	1375,78	112,0	€ 11.543	628.978	556.402	14	800	303.100	247.198
EWB-E BOX 1480 2065M2	2063,74	169,4	€ 14.692	828.366	715.596	14	800	289.744	233.506
EWB-E BOX 1480 2750M2	2751,56	225,4	€ 17.655	944.510	798.910	14	800	278.208	221.774
EWB-E BOX 1680 1440M2	1440,80	128,0	€ 12.964	699.104	619.952	16	800	348.096	284.432
EWB-E BOX 1680 2160M2	2161,28	193,6	€ 16.449	904.288	784.480	16	800	333.392	269.104
EWB-E BOX 1680 2880M2	2881,76	257,6	€ 19.721	1.041.504	885.456	16	800	320.592	256.016
EWB-E BOX 1680 1570M2	1572,32	128,0	€ 13.188	718.832	635.888	16	800	346.400	282.512
EWB-E BOX 1680 2360M2	2358,56	193,6	€ 16.785	946.704	817.824	16	800	331.136	266.864
EWB-E BOX 1680 3145M2	3144,64	257,6	€ 20.168	1.079.440	913.040	16	800	317.952	253.456



Model Model	Boyutlar Dimensions						Bağlantılar Connections		
	A	B	C	D	E	F	Adet Qty	Giriş Input	Çıkış Output
	cm	cm	cm	cm	cm	cm	pcs	mm	mm
EWB-E BOX 280 180M2	230	237	145	210	76	143	1	28	22
EWB-E BOX 280 270M2	230	237	145	210	76	143	1	35	28
EWB-E BOX 280 360M2	230	237	145	210	76	143	1	35	28
EWB-E BOX 280 195M2	230	237	145	210	76	143	1	28	22
EWB-E BOX 280 295M2	230	237	145	210	76	143	1	35	28
EWB-E BOX 280 395M2	230	237	145	210	76	143	1	35	28
EWB-E BOX 480 360M2	230	237	276	210	76	274	2	28	22
EWB-E BOX 480 540M2	230	237	276	210	76	274	2	35	28
EWB-E BOX 480 720M2	230	237	276	210	76	274	2	35	28
EWB-E BOX 480 395M2	230	237	276	210	76	274	2	28	22
EWB-E BOX 480 590M2	230	237	276	210	76	274	2	35	28
EWB-E BOX 480 785M2	230	237	276	210	76	274	2	35	28
EWB-E BOX 680 540M2	230	237	415	210	76	413	3	28	22
EWB-E BOX 680 810M2	230	237	415	210	76	413	3	35	28
EWB-E BOX 680 1080M2	230	237	415	210	76	413	3	35	28
EWB-E BOX 680 885M2	230	237	415	210	76	413	3	35	28
EWB-E BOX 680 1180M2	230	237	415	210	76	413	3	35	28
EWB-E BOX 880 720M2	230	237	550	210	76	545	4	28	22
EWB-E BOX 880 1080M2	230	237	550	210	76	545	4	35	28
EWB-E BOX 880 1440M2	230	237	550	210	76	545	4	35	28
EWB-E BOX 880 785M2	230	237	550	210	76	545	4	28	22
EWB-E BOX 880 1180M2	230	237	550	210	76	545	4	35	28
EWB-E BOX 880 1570M2	230	237	550	210	76	545	4	35	28
EWB-E BOX 1080 900M2	230	237	690	210	76	685	5	28	22
EWB-E BOX 1080 1350M2	230	237	690	210	76	685	5	35	28
EWB-E BOX 1080 1800M2	230	237	690	210	76	685	5	35	28
EWB-E BOX 1080 980M2	230	237	690	210	76	685	5	28	22
EWB-E BOX 1080 1475M2	230	237	690	210	76	685	5	35	28
EWB-E BOX 1080 1965M2	230	237	690	210	76	685	5	35	28
EWB-E BOX 1280 1080M2	230	237	830	210	76	825	6	28	22
EWB-E BOX 1280 1620M2	230	237	830	210	76	825	6	35	28
EWB-E BOX 1280 2160M2	230	237	830	210	76	825	6	35	28
EWB-E BOX 1280 1180M2	230	237	830	210	76	825	6	28	22
EWB-E BOX 1280 1770M2	230	237	830	210	76	825	6	35	28
EWB-E BOX 1280 2360M2	230	237	830	210	76	825	6	35	28
EWB-E BOX 1480 1260M2	230	237	975	210	76	970	7	28	22
EWB-E BOX 1480 1890M2	230	237	975	210	76	970	7	35	28
EWB-E BOX 1480 2520M2	230	237	975	210	76	970	7	35	28
EWB-E BOX 1480 1375M2	230	237	975	210	76	970	7	28	22
EWB-E BOX 1480 2065M2	230	237	975	210	76	970	7	35	28
EWB-E BOX 1480 2750M2	230	237	975	210	76	970	7	35	28
EWB-E BOX 1680 1440M2	230	237	1120	210	76	1115	8	28	22
EWB-E BOX 1680 2160M2	230	237	1120	210	76	1115	8	35	28
EWB-E BOX 1680 2880M2	230	237	1120	210	76	1115	8	35	28
EWB-E BOX 1680 1570M2	230	237	1120	210	76	1115	8	28	22
EWB-E BOX 1680 2360M2	230	237	1120	210	76	1115	8	35	28
EWB-E BOX 1680 3145M2	230	237	1120	210	76	1115	8	35	28



MONOBLOK ÜNİTELERİ MONOBLOCK UNITS

EVACOND




TSEK

EMB

Serisi / Series

EMB Serisi | EMB Series

Monoblok Üniteleri | Monoblock Units



Model Model	Kompresör Modeli	Beygir Gücü (HP)	Kompresör Soğuma Gücü	MONOBLOK BOYUTLAR						EVAPORATÖR			KONDENSER			TOPLAM LİSTE FİYATI
				A	B	C	D	E	F	Kapasite (SC2)	Yüzey Alanı	Fan	Kapasite (DT12)	Yüzey Alanı	Fan	
EMB +1/2 HP	NEU 6212Z	1/2 HP	765 W	60	80	34	50	47	48	864	4,24	1X250	1818 W	4,15	1X250	€ 325
EMB +3/4 HP	NT 6220GK	3/4 HP	1263 W	60	80	34	50	47	48	1294	4,4	1X300	2902 W	5,21	1X300	€ 330
EMB +1 HP	NT 6222GK	1 HP	1800 W	60	80	39	50	47	48	1915	5,66	1X350	3862 W	6,41	1X350	€ 350
EMB +1,5 HP	NJ 9238GK	1,5 HP	2800 W	60	80	42	50	47	55	2808	13,34	1X350	6240 W	10,85	1X400	€ 495
EMB +2 HP	NJX 6250GK	2 HP	3700 W	60	80	42	58	47	55	3613	13,86	1X400	7515 W	18,15	1X400	€ 580

Model Model	Kompresör Modeli	Beygir Gücü (HP)	Kompresör Soğuma Gücü	MONOBLOK BOYUTLAR						EVAPORATÖR			KONDENSER			TOPLAM LİSTE FİYATI
				A	B	C	D	E	F	Kapasite (SC2)	Yüzey Alanı	Fan	Kapasite (DT12)	Yüzey Alanı	Fan	
EMB -3/4 HP	NEU 2168 GK	3/4 HP	733 W	60	80	34	50	47	48	780	4,78	1X250	2605 W	4,4	1X300	€ 330
EMB -1 HP	NEU 2178 GK	1 HP	880 W	60	80	34	50	47	48	917	5,66	1X250	3210 W	6,81	1X300	€ 375
EMB -1 1/4 HP	NT 2192GK	1 1/4 HP	1050 W	60	80	39	50	47	48	1200	5,66	1X300	4293 W	6,81	1X350	€ 375
EMB -2 HP	NJX 2219GK	2 HP	2000 W	60	80	42	58	47	55	2046	8,04	1X400	6495 W	11,95	1X400	€ 475

STANDART ODA SOĞUTUCULARI STANDARD ROOM COOLERS





EEF • EEA • EEB • EEC • EED

Serisi / Series

EEF Serisi | EEF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"



Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEF-130-34	6,80	1,0	€ 144	2.164	1.566	-	-	1	300	1.436	4X225	4X225	2X225
EEF-130-44	9,07	1,3	€ 164	2.697	1.937	-	-	1	300	1.352	4X225	4X225	2X225
EEF-130-54	11,34	1,6	€ 203	3.091	2.239	-	-	1	300	1.282	6X225	6X225	2X225
EEF-130-64	13,61	1,9	€ 224	3.437	2.476	-	-	1	300	1.220	6X225	6X225	2X225
EEF-135-34	6,80	1,0	€ 150	2.627	1.918	-	-	1	350	2.363	4X225	4X225	2X225
EEF-135-44	9,07	1,3	€ 170	3.261	2.360	-	-	1	350	2.150	4X225	4X225	2X225
EEF-135-54	11,34	1,6	€ 204	3.765	2.750	-	-	1	350	1.972	6X225	6X225	2X225
EEF-135-64	13,61	1,9	€ 224	4.168	3.032	-	-	1	350	1.818	6X225	6X225	2X225
EEF-135-34-E2	9,42	1,3	€ 179	3.425	2.460	-	-	1	350	2.663	4X275	4X275	2X275
EEF-135-44-E2	12,56	1,9	€ 209	4.264	3.077	-	-	1	350	2.505	4X275	4X275	2X275
EEF-135-54-E2	15,70	2,2	€ 250	4.950	3.585	-	-	1	350	2.366	6X275	6X275	2X275
EEF-135-64-E2	18,85	2,9	€ 279	5.522	3.896	-	-	1	350	2.237	6X275	6X275	2X275
EEF-140-34	9,42	1,3	€ 179	3.649	2.616	-	-	1	400	3.196	4X275	4X275	2X275
EEF-140-44	12,56	1,9	€ 209	4.552	3.296	-	-	1	400	2.954	4X275	4X275	2X275
EEF-140-54	15,70	2,2	€ 250	5.293	3.846	-	-	1	400	2.751	6X275	6X275	2X275
EEF-140-64	18,85	2,9	€ 279	5.916	4.274	-	-	1	400	2.585	6X275	6X275	2X275



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEF-130-34	69	54	47	49	39	43
EEF-130-44	69	54	47	49	39	43
EEF-130-54	69	54	52	49	44	43
EEF-130-64	69	54	52	49	44	43
EEF-135-34	69	54	52	49	44	43
EEF-135-44	69	54	52	49	44	43
EEF-135-54	69	54	59	49	51	43
EEF-135-64	69	54	59	49	51	43
EEF-135-34-E2	77	61	52	56	44	51
EEF-135-44-E2	77	61	52	56	44	51
EEF-135-54-E2	77	61	59	56	51	51
EEF-135-64-E2	77	61	59	56	51	51
EEF-140-34	77	61	52	56	44	51
EEF-140-44	77	61	52	56	44	51
EEF-140-54	77	61	59	56	51	51
EEF-140-64	77	61	59	56	51	51



EEF Serisi | EEF Series



Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 3228-3/8"****Bakır Boru / Copper Pipe : 3/8"****Hatve / Fin Spacing : 4 mm**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEF-230-34	13,60	1,9	€ 246	4.436	3.210	-	-	2	300	2.872	4X425	4X425	2X425
EEF-230-44	18,14	2,5	€ 290	5.529	3.971	-	-	2	300	2.704	4X425	4X425	2X425
EEF-230-54	22,68	3,2	€ 346	6.337	4.590	-	-	2	300	2.564	6X425	6X425	2X425
EEF-230-64	27,22	3,8	€ 389	7.046	5.076	-	-	2	300	2.440	6X425	6X425	2X425
EEF-235-34	13,60	1,9	€ 247	5.385	3.932	-	-	2	350	4.726	4X425	4X425	2X425
EEF-235-44	18,14	2,5	€ 290	6.685	4.838	-	-	2	350	4.300	4X425	4X425	2X425
EEF-235-54	22,68	3,2	€ 347	7.718	5.638	-	-	2	350	3.944	6X425	6X425	2X425
EEF-235-64	27,22	3,8	€ 389	8.544	6.216	-	-	2	350	3.636	6X425	6X425	2X425
EEF-235-34-E2	18,84	2,5	€ 318	7.021	5.043	-	-	2	350	5.326	4X500	4X500	2X500
EEF-235-44-E2	25,12	3,8	€ 386	8.741	6.308	-	-	2	350	5.010	4X500	4X500	2X500
EEF-235-54-E2	31,26	4,4	€ 457	10.148	7.349	-	-	2	350	4.732	6X500	6X500	2X500
EEF-235-64-E2	37,69	5,7	€ 529	11.320	7.987	-	-	2	350	4.474	6X500	6X500	2X500
EEF-240-34	18,69	2,5	€ 318	7.480	5.363	-	-	2	400	6.392	4X500	4X500	2X500
EEF-240-44	25,12	3,8	€ 386	9.332	6.757	-	-	2	400	5.908	4X500	4X500	2X500
EEF-240-54	31,26	4,4	€ 457	10.851	7.884	-	-	2	400	5.502	6X500	6X500	2X500
EEF-240-64	37,69	5,7	€ 529	12.128	8.762	-	-	2	400	5.170	6X500	6X500	2X500

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEF-230-34	109	54	47	49	39	83
EEF-230-44	109	54	47	49	39	83
EEF-230-54	109	54	52	49	44	83
EEF-230-64	109	54	52	49	44	83
EEF-235-34	109	54	52	49	44	83
EEF-235-44	109	54	52	49	44	83
EEF-235-54	109	54	59	49	51	83
EEF-235-64	109	54	59	49	51	83
EEF-235-34-E2	128	61	52	56	44	99
EEF-235-44-E2	128	61	52	56	44	99
EEF-235-54-E2	128	61	59	56	51	99
EEF-235-64-E2	128	61	59	56	51	99
EEF-240-34	128	61	52	56	44	99
EEF-240-44	128	61	52	56	44	99
EEF-240-54	128	61	59	56	51	99
EEF-240-64	128	61	59	56	51	99



EEF Serisi | EEF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"



Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	n	mm	m³/h	nXW	nXW	nXW
EEF-330-34	20,40	2,9	€ 355	6.654	4.815	-	-	3	300	4.308	4X625	4X625	2X625
EEF-330-44	27,21	3,8	€ 412	8.293	5.956	-	-	3	300	4.056	4X625	4X625	2X625
EEF-330-54	34,02	4,8	€ 485	9.505	6.885	-	-	3	300	3.846	6X625	6X625	2X625
EEF-330-64	40,83	5,7	€ 542	10.569	7.614	-	-	3	300	3.660	6X625	6X625	2X625
EEF-335-34	20,40	2,9	€ 356	8.078	5.898	-	-	3	350	7.089	4X625	4X625	2X625
EEF-335-44	27,21	3,8	€ 413	10.028	7.257	-	-	3	350	6.450	4X625	4X625	2X625
EEF-335-54	34,02	4,8	€ 486	11.577	8.456	-	-	3	350	5.916	6X625	6X625	2X625
EEF-335-64	40,83	5,7	€ 543	12.817	9.323	-	-	3	350	5.454	6X625	6X625	2X625
EEF-335-34-E2	28,26	3,8	€ 468	10.532	7.565	-	-	3	350	7.989	4X750	4X750	2X750
EEF-335-44-E2	37,68	5,7	€ 550	13.112	9.462	-	-	3	350	7.515	4X750	4X750	2X750
EEF-335-54-E2	47,10	6,6	€ 649	15.221	11.024	-	-	3	350	7.098	6X750	6X750	2X750
EEF-335-64-E2	56,54	8,6	€ 731	16.980	11.980	-	-	3	350	6.711	6X750	6X750	2X750
EEF-340-34	28,26	3,8	€ 468	11.221	8.044	-	-	3	400	9.588	4X750	4X750	2X750
EEF-340-44	37,68	5,7	€ 550	13.997	10.135	-	-	3	400	8.862	4X750	4X750	2X750
EEF-340-54	47,10	6,6	€ 649	16.276	11.826	-	-	3	400	8.253	6X750	6X750	2X750
EEF-340-64	56,54	8,6	€ 731	18.192	13.143	-	-	3	400	7.755	6X750	6X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEF-330-34	149	54	47	49	39	123
EEF-330-44	149	54	47	49	39	123
EEF-330-54	149	54	52	49	44	123
EEF-330-64	149	54	52	49	44	123
EEF-335-34	149	56	56	51	49	123
EEF-335-44	149	56	56	51	49	123
EEF-335-54	149	56	62	51	55	123
EEF-335-64	149	56	62	51	55	123
EEF-335-34-E2	176	63	56	58	49	147
EEF-335-44-E2	176	63	56	58	49	147
EEF-335-54-E2	176	63	62	58	55	147
EEF-335-64-E2	176	63	62	58	55	147
EEF-340-34	176	63	56	58	49	147
EEF-340-44	176	63	56	58	49	147
EEF-340-54	176	63	62	58	55	147
EEF-340-64	176	63	62	58	55	147



EEF Serisi | EEF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"



Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2	
												Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEF-130-36	4,70	1,0	€ 147	1.688	1.219	974	-	1	300	1.491	4X225	4X225	2X225
EEF-130-46	6,22	1,3	€ 165	2.179	1.563	1.195	-	1	300	1.417	4X225	4X225	2X225
EEF-130-56	7,83	1,6	€ 191	2.560	1.827	1.431	-	1	300	1.350	6X225	6X225	2X225
EEF-130-66	9,40	1,9	€ 209	2.879	2.071	1.591	-	1	300	1.294	6X225	6X225	2X225
EEF-135-36	4,66	1,0	€ 147	2.065	1.507	1.216	-	1	350	2.502	4X225	4X225	2X225
EEF-135-46	6,22	1,3	€ 165	2.661	1.925	1.526	-	1	350	2.311	4X225	4X225	2X225
EEF-135-56	7,77	1,6	€ 191	3.099	2.252	1.790	-	1	350	2.143	6X225	6X225	2X225
EEF-135-66	9,40	1,9	€ 210	3.520	2.555	2.028	-	1	350	2.002	6X225	6X225	2X225
EEF-135-36-E2	6,50	1,3	€ 184	2.725	1.957	1.535	-	1	350	2.760	4X275	4X275	2X275
EEF-135-46-E2	8,67	1,9	€ 210	3.415	2.462	1.915	-	1	350	2.624	4X275	4X275	2X275
EEF-135-56-E2	10,84	2,2	€ 247	4.064	2.916	2.290	-	1	350	2.502	6X275	6X275	2X275
EEF-135-66-E2	13,01	2,9	€ 273	4.610	3.321	2.547	-	1	350	2.389	6X275	6X275	2X275
EEF-140-36	6,50	1,3	€ 184	2.922	2.106	1.665	-	1	400	3.343	4X275	4X275	2X275
EEF-140-46	8,67	1,9	€ 216	3.663	2.651	2.100	-	1	400	3.136	4X275	4X275	2X275
EEF-140-56	10,84	2,2	€ 254	4.342	3.126	2.473	-	1	400	2.946	6X275	6X275	2X275
EEF-140-66	13,01	2,9	€ 280	4.936	3.569	2.805	-	1	400	2.787	6X275	6X275	2X275



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEF-130-36	69	54	47	49	39	43
EEF-130-46	69	54	47	49	39	43
EEF-130-56	69	54	52	49	44	43
EEF-130-66	69	54	52	49	44	43
EEF-135-36	69	54	52	49	44	43
EEF-135-46	69	54	52	49	44	43
EEF-135-56	69	54	59	49	51	43
EEF-135-66	69	54	59	49	51	43
EEF-135-36-E2	77	61	52	56	44	51
EEF-135-46-E2	77	61	52	56	44	51
EEF-135-56-E2	77	61	59	56	51	51
EEF-135-66-E2	77	61	59	56	51	51
EEF-140-36	77	61	52	56	44	51
EEF-140-46	77	61	52	56	44	51
EEF-140-56	77	61	59	56	51	51
EEF-140-66	77	61	59	56	51	51



EEF Serisi | EEF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"



Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2	
												Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEF-230-36	9,32	1,9	€ 237	3.460	2.499	1.997	-	2	300	2.982	4X425	4X425	2X425
EEF-230-46	12,43	2,5	€ 270	4.467	3.204	2.450	-	2	300	2.834	4X425	4X425	2X425
EEF-230-56	15,53	3,2	€ 331	5.248	3.745	2.934	-	2	300	2.700	6X425	6X425	2X425
EEF-230-66	18,64	3,8	€ 371	5.902	4.246	3.262	-	2	300	2.588	6X425	6X425	2X425
EEF-235-36	9,32	1,9	€ 237	4.233	3.089	2.493	-	2	350	5.004	4X425	4X425	2X425
EEF-235-46	12,43	2,5	€ 278	5.455	3.946	3.128	-	2	350	4.622	4X425	4X425	2X425
EEF-235-56	15,53	3,2	€ 331	6.353	4.617	3.670	-	2	350	4.286	6X425	6X425	2X425
EEF-235-66	18,64	3,8	€ 371	7.216	5.238	4.157	-	2	350	4.004	6X425	6X425	2X425
EEF-235-36-E2	13,00	2,5	€ 305	5.586	4.012	3.147	-	2	350	5.520	4X500	4X500	2X500
EEF-235-46-E2	17,34	3,8	€ 368	7.001	5.047	3.926	-	2	350	5.248	4X500	4X500	2X500
EEF-235-56-E2	21,53	4,4	€ 438	8.331	5.978	4.695	-	2	350	5.004	6X500	6X500	2X500
EEF-235-66-E2	26,02	5,7	€ 500	9.451	6.808	5.221	-	2	350	4.778	6X500	6X500	2X500
EEF-240-36	12,86	2,5	€ 305	5.990	4.317	3.413	-	2	400	6.686	4X500	4X500	2X500
EEF-240-46	17,34	3,8	€ 368	7.509	5.435	4.305	-	2	400	6.272	4X500	4X500	2X500
EEF-240-56	21,53	4,4	€ 438	8.901	6.408	5.070	-	2	400	5.892	6X500	6X500	2X500
EEF-240-66	26,02	5,7	€ 500	10.119	7.316	5.750	-	2	400	5.574	6X500	6X500	2X500



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEF-230-36	109	54	47	49	39	83
EEF-230-46	109	54	47	49	39	83
EEF-230-56	109	54	52	49	44	83
EEF-230-66	109	54	52	49	44	83
EEF-235-36	109	54	52	49	44	83
EEF-235-46	109	54	52	49	44	83
EEF-235-56	109	54	59	49	51	83
EEF-235-66	109	54	59	49	51	83
EEF-235-36-E2	128	61	52	56	44	99
EEF-235-46-E2	128	61	52	56	44	99
EEF-235-56-E2	128	61	59	56	51	99
EEF-235-66-E2	128	61	59	56	51	99
EEF-240-36	128	61	52	56	44	99
EEF-240-46	128	61	52	56	44	99
EEF-240-56	128	61	59	56	51	99
EEF-240-66	128	61	59	56	51	99





EEF Serisi | EEF Series

Batarya Özellikleri / Heat Exchanger Specifications**Geometri / Geometry : 3228-3/8"****Bakır Boru / Copper Pipe : 3/8"****Hatve / Fin Spacing : 6 mm**

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEF-330-36	14,10	2,9	€ 342	5.191	3.748	2.995	-	3	300	4.473	4X625	4X625	2X625
EEF-330-46	18,65	3,8	€ 391	6.700	4.806	3.675	-	3	300	4.251	4X625	4X625	2X625
EEF-330-56	23,49	4,8	€ 456	7.872	5.618	4.400	-	3	300	4.050	6X625	6X625	2X625
EEF-330-66	28,20	5,7	€ 505	8.853	6.368	4.892	-	3	300	3.882	6X625	6X625	2X625
EEF-335-36	13,98	2,9	€ 343	6.350	4.634	3.739	-	3	350	7.506	4X625	4X625	2X625
EEF-335-46	18,65	3,8	€ 392	8.183	5.919	4.692	-	3	350	6.933	4X625	4X625	2X625
EEF-335-56	23,30	4,8	€ 457	9.529	6.925	5.504	-	3	350	6.429	6X625	6X625	2X625
EEF-335-66	28,20	5,7	€ 506	10.824	7.857	6.236	-	3	350	6.006	6X625	6X625	2X625
EEF-335-36-E2	19,50	3,8	€ 455	8.379	6.018	4.720	-	3	350	8.280	4X750	4X750	2X750
EEF-335-46-E2	26,01	5,7	€ 526	10.501	7.571	5.889	-	3	350	7.872	4X750	4X750	2X750
EEF-335-56-E2	32,52	6,6	€ 615	12.497	8.967	7.042	-	3	350	7.506	6X750	6X750	2X750
EEF-335-66-E2	39,03	8,6	€ 686	14.176	10.212	7.832	-	3	350	7.167	6X750	6X750	2X750
EEF-340-36	19,50	3,8	€ 453	8.985	6.476	5.120	-	3	400	10.029	4X750	4X750	2X750
EEF-340-46	26,01	5,7	€ 524	11.264	8.152	6.458	-	3	400	9.408	4X750	4X750	2X750
EEF-340-56	32,52	6,6	€ 613	13.352	9.612	7.604	-	3	400	8.838	6X750	6X750	2X750
EEF-340-66	39,03	8,6	€ 684	15.178	10.975	8.625	-	3	400	8.361	6X750	6X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEF-330-36	149	54	47	49	39	123
EEF-330-46	149	54	47	49	39	123
EEF-330-56	149	54	52	49	44	123
EEF-330-66	149	54	52	49	44	123
EEF-335-36	149	56	56	51	49	123
EEF-335-46	149	56	56	51	49	123
EEF-335-56	149	56	62	51	55	123
EEF-335-66	149	56	62	51	55	123
EEF-335-36-E2	176	63	56	58	49	147
EEF-335-46-E2	176	63	56	58	49	147
EEF-335-56-E2	176	63	62	58	55	147
EEF-335-66-E2	176	63	62	58	55	147
EEF-340-36	176	63	56	58	49	147
EEF-340-46	176	63	56	58	49	147
EEF-340-56	176	63	62	58	55	147
EEF-340-66	176	63	62	58	55	147



EEF Serisi | EEF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"



Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEF-130-38	3,64	1,0	€ 136	-	1.029	800	642	1	300	1.522	4X225	4X225	2X225
EEF-130-48	4,86	1,3	€ 154	-	1.327	1.023	824	1	300	1.456	4X225	4X225	2X225
EEF-130-58	6,07	1,6	€ 180	-	1.583	1.205	970	1	300	1.396	6X225	6X225	2X225
EEF-130-68	7,29	1,9	€ 199	-	1.789	1.386	1.111	1	300	1.340	6X225	6X225	2X225
EEF-135-38	3,64	1,0	€ 136	-	1.261	1.025	831	1	350	2.586	4X225	4X225	2X225
EEF-135-48	4,86	1,3	€ 165	-	1.646	1.274	1.022	1	350	2.408	4X225	4X225	2X225
EEF-135-58	6,07	1,6	€ 191	-	1.950	1.543	1.251	1	350	2.253	6X225	6X225	2X225
EEF-135-68	7,29	1,9	€ 210	-	2.231	1.741	1.400	1	350	2.118	6X225	6X225	2X225
EEF-135-38-E2	4,37	1,3	€ 184	-	1.650	1.270	1.021	1	350	2.821	4X275	4X275	2X275
EEF-135-48-E2	6,73	1,9	€ 210	-	2.084	1.634	1.327	1	350	2.695	4X275	4X275	2X275
EEF-135-58-E2	8,41	2,2	€ 247	-	2.512	1.960	1.581	1	350	2.586	6X275	6X275	2X275
EEF-135-68-E2	10,09	2,9	€ 273	-	2.877	2.235	1.792	1	350	2.482	6X275	6X275	2X275
EEF-140-38	4,37	1,3	€ 184	-	1.783	1.394	1.114	1	400	3.434	4X275	4X275	2X275
EEF-140-48	6,73	1,9	€ 216	-	2.255	1.768	1.436	1	400	3.244	4X275	4X275	2X275
EEF-140-58	8,41	2,2	€ 254	-	2.706	2.126	1.731	1	400	3.073	6X275	6X275	2X275
EEF-140-68	10,09	2,9	€ 280	-	3.093	2.428	1.956	1	400	2.914	6X275	6X275	2X275



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEF-130-38	69	54	47	49	39	43
EEF-130-48	69	54	47	49	39	43
EEF-130-58	69	54	52	49	44	43
EEF-130-68	69	54	52	49	44	43
EEF-135-38	69	54	52	49	44	43
EEF-135-48	69	54	52	49	44	43
EEF-135-58	69	54	59	49	51	43
EEF-135-68	69	54	59	49	51	43
EEF-135-38-E2	77	61	52	56	44	51
EEF-135-48-E2	77	61	52	56	44	51
EEF-135-58-E2	77	61	59	56	51	51
EEF-135-68-E2	77	61	59	56	51	51
EEF-140-38	77	61	52	56	44	51
EEF-140-48	77	61	52	56	44	51
EEF-140-58	77	61	59	56	51	51
EEF-140-68	77	61	59	56	51	51



EEF Serisi | EEF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"



Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEF-230-38	7,28	1,9	€ 237	-	2.109	1.640	1.316	2	300	3.044	4X425	4X425	2X425
EEF-230-48	9,72	2,5	€ 270	-	2.720	2.097	1.689	2	300	2.912	4X425	4X425	2X425
EEF-230-58	12,14	3,2	€ 331	-	3.245	2.470	1.989	2	300	2.792	6X425	6X425	2X425
EEF-230-68	14,58	3,8	€ 371	-	3.667	2.841	2.278	2	300	2.680	6X425	6X425	2X425
EEF-235-38	7,28	1,9	€ 237	-	2.585	2.101	1.704	2	350	5.172	4X425	4X425	2X425
EEF-235-48	9,72	2,5	€ 278	-	3.374	2.612	2.095	2	350	4.816	4X425	4X425	2X425
EEF-235-58	12,14	3,2	€ 331	-	3.998	3.163	2.565	2	350	4.506	6X425	6X425	2X425
EEF-235-68	14,58	3,8	€ 371	-	4.574	3.569	2.870	2	350	4.236	6X425	6X425	2X425
EEF-235-38-E2	8,74	2,5	€ 305	-	3.383	2.604	2.093	2	350	5.642	4X500	4X500	2X500
EEF-235-48-E2	13,46	3,8	€ 368	-	4.272	3.350	2.720	2	350	5.390	4X500	4X500	2X500
EEF-235-58-E2	16,82	4,4	€ 438	-	5.150	4.018	3.241	2	350	5.172	6X500	6X500	2X500
EEF-235-68-E2	20,18	5,7	€ 500	-	5.898	4.582	3.674	2	350	4.964	6X500	6X500	2X500
EEF-240-38	8,74	2,5	€ 305	-	3.655	2.858	2.284	2	400	6.868	4X500	4X500	2X500
EEF-240-48	13,46	3,8	€ 368	-	4.623	3.624	2.944	2	400	6.488	4X500	4X500	2X500
EEF-240-58	16,82	4,4	€ 438	-	5.547	4.358	3.549	2	400	6.146	6X500	6X500	2X500
EEF-240-68	20,18	5,7	€ 500	-	6.341	4.977	4.010	2	400	5.828	6X500	6X500	2X500



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEF-230-38	109	54	47	49	39	83
EEF-230-48	109	54	47	49	39	83
EEF-230-58	109	54	52	49	44	83
EEF-230-68	109	54	52	49	44	83
EEF-235-38	109	54	52	49	44	83
EEF-235-48	109	54	52	49	44	83
EEF-235-58	109	54	59	49	51	83
EEF-235-68	109	54	59	49	51	83
EEF-235-38-E2	128	61	52	56	44	99
EEF-235-48-E2	128	61	52	56	44	99
EEF-235-58-E2	128	61	59	56	51	99
EEF-235-68-E2	128	61	59	56	51	99
EEF-240-38	128	61	52	56	44	99
EEF-240-48	128	61	52	56	44	99
EEF-240-58	128	61	59	56	51	99
EEF-240-68	128	61	59	56	51	99



EEF Serisi | EEF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"



Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEF-330-38	10,92	2,9	€ 342	-	3.164	2.460	1.974	3	300	4.566	4X625	4X625	2X625
EEF-330-48	14,58	3,8	€ 391	-	4.081	3.146	2.534	3	300	4.368	4X625	4X625	2X625
EEF-330-58	18,21	4,8	€ 456	-	4.868	3.705	2.983	3	300	4.188	6X625	6X625	2X625
EEF-330-68	21,87	5,7	€ 505	-	5.501	4.262	3.416	3	300	4.020	6X625	6X625	2X625
EEF-335-38	10,92	2,9	€ 343	-	3.878	3.152	2.555	3	350	7.758	4X625	4X625	2X625
EEF-335-48	14,58	3,8	€ 392	-	5.061	3.918	3.143	3	350	7.224	4X625	4X625	2X625
EEF-335-58	18,21	4,8	€ 457	-	5.996	4.745	3.847	3	350	6.759	6X625	6X625	2X625
EEF-335-68	21,87	5,7	€ 506	-	6.860	5.354	4.305	3	350	6.354	6X625	6X625	2X625
EEF-335-38-E2	13,11	3,8	€ 455	-	5.074	3.905	3.140	3	350	8.463	4X750	4X750	2X750
EEF-335-48-E2	20,19	5,7	€ 526	-	6.408	5.025	4.081	3	350	8.085	4X750	4X750	2X750
EEF-335-58-E2	25,23	6,6	€ 615	-	7.724	6.027	4.862	3	350	7.758	6X750	6X750	2X750
EEF-335-68-E2	30,27	8,6	€ 686	-	8.847	6.873	5.510	3	350	7.446	6X750	6X750	2X750
EEF-340-38	13,11	3,8	€ 453	-	5.483	4.287	3.426	3	400	10.302	4X750	4X750	2X750
EEF-340-48	20,19	5,7	€ 524	-	6.934	5.437	4.416	3	400	9.732	4X750	4X750	2X750
EEF-340-58	25,23	6,6	€ 613	-	8.321	6.537	5.323	3	400	9.219	6X750	6X750	2X750
EEF-340-68	30,27	8,6	€ 684	-	9.511	7.466	6.015	3	400	8.742	6X750	6X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEF-330-38	149	54	47	49	39	123
EEF-330-48	149	54	47	49	39	123
EEF-330-58	149	54	52	49	44	123
EEF-330-68	149	54	52	49	44	123
EEF-335-38	149	56	56	51	49	123
EEF-335-48	149	56	56	51	49	123
EEF-335-58	149	56	62	51	55	123
EEF-335-68	149	56	62	51	55	123
EEF-335-38-E2	176	63	56	58	49	147
EEF-335-48-E2	176	63	56	58	49	147
EEF-335-58-E2	176	63	62	58	55	147
EEF-335-68-E2	176	63	62	58	55	147
EEF-340-38	176	63	56	58	49	147
EEF-340-48	176	63	56	58	49	147
EEF-340-58	176	63	62	58	55	147
EEF-340-68	176	63	62	58	55	147



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-125-36	5,50	1,4	€ 138	1.655	1.182	920	-	1	250	861	4X225	4X225	2X225
EEA-125-46	7,33	1,9	€ 167	2.044	1.456	1.100	-	1	250	825	4X225	4X225	2X225
EEA-125-56	9,17	2,3	€ 195	2.299	1.632	1.214	-	1	250	787	6X225	6X225	2X225
EEA-125-66	11,00	2,9	€ 216	2.485	1.751	1.355	-	1	250	756	8X225	8X225	2X225
EEA-130-36	5,50	1,4	€ 138	2.052	1.475	1.162	-	1	300	1.385	4X225	4X225	2X225
EEA-130-46	7,33	1,9	€ 167	2.544	1.821	1.351	-	1	300	1.294	4X225	4X225	2X225
EEA-130-56	9,17	2,3	€ 195	2.804	2.037	1.607	-	1	300	1.202	6X225	6X225	2X225
EEA-130-66	11,00	2,9	€ 216	3.167	2.293	1.810	-	1	300	1.153	8X225	8X225	2X225
EEA-135-36	5,50	1,4	€ 139	2.474	1.798	1.413	-	1	350	2.234	4X225	4X225	2X225
EEA-135-46	7,33	1,9	€ 172	2.802	2.069	1.716	-	1	350	2.017	4X225	4X225	2X225
EEA-135-56	9,17	2,3	€ 200	3.376	2.477	2.046	-	1	350	1.824	6X225	6X225	2X225
EEA-135-66	11,00	2,9	€ 220	3.810	2.784	2.243	-	1	350	1.666	8X225	8X225	2X225
EEA-135-36-E2	7,92	2,1	€ 194	3.307	2.364	1.893	-	1	350	2.598	4X275	4X275	2X275
EEA-135-46-E2	10,56	2,8	€ 218	4.071	2.947	2.348	-	1	350	2.437	4X275	4X275	2X275
EEA-135-56-E2	13,20	3,5	€ 274	4.798	3.457	2.709	-	1	350	2.282	6X275	6X275	2X275
EEA-135-66-E2	15,84	4,2	€ 308	5.300	3.814	3.048	-	1	350	2.150	8X275	8X275	2X275
EEA-140-36	7,92	2,1	€ 193	3.319	2.433	2.053	-	1	400	3.109	4X275	4X275	2X275
EEA-140-46	10,56	2,8	€ 227	4.348	3.159	2.521	-	1	400	2.855	4X275	4X275	2X275
EEA-140-56	13,20	3,5	€ 274	5.124	3.701	2.953	-	1	400	2.644	6X275	6X275	2X275
EEA-140-66	15,84	4,2	€ 308	5.672	4.082	3.283	-	1	400	2.482	8X275	8X275	2X275
EEA-145-36	13,86	3,6	€ 287	6.033	4.325	3.442	-	1	450	4.792	4X325	4X325	2X325
EEA-145-46	18,48	4,9	€ 336	7.492	5.398	4.280	-	1	450	4.535	6X325	6X325	2X325
EEA-145-56	23,10	6,1	€ 402	8.760	6.280	4.927	-	1	450	4.296	6X325	6X325	2X325
EEA-145-66	27,72	7,3	€ 457	9.807	7.054	5.575	-	1	450	4.087	8X325	8X325	2X325
EEA-150-36	13,86	3,6	€ 287	6.896	4.970	4.000	-	1	500	7.016	4X325	4X325	2X325
EEA-150-46	18,48	4,9	€ 336	8.648	6.263	4.975	-	1	500	6.497	6X325	6X325	2X325
EEA-150-56	23,10	6,1	€ 402	10.062	7.306	7.306	-	1	500	6.044	6X325	6X325	2X325
EEA-150-66	27,72	7,3	€ 457	11.396	8.326	6.607	-	1	500	5.678	8X325	8X325	2X325
EEA-150-56-E2	29,70	7,8	€ 495	12.324	8.909	6.966	-	1	500	6.829	6X375	6X375	2X375
EEA-150-66-E2	35,64	9,3	€ 564	13.860	10.026	7.872	-	1	500	6.489	8X375	8X375	2X375



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-125-36	69	54	47	49	39	43
EEA-125-46	69	54	47	49	39	43
EEA-125-56	69	54	52	49	44	43
EEA-125-66	69	54	52	49	44	43
EEA-130-36	69	54	47	49	39	43
EEA-130-46	69	54	47	49	39	43
EEA-130-56	69	54	52	49	44	43
EEA-130-66	69	54	52	49	44	43
EEA-135-36	69	54	52	49	44	43
EEA-135-46	69	54	52	49	44	43
EEA-135-56	69	54	59	49	51	43
EEA-135-66	69	54	59	49	51	43
EEA-135-36-E2	77	61	52	56	44	51
EEA-135-46-E2	77	61	52	56	44	51
EEA-135-56-E2	77	61	59	56	51	51
EEA-135-66-E2	77	61	59	56	51	51
EEA-140-36	77	61	52	56	44	51
EEA-140-46	77	61	52	56	44	51
EEA-140-56	77	61	59	56	51	51
EEA-140-66	77	61	59	56	51	51
EEA-145-36	92	77	56	72	44	66
EEA-145-46	92	77	56	72	44	66
EEA-145-56	92	77	62	72	51	66
EEA-145-66	92	77	62	72	51	66
EEA-150-36	92	77	56	72	44	66
EEA-150-46	92	77	56	72	44	66
EEA-150-56	92	77	62	72	51	66
EEA-150-66	92	77	62	72	51	66
EEA-150-56-E2	104	85	62	80	55	75
EEA-150-66-E2	104	85	62	80	55	75



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-225-36	11,00	2,7	€ 236	3.329	2.379	1.866	-	2	250	1.722	4X425	4X425	2X425
EEA-225-46	14,66	3,8	€ 274	4.135	2.946	2.250	-	2	250	1.650	4X425	4X425	2X425
EEA-225-56	18,33	4,6	€ 335	4.679	3.326	2.564	-	2	250	1.573	6X425	6X425	2X425
EEA-225-66	22,00	5,7	€ 377	5.106	3.648	2.801	-	2	250	1.508	8X425	8X425	2X425
EEA-230-36	11,00	2,7	€ 236	4.140	2.984	2.369	-	2	300	2.771	4X425	4X425	2X425
EEA-230-46	14,66	3,8	€ 274	5.173	3.707	2.920	-	2	300	2.588	4X425	4X425	2X425
EEA-230-56	18,33	4,6	€ 339	5.878	4.237	3.346	-	2	300	2.437	6X425	6X425	2X425
EEA-230-66	22,00	5,7	€ 377	6.523	4.695	3.590	-	2	300	2.307	8X425	8X425	2X425
EEA-235-36	11,00	2,7	€ 236	5.012	3.646	2.905	-	2	350	4.467	4X425	4X425	2X425
EEA-235-46	14,66	3,8	€ 274	6.217	4.496	3.606	-	2	350	4.022	4X425	4X425	2X425
EEA-235-56	18,33	4,6	€ 340	7.097	5.172	4.083	-	2	350	3.641	6X425	6X425	2X425
EEA-235-66	22,00	5,7	€ 378	7.835	5.695	4.566	-	2	350	3.331	8X425	8X425	2X425
EEA-235-36-E2	15,84	4,1	€ 310	6.640	4.803	3.853	-	2	350	5.203	4X500	4X500	2X500
EEA-235-46-E2	21,12	5,5	€ 372	8.421	6.056	4.773	-	2	350	4.867	4X500	4X500	2X500
EEA-235-56-E2	26,40	6,9	€ 444	9.708	7.002	5.556	-	2	350	4.564	6X500	6X500	2X500
EEA-235-66-E2	31,68	8,3	€ 503	10.755	7.764	6.094	-	2	350	4.299	8X500	8X500	2X500
EEA-240-36	15,84	4,1	€ 310	7.205	5.171	4.105	-	2	400	6.201	4X500	4X500	2X500
EEA-240-46	21,12	5,5	€ 372	8.985	6.477	5.136	-	2	400	5.693	4X500	4X500	2X500
EEA-240-56	26,40	6,9	€ 444	10.381	7.508	5.956	-	2	400	5.288	6X500	6X500	2X500
EEA-240-66	31,68	8,3	€ 503	11.555	8.348	6.548	-	2	400	4.955	8X500	8X500	2X500
EEA-245-36	27,72	7,2	€ 496	12.232	8.778	6.952	-	2	450	9.584	4X650	4X650	2X650
EEA-245-46	36,95	9,7	€ 593	15.305	10.977	8.555	-	2	450	9.070	6X650	6X650	2X650
EEA-245-56	46,19	12,1	€ 724	17.765	12.749	9.999	-	2	450	8.592	6X650	6X650	2X650
EEA-245-66	55,43	14,5	€ 810	19.550	14.278	11.201	-	2	450	8.174	8X650	8X650	2X650
EEA-250-36	27,72	7,2	€ 500	14.034	10.126	8.068	-	2	500	14.032	4X650	4X650	2X650
EEA-250-46	36,95	9,7	€ 589	17.543	12.721	9.941	-	2	500	12.994	6X650	6X650	2X650
EEA-250-56	46,19	12,1	€ 733	20.519	14.789	11.712	-	2	500	12.088	6X650	6X650	2X650
EEA-250-66	55,43	14,5	€ 817	23.079	16.700	12.758	-	2	500	11.356	8X650	8X650	2X650
EEA-250-56-E2	59,39	15,5	€ 889	25.050	18.072	13.920	-	2	500	13.648	6X750	6X750	2X750
EEA-250-66-E2	71,27	18,6	€ 1.007	28.198	20.258	15.979	-	2	500	12.968	8X750	8X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-225-36	109	54	47	49	39	83
EEA-225-46	109	54	47	49	39	83
EEA-225-56	109	54	52	49	44	83
EEA-225-66	109	54	52	49	44	83
EEA-230-36	109	54	47	49	39	83
EEA-230-46	109	54	47	49	39	83
EEA-230-56	109	54	52	49	44	83
EEA-230-66	109	54	52	49	44	83
EEA-235-36	109	54	52	49	44	83
EEA-235-46	109	54	52	49	44	83
EEA-235-56	109	54	59	49	51	83
EEA-235-66	109	54	59	49	51	83
EEA-235-36-E2	128	61	52	56	44	99
EEA-235-46-E2	128	61	52	56	44	99
EEA-235-56-E2	128	61	59	56	51	99
EEA-235-66-E2	128	61	59	56	51	99
EEA-240-36	128	61	52	56	44	99
EEA-240-46	128	61	52	56	44	99
EEA-240-56	128	61	59	56	51	99
EEA-240-66	128	61	59	56	51	99
EEA-245-36	158	79	56	74	49	129
EEA-245-46	158	79	56	74	49	129
EEA-245-56	158	79	62	74	55	129
EEA-245-66	158	79	62	74	55	129
EEA-250-36	158	79	56	74	49	129
EEA-250-46	158	79	56	74	49	129
EEA-250-56	158	79	62	74	55	129
EEA-250-66	158	79	62	74	55	129
EEA-250-56-E2	176	85	62	80	55	147
EEA-250-66-E2	176	85	62	80	55	147



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-325-36	16,50	4,1	€ 338	5.007	3.578	2.806	-	3	250	2.583	4X625	4X625	2X625
EEA-325-46	21,99	5,7	€ 394	6.219	4.431	3.384	-	3	250	2.475	4X625	4X625	2X625
EEA-325-56	27,50	6,9	€ 473	7.037	5.002	3.856	-	3	250	2.361	6X625	6X625	2X625
EEA-325-66	33,00	8,6	€ 528	7.679	5.487	4.213	-	3	250	2.268	8X625	8X625	2X625
EEA-330-36	16,50	4,1	€ 338	6.227	4.488	3.563	-	3	300	4.155	4X625	4X625	2X625
EEA-330-46	21,99	5,7	€ 394	7.780	5.575	4.392	-	3	300	3.882	4X625	4X625	2X625
EEA-330-56	27,50	6,9	€ 473	8.841	6.372	5.032	-	3	300	3.606	6X625	6X625	2X625
EEA-330-66	33,00	8,6	€ 528	9.811	7.061	5.399	-	3	300	3.459	8X625	8X625	2X625
EEA-335-36	16,50	4,1	€ 339	7.538	5.484	4.369	-	3	350	6.702	4X625	4X625	2X625
EEA-335-46	21,99	5,7	€ 395	9.350	6.762	5.423	-	3	350	6.051	4X625	4X625	2X625
EEA-335-56	27,51	6,9	€ 474	10.674	7.779	6.141	-	3	350	5.472	6X625	6X625	2X625
EEA-335-66	33,00	8,6	€ 529	11.784	8.565	6.867	-	3	350	4.998	8X625	8X625	2X625
EEA-335-36-E2	23,76	6,2	€ 425	10.026	7.253	5.818	-	3	350	7.805	4X750	4X750	2X750
EEA-335-46-E2	31,68	8,3	€ 512	12.716	9.145	7.207	-	3	350	7.301	4X750	4X750	2X750
EEA-335-56-E2	39,60	10,4	€ 611	14.659	10.573	8.390	-	3	350	6.846	6X750	6X750	2X750
EEA-335-66-E2	47,52	12,5	€ 695	16.240	11.724	9.202	-	3	350	6.449	8X750	8X750	2X750
EEA-340-36	23,76	6,2	€ 425	10.880	7.808	6.199	-	3	400	9.302	4X750	4X750	2X750
EEA-340-46	31,68	8,3	€ 512	13.567	9.780	7.755	-	3	400	8.540	4X750	4X750	2X750
EEA-340-56	39,60	10,4	€ 611	15.675	11.337	8.994	-	3	400	7.932	6X750	6X750	2X750
EEA-340-66	47,52	12,5	€ 695	17.448	12.605	9.887	-	3	400	7.433	8X750	8X750	2X750
EEA-345-36	41,58	10,8	€ 761	18.470	13.255	10.498	-	3	450	14.376	4X975	4X975	2X975
EEA-345-46	55,43	14,6	€ 919	23.111	16.575	12.918	-	3	450	13.605	6X975	6X975	2X975
EEA-345-56	69,29	18,2	€ 1.095	26.825	19.251	15.098	-	3	450	12.888	6X975	6X975	2X975
EEA-345-66	83,15	21,8	€ 1.216	29.521	21.560	16.914	-	3	450	12.261	8X975	8X975	2X975
EEA-350-36	41,58	10,8	€ 761	21.191	15.290	12.183	-	3	500	21.048	4X975	4X975	2X975
EEA-350-46	55,43	14,6	€ 919	26.490	19.209	15.011	-	3	500	19.491	6X975	6X975	2X975
EEA-350-56	69,29	18,2	€ 1.100	30.984	22.331	17.685	-	3	500	18.132	6X975	6X975	2X975
EEA-350-66	83,15	21,8	€ 1.237	34.849	25.217	19.265	-	3	500	17.034	8X975	8X975	2X975
EEA-350-56-E2	89,09	23,3	€ 1.237	37.758	27.095	19.893	-	3	500	20.459	6X1100	6X1100	2X1100
EEA-350-66-E2	106,91	27,9	€ 1.437	42.550	30.555	22.547	-	3	500	19.452	8X1100	8X1100	2X1100



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-325-36	149	54	47	49	39	123
EEA-325-46	149	54	47	49	39	123
EEA-325-56	149	54	52	49	44	123
EEA-325-66	149	54	52	49	44	123
EEA-330-36	149	54	47	49	39	123
EEA-330-46	149	54	47	49	39	123
EEA-330-56	149	54	52	49	44	123
EEA-330-66	149	54	52	49	44	123
EEA-335-36	149	56	56	51	49	123
EEA-335-46	149	56	56	51	49	123
EEA-335-56	149	56	62	51	55	123
EEA-335-66	149	56	62	51	55	123
EEA-335-36-E2	176	63	56	58	49	147
EEA-335-46-E2	176	63	56	58	49	147
EEA-335-56-E2	176	63	62	58	55	147
EEA-335-66-E2	176	63	62	58	55	147
EEA-340-36	176	63	56	58	49	147
EEA-340-46	176	63	56	58	49	147
EEA-340-56	176	63	62	58	55	147
EEA-340-66	176	63	62	58	55	147
EEA-345-36	221	79	56	74	49	192
EEA-345-46	221	79	56	74	49	192
EEA-345-56	221	79	62	74	55	192
EEA-345-66	221	79	62	74	55	192
EEA-350-36	221	79	56	74	49	192
EEA-350-46	221	79	56	74	49	192
EEA-350-56	221	79	62	74	55	192
EEA-350-66	221	79	62	74	55	192
EEA-350-56-E2	248	85	62	80	55	219
EEA-350-66-E2	248	85	62	80	55	219



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-425-36	22,00	5,4	€ 428	6.721	4.803	3.767	-	4	250	3.444	4X825	4X825	2X825
EEA-425-46	29,32	7,6	€ 510	8.349	5.948	4.543	-	4	250	3.300	4X825	4X825	2X825
EEA-425-56	36,66	9,2	€ 605	9.447	6.715	5.177	-	4	250	3.148	6X825	6X825	2X825
EEA-425-66	44,00	11,4	€ 689	10.309	7.365	5.655	-	4	250	3.024	8X825	8X825	2X825
EEA-430-36	22,00	5,4	€ 428	8.359	6.025	4.783	-	4	300	5.540	4X825	4X825	2X825
EEA-430-46	29,32	7,6	€ 510	10.444	7.484	5.895	-	4	300	5.176	4X825	4X825	2X825
EEA-430-56	36,66	9,2	€ 605	11.868	8.555	6.756	-	4	300	4.808	6X825	6X825	2X825
EEA-430-66	44,00	11,4	€ 689	13.170	9.479	7.248	-	4	300	4.612	8X825	8X825	2X825
EEA-435-36	22,00	5,4	€ 429	10.119	7.361	5.865	-	4	350	8.936	4X825	4X825	2X825
EEA-435-46	29,32	7,6	€ 511	12.552	9.077	7.281	-	4	350	8.068	4X825	4X825	2X825
EEA-435-56	36,68	9,2	€ 606	14.329	10.442	8.244	-	4	350	7.296	6X825	6X825	2X825
EEA-435-66	44,00	11,4	€ 691	15.819	11.498	9.219	-	4	350	6.664	8X825	8X825	2X825
EEA-435-36-E2	31,68	8,2	€ 560	13.405	9.697	7.779	-	4	350	10.406	4X975	4X975	2X975
EEA-435-46-E2	42,24	11,0	€ 664	17.001	12.226	9.636	-	4	350	9.734	4X975	4X975	2X975
EEA-435-56-E2	52,80	13,8	€ 785	19.599	14.136	11.217	-	4	350	9.128	6X975	6X975	2X975
EEA-435-66-E2	63,36	16,6	€ 889	21.713	15.675	12.303	-	4	350	8.598	8X975	8X975	2X975
EEA-440-36	31,68	8,2	€ 560	14.546	10.440	8.287	-	4	400	12.402	4X975	4X975	2X975
EEA-440-46	42,24	11,0	€ 664	18.140	13.076	10.369	-	4	400	11.386	4X975	4X975	2X975
EEA-440-56	52,80	13,8	€ 785	20.958	15.158	12.024	-	4	400	10.576	6X975	6X975	2X975
EEA-440-66	63,36	16,6	€ 889	23.328	16.854	13.220	-	4	400	9.910	8X975	8X975	2X975
EEA-445-36	55,44	14,4	€ 939	24.695	17.722	14.035	-	4	450	38.336	4X1275	4X1275	2X1275
EEA-445-46	73,90	19,4	€ 1.120	30.899	22.161	17.271	-	4	450	36.280	6X1275	6X1275	2X1275
EEA-445-56	92,38	24,2	€ 1.359	35.865	25.739	20.187	-	4	450	34.368	6X1275	6X1275	2X1275
EEA-445-66	110,86	29,0	€ 1.550	39.469	28.825	22.613	-	4	450	32.696	8X1275	8X1275	2X1275
EEA-450-36	55,44	14,4	€ 939	28.333	20.443	16.288	-	4	500	56.128	4X1275	4X1275	2X1275
EEA-450-46	73,90	19,4	€ 1.120	35.417	25.682	20.070	-	4	500	51.976	6X1275	6X1275	2X1275
EEA-450-56	92,38	24,2	€ 1.359	41.425	29.857	23.645	-	4	500	48.352	6X1275	6X1275	2X1275
EEA-450-66	110,86	29,0	€ 1.550	46.594	33.715	25.757	-	4	500	45.424	8X1275	8X1275	2X1275
EEA-450-56-E2	118,78	31,0	€ 1.604	50.454	36.226	26.789	-	4	500	27.279	6X1475	6X1475	2X1475
EEA-450-66-E2	142,54	37,2	€ 1.855	56.809	40.837	30.421	-	4	500	25.936	8X1475	8X1475	2X1475



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-425-36	192	54	47	49	39	163
EEA-425-46	192	54	47	49	39	163
EEA-425-56	192	54	52	49	44	163
EEA-425-66	192	54	52	49	44	163
EEA-430-36	192	54	47	49	39	163
EEA-430-46	192	54	47	49	39	163
EEA-430-56	192	54	52	49	44	163
EEA-430-66	192	54	52	49	44	163
EEA-435-36	192	56	56	51	49	163
EEA-435-46	192	56	56	51	49	163
EEA-435-56	192	56	62	51	55	163
EEA-435-66	192	56	62	51	55	163
EEA-435-36-E2	224	63	56	58	49	195
EEA-435-46-E2	224	63	56	58	49	195
EEA-435-56-E2	224	63	62	58	55	195
EEA-435-66-E2	224	63	62	58	55	195
EEA-440-36	224	63	56	58	49	195
EEA-440-46	224	63	56	58	49	195
EEA-440-56	224	63	62	58	55	195
EEA-440-66	224	63	62	58	55	195
EEA-445-36	284	79	56	74	49	255
EEA-445-46	284	79	56	74	49	255
EEA-445-56	284	79	62	74	55	255
EEA-445-66	284	79	62	74	55	255
EEA-450-36	284	79	56	74	49	255
EEA-450-46	284	79	56	74	49	255
EEA-450-56	284	79	62	74	55	255
EEA-450-66	284	79	62	74	55	255
EEA-450-56-E2	320	85	62	80	55	291
EEA-450-66-E2	320	85	62	80	55	291



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-130-38	4,22	1,4	€ 134	1.740	1.252	999	793	1	300	1.431	4X225	4X225	2X225
EEA-130-48	5,67	1,9	€ 162	2.214	1.584	1.196	967	1	300	1.312	4X225	4X225	2X225
EEA-130-58	7,08	2,3	€ 188	2.553	1.821	1.363	1.102	1	300	1.273	6X225	6X225	2X225
EEA-130-68	8,50	2,9	€ 208	2.807	2.024	1.572	1.267	1	300	1.210	8X225	8X225	2X225
EEA-135-38	4,22	1,4	€ 142	2.117	1.536	1.225	999	1	350	2.347	4X225	4X225	2X225
EEA-135-48	5,67	1,9	€ 167	2.673	1.928	1.427	1.135	1	350	2.131	4X225	4X225	2X225
EEA-135-58	7,05	2,3	€ 193	3.040	2.183	1.761	1.405	1	350	1.956	6X225	6X225	2X225
EEA-135-68	8,50	2,9	€ 212	3.392	2.475	2.004	1.601	1	350	1.801	8X225	8X225	2X225
EEA-135-38-E2	6,12	2,1	€ 188	2.861	2.045	1.523	1.218	1	350	2.679	4X275	4X275	2X275
EEA-135-48-E2	8,16	2,8	€ 220	3.488	2.520	2.034	1.622	1	350	2.524	4X275	4X275	2X275
EEA-135-58-E2	10,20	3,5	€ 264	4.200	3.024	2.342	1.907	1	350	2.392	6X275	6X275	2X275
EEA-135-68-E2	12,23	4,2	€ 296	4.743	3.408	2.656	2.122	1	350	2.266	8X275	8X275	2X275
EEA-140-38	6,12	2,1	€ 187	3.053	2.189	1.679	1.336	1	400	3.232	4X275	4X275	2X275
EEA-140-48	8,16	2,8	€ 219	3.736	2.709	2.196	1.778	1	400	2.993	4X275	4X275	2X275
EEA-140-58	10,20	3,5	€ 264	4.494	3.244	2.511	2.042	1	400	2.787	6X275	6X275	2X275
EEA-140-68	12,23	4,2	€ 296	5.072	3.648	2.900	2.308	1	400	2.620	8X275	8X275	2X275
EEA-145-38	10,71	3,6	€ 277	5.149	3.691	2.898	2.294	1	450	4.908	4X325	4X325	2X325
EEA-145-48	14,27	4,9	€ 323	6.429	4.624	3.628	2.961	1	450	4.675	6X325	6X325	2X325
EEA-145-58	17,84	6,1	€ 385	7.685	5.504	4.323	3.495	1	450	4.463	6X325	6X325	2X325
EEA-145-68	21,41	7,3	€ 436	8.650	6.261	4.900	3.911	1	450	4.267	8X325	8X325	2X325
EEA-150-38	10,71	3,6	€ 277	5.937	4.278	3.416	2.793	1	500	7.264	4X325	4X325	2X325
EEA-150-48	14,27	4,9	€ 323	7.456	5.395	4.309	3.491	1	500	6.789	6X325	6X325	2X325
EEA-150-58	17,84	6,1	€ 385	8.881	6.393	5.089	4.128	1	500	6.358	6X325	6X325	2X325
EEA-150-68	21,41	7,3	€ 436	10.066	7.267	5.794	4.733	1	500	6.000	8X325	8X325	2X325
EEA-150-58-E2	22,94	7,8	€ 469	10.903	7.836	6.083	5.037	1	500	7.121	6X375	6X375	2X375
EEA-150-68-E2	27,53	9,3	€ 533	12.393	8.903	7.002	5.740	1	500	6.810	8X375	8X375	2X375



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-130-38	69	54	47	49	39	43
EEA-130-48	69	54	47	49	39	43
EEA-130-58	69	54	52	49	44	43
EEA-130-68	69	54	52	49	44	43
EEA-135-38	69	54	52	49	44	43
EEA-135-48	69	54	52	49	44	43
EEA-135-58	69	54	59	49	51	43
EEA-135-68	69	54	59	49	51	43
EEA-135-38-E2	77	61	52	56	44	51
EEA-135-48-E2	77	61	52	56	44	51
EEA-135-58-E2	77	61	59	56	51	51
EEA-135-68-E2	77	61	59	56	51	51
EEA-140-38	77	61	52	56	44	51
EEA-140-48	77	61	52	56	44	51
EEA-140-58	77	61	59	56	51	51
EEA-140-68	77	61	59	56	51	51
EEA-145-38	92	77	56	72	44	66
EEA-145-48	92	77	56	72	44	66
EEA-145-58	92	77	62	72	51	66
EEA-145-68	92	77	62	72	51	66
EEA-150-38	92	77	56	72	44	66
EEA-150-48	92	77	56	72	44	66
EEA-150-58	92	77	62	72	51	66
EEA-150-68	92	77	62	72	51	66
EEA-150-58-E2	104	85	62	80	55	75
EEA-150-68-E2	104	85	62	80	55	75



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-230-38	8,43	2,7	€ 228	3.504	2.523	2.027	1.620	2	300	2.862	4X425	4X425	2X425
EEA-230-48	11,33	3,8	€ 263	4.487	3.212	2.458	1.998	2	300	2.686	4X425	4X425	2X425
EEA-230-58	14,16	4,6	€ 326	5.212	3.723	2.934	2.347	2	300	2.546	6X425	6X425	2X425
EEA-230-68	16,99	5,7	€ 361	5.820	4.177	3.241	2.619	2	300	2.419	8X425	8X425	2X425
EEA-235-38	8,43	2,7	€ 228	4.275	3.103	2.502	2.050	2	350	4.693	4X425	4X425	2X425
EEA-235-48	11,33	3,8	€ 263	5.443	3.933	2.988	2.424	2	350	4.261	4X425	4X425	2X425
EEA-235-58	14,09	4,6	€ 326	6.249	4.498	3.618	2.970	2	350	3.893	6X425	6X425	2X425
EEA-235-68	16,99	5,7	€ 362	7.031	5.106	3.942	3.286	2	350	3.590	8X425	8X425	2X425
EEA-235-38-E2	12,23	4,1	€ 298	5.826	4.170	3.290	2.670	2	350	5.358	4X500	4X500	2X500
EEA-235-48-E2	16,31	5,5	€ 353	7.280	5.228	4.117	3.316	2	350	5.055	4X500	4X500	2X500
EEA-235-58-E2	20,39	6,9	€ 424	8.530	6.106	4.827	3.907	2	350	4.777	6X500	6X500	2X500
EEA-235-68-E2	24,46	8,3	€ 480	9.613	6.914	5.441	4.418	2	350	4.532	8X500	8X500	2X500
EEA-240-38	12,23	4,1	€ 298	6.231	4.474	3.545	2.911	2	400	6.431	4X500	4X500	2X500
EEA-240-48	16,31	5,5	€ 353	7.791	5.616	4.453	3.629	2	400	5.971	4X500	4X500	2X500
EEA-240-58	20,39	6,9	€ 424	9.095	6.530	5.216	4.220	2	400	5.574	6X500	6X500	2X500
EEA-240-68	24,46	8,3	€ 480	10.298	7.415	5.865	4.787	2	400	5.240	8X500	8X500	2X500
EEA-245-38	21,41	7,2	€ 480	10.403	7.463	5.887	4.833	2	450	9.817	4X650	4X650	2X650
EEA-245-48	28,54	9,7	€ 566	13.032	9.294	7.396	6.057	2	450	9.360	6X650	6X650	2X650
EEA-245-58	35,68	12,1	€ 693	15.538	11.138	8.667	7.093	2	450	8.925	6X650	6X650	2X650
EEA-245-68	42,81	14,5	€ 769	17.600	12.628	9.746	7.971	2	450	8.535	8X650	8X650	2X650
EEA-250-38	21,41	7,2	€ 480	12.032	8.680	6.912	5.669	2	500	14.529	4X650	4X650	2X650
EEA-250-48	28,54	9,7	€ 566	15.278	11.020	8.707	7.158	2	500	13.569	6X650	6X650	2X650
EEA-250-58	35,68	12,1	€ 693	18.015	12.984	10.253	8.410	2	500	12.715	6X650	6X650	2X650
EEA-250-68	42,81	14,5	€ 769	20.480	14.766	11.658	9.565	2	500	11.983	8X650	8X650	2X650
EEA-250-58-E2	45,87	15,5	€ 817	21.916	15.751	12.226	10.124	2	500	14.171	6X750	6X750	2X750
EEA-250-68-E2	55,05	18,6	€ 926	24.910	17.895	14.075	11.538	2	500	13.552	8X750	8X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-230-38	109	54	47	49	39	83
EEA-230-48	109	54	47	49	39	83
EEA-230-58	109	54	52	49	44	83
EEA-230-68	109	54	52	49	44	83
EEA-235-38	109	54	52	49	44	83
EEA-235-48	109	54	52	49	44	83
EEA-235-58	109	54	59	49	51	83
EEA-235-68	109	54	59	49	51	83
EEA-235-38-E2	128	61	52	56	44	99
EEA-235-48-E2	128	61	52	56	44	99
EEA-235-58-E2	128	61	59	56	51	99
EEA-235-68-E2	128	61	59	56	51	99
EEA-240-38	128	61	52	56	44	99
EEA-240-48	128	61	52	56	44	99
EEA-240-58	128	61	59	56	51	99
EEA-240-68	128	61	59	56	51	99
EEA-245-38	158	79	56	74	49	129
EEA-245-48	158	79	56	74	49	129
EEA-245-58	158	79	62	74	55	129
EEA-245-68	158	79	62	74	55	129
EEA-250-38	158	79	56	74	49	129
EEA-250-48	158	79	56	74	49	129
EEA-250-58	158	79	62	74	55	129
EEA-250-68	158	79	62	74	55	129
EEA-250-58-E2	176	85	62	80	55	147
EEA-250-68-E2	176	85	62	80	55	147



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-330-38	12,65	4,1	€ 326	5.256	3.785	3.041	2.430	3	300	4.293	4X625	4X625	2X625
EEA-330-48	17,00	5,7	€ 377	6.731	4.818	3.687	2.997	3	300	3.936	4X625	4X625	2X625
EEA-330-58	21,24	6,9	€ 453	7.818	5.585	4.401	3.521	3	300	3.819	6X625	6X625	2X625
EEA-330-68	25,49	8,6	€ 504	8.730	6.266	4.862	3.929	3	300	3.630	8X625	8X625	2X625
EEA-335-38	12,65	4,1	€ 327	6.413	4.655	3.753	3.075	3	350	7.041	4X625	4X625	2X625
EEA-335-48	17,00	5,7	€ 378	8.165	5.900	4.482	3.636	3	350	6.393	4X625	4X625	2X625
EEA-335-58	21,14	6,9	€ 454	9.374	6.747	5.427	4.455	3	350	5.868	6X625	6X625	2X625
EEA-335-68	25,49	8,6	€ 505	10.547	7.659	5.913	4.929	3	350	5.403	8X625	8X625	2X625
EEA-335-38-E2	18,35	6,2	€ 408	8.739	6.255	4.935	4.005	3	350	8.037	4X750	4X750	2X750
EEA-335-48-E2	24,47	8,3	€ 489	10.920	7.842	6.176	4.974	3	350	7.572	4X750	4X750	2X750
EEA-335-58-E2	30,59	10,4	€ 582	12.795	9.159	7.241	5.861	3	350	7.176	6X750	6X750	2X750
EEA-335-68-E2	36,69	12,5	€ 660	14.420	10.371	8.162	6.627	3	350	6.798	8X750	8X750	2X750
EEA-340-38	18,35	6,2	€ 408	9.347	6.711	5.318	4.367	3	400	9.696	4X750	4X750	2X750
EEA-340-48	24,47	8,3	€ 485	11.687	8.424	6.680	5.444	3	400	8.979	4X750	4X750	2X750
EEA-340-58	30,59	10,4	€ 578	13.643	9.795	7.824	6.330	3	400	8.361	6X750	6X750	2X750
EEA-340-68	36,69	12,5	€ 660	15.447	11.123	8.798	7.181	3	400	7.860	8X750	8X750	2X750
EEA-345-38	32,12	10,8	€ 730	15.605	11.195	8.831	7.250	3	450	14.675	4X975	4X975	2X975
EEA-345-48	42,81	14,6	€ 878	19.548	13.941	11.094	9.086	3	450	13.978	6X975	6X975	2X975
EEA-345-58	53,52	18,2	€ 1.044	23.307	16.707	13.001	10.640	3	450	13.344	6X975	6X975	2X975
EEA-345-68	64,22	21,8	€ 1.154	26.400	18.942	14.619	11.957	3	450	12.758	8X975	8X975	2X975
EEA-350-38	32,12	10,8	€ 730	18.048	13.020	10.368	8.504	3	500	21.719	4X975	4X975	2X975
EEA-350-48	42,81	14,6	€ 876	22.917	16.530	13.061	10.737	3	500	20.299	6X975	6X975	2X975
EEA-350-58	53,52	18,2	€ 1.033	27.023	19.476	15.380	12.615	3	500	19.010	6X975	6X975	2X975
EEA-350-68	64,22	21,8	€ 1.175	30.720	22.149	17.487	14.348	3	500	17.940	8X975	8X975	2X975
EEA-350-58-E2	68,81	23,3	€ 1.197	33.060	23.760	18.443	15.272	3	500	21.249	6X1100	6X1100	2X1100
EEA-350-68-E2	82,58	27,9	€ 1.376	37.577	26.995	21.232	17.405	3	500	20.321	8X1100	8X1100	2X1100



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-330-38	149	54	47	49	39	123
EEA-330-48	149	54	47	49	39	123
EEA-330-58	149	54	52	49	44	123
EEA-330-68	149	54	52	49	44	123
EEA-335-38	149	56	56	51	49	123
EEA-335-48	149	56	56	51	49	123
EEA-335-58	149	56	62	51	55	123
EEA-335-68	149	56	62	51	55	123
EEA-335-38-E2	176	63	56	58	49	147
EEA-335-48-E2	176	63	56	58	49	147
EEA-335-58-E2	176	63	62	58	55	147
EEA-335-68-E2	176	63	62	58	55	147
EEA-340-38	176	63	56	58	49	147
EEA-340-48	176	63	56	58	49	147
EEA-340-58	176	63	62	58	55	147
EEA-340-68	176	63	62	58	55	147
EEA-345-38	221	79	56	74	49	192
EEA-345-48	221	79	56	74	49	192
EEA-345-58	221	79	62	74	55	192
EEA-345-68	221	79	62	74	55	192
EEA-350-38	221	79	56	74	49	192
EEA-350-48	221	79	56	74	49	192
EEA-350-58	221	79	62	74	55	192
EEA-350-68	221	79	62	74	55	192
EEA-350-58-E2	248	85	62	80	55	219
EEA-350-68-E2	248	85	62	80	55	219



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-430-38	16,86	5,4	€ 412	7.008	5.046	4.054	3.240	4	300	5.724	4X825	4X825	2X825
EEA-430-48	22,66	7,6	€ 488	8.974	6.424	4.916	3.996	4	300	5.248	4X825	4X825	2X825
EEA-430-58	28,32	9,2	€ 577	10.424	7.446	5.868	4.694	4	300	5.092	6X825	6X825	2X825
EEA-430-68	33,98	11,4	€ 657	11.640	8.354	6.482	5.238	4	300	4.840	8X825	8X825	2X825
EEA-435-38	16,86	5,4	€ 413	8.550	6.206	5.004	4.100	4	350	9.388	4X825	4X825	2X825
EEA-435-48	22,66	7,6	€ 489	10.886	7.866	5.976	4.848	4	350	8.524	4X825	4X825	2X825
EEA-435-58	28,18	9,2	€ 579	12.498	8.996	7.236	5.940	4	350	7.824	6X825	6X825	2X825
EEA-435-68	33,98	11,4	€ 658	14.062	10.212	7.884	6.572	4	350	7.204	8X825	8X825	2X825
EEA-435-38-E2	24,46	8,2	€ 537	11.652	8.340	6.580	5.340	4	350	10.716	4X975	4X975	2X975
EEA-435-48-E2	32,62	11,0	€ 633	14.560	10.456	8.234	6.632	4	350	10.096	4X975	4X975	2X975
EEA-435-58-E2	40,78	13,8	€ 746	17.060	12.212	9.654	7.814	4	350	9.568	6X975	6X975	2X975
EEA-435-68-E2	48,92	16,6	€ 842	19.226	13.828	10.882	8.836	4	350	9.064	8X975	8X975	2X975
EEA-440-38	24,46	8,2	€ 537	12.462	8.948	7.090	5.822	4	400	12.928	4X975	4X975	2X975
EEA-440-48	32,62	11,0	€ 633	15.582	11.232	8.906	7.258	4	400	11.972	4X975	4X975	2X975
EEA-440-58	40,78	13,8	€ 746	18.190	13.060	10.432	8.440	4	400	11.148	6X975	6X975	2X975
EEA-440-68	48,92	16,6	€ 842	20.596	14.830	11.730	9.574	4	400	10.480	8X975	8X975	2X975
EEA-445-38	42,82	14,4	€ 898	20.806	14.926	11.774	9.666	4	450	19.583	4X1275	4X1275	2X1275
EEA-445-48	57,08	19,4	€ 1.065	26.064	18.588	14.792	12.114	4	450	18.653	6X1275	6X1275	2X1275
EEA-445-58	71,36	24,2	€ 1.291	31.076	22.276	17.334	14.186	4	450	17.807	6X1275	6X1275	2X1275
EEA-445-68	85,62	29,0	€ 1.468	35.200	25.256	19.492	15.942	4	450	17.025	8X1275	8X1275	2X1275
EEA-450-38	42,82	14,4	€ 898	24.064	17.360	13.824	11.338	4	500	28.983	4X1275	4X1275	2X1275
EEA-450-48	57,08	19,4	€ 1.065	30.556	22.040	17.414	14.316	4	500	27.088	6X1275	6X1275	2X1275
EEA-450-58	71,36	24,2	€ 1.291	36.030	25.968	20.506	16.820	4	500	25.368	6X1275	6X1275	2X1275
EEA-450-68	85,62	29,0	€ 1.489	40.960	29.532	23.316	19.130	4	500	23.940	8X1275	8X1275	2X1275
EEA-450-58-E2	91,74	31,0	€ 1.507	44.117	31.707	24.611	20.380	4	500	28.271	6X1475	6X1475	2X1475
EEA-450-68-E2	110,10	37,2	€ 1.738	50.144	36.023	28.333	23.226	4	500	27.036	8X1475	8X1475	2X1475



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-430-38	192	54	47	49	39	163
EEA-430-48	192	54	47	49	39	163
EEA-430-58	192	54	52	49	44	163
EEA-430-68	192	54	52	49	44	163
EEA-435-38	192	56	56	51	49	163
EEA-435-48	192	56	56	51	49	163
EEA-435-58	192	56	62	51	55	163
EEA-435-68	192	56	62	51	55	163
EEA-435-38-E2	224	63	56	58	49	195
EEA-435-48-E2	224	63	56	58	49	195
EEA-435-58-E2	224	63	62	58	55	195
EEA-435-68-E2	224	63	62	58	55	195
EEA-440-38	224	63	56	58	49	195
EEA-440-48	224	63	56	58	49	195
EEA-440-58	224	63	62	58	55	195
EEA-440-68	224	63	62	58	55	195
EEA-445-38	284	79	56	74	49	255
EEA-445-48	284	79	56	74	49	255
EEA-445-58	284	79	62	74	55	255
EEA-445-68	284	79	62	74	55	255
EEA-450-38	284	79	56	74	49	255
EEA-450-48	284	79	56	74	49	255
EEA-450-58	284	79	62	74	55	255
EEA-450-68	284	79	62	74	55	255
EEA-450-58-E2	320	85	62	80	55	291
EEA-450-68-E2	320	85	62	80	55	291



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-130-310	3,47	1,4	€ 132	-	1.097	862	686	1	300	1.459	4X225	4X225	2X225
EEA-130-410	4,66	1,9	€ 159	-	1.412	1.084	866	1	300	1.378	4X225	4X225	2X225
EEA-130-510	5,80	2,3	€ 184	-	1.652	1.208	970	1	300	1.312	6X225	6X225	2X225
EEA-130-610	6,99	2,9	€ 203	-	1.819	1.398	1.128	1	300	1.248	8X225	8X225	2X225
EEA-135-310	3,50	1,4	€ 137	-	1.354	1.094	881	1	350	2.421	4X225	4X225	2X225
EEA-135-410	4,66	1,9	€ 163	-	1.732	1.210	1.059	1	350	2.218	4X225	4X225	2X225
EEA-135-510	5,80	2,3	€ 189	-	1.999	1.536	1.233	1	350	2.051	6X225	6X225	2X225
EEA-135-610	6,99	2,9	€ 207	-	2.238	1.798	1.433	1	350	1.898	8X225	8X225	2X225
EEA-135-310-E2	5,04	2,1	€ 185	-	1.816	1.352	1.087	1	350	2.731	4X275	4X275	2X275
EEA-135-410-E2	6,72	2,8	€ 215	-	2.223	1.776	1.411	1	350	2.595	4X275	4X275	2X275
EEA-135-510-E2	8,39	3,5	€ 258	-	2.705	2.121	1.703	1	350	2.466	6X275	6X275	2X275
EEA-135-610-E2	10,07	4,2	€ 289	-	3.091	2.339	1.896	1	350	2.347	8X275	8X275	2X275
EEA-140-310	5,04	2,1	€ 184	-	1.953	1.446	1.161	1	400	3.299	4X275	4X275	2X275
EEA-140-410	6,72	2,8	€ 214	-	2.937	1.950	1.545	1	400	3.089	4X275	4X275	2X275
EEA-140-510	8,39	3,5	€ 258	-	2.908	2.287	1.848	1	400	2.894	6X275	6X275	2X275
EEA-140-610	10,07	4,2	€ 289	-	3.315	2.557	2.047	1	400	2.728	8X275	8X275	2X275
EEA-145-310	8,81	3,6	€ 271	-	3.261	2.575	2.073	1	450	5.012	4X325	4X325	2X325
EEA-145-410	11,75	4,9	€ 314	-	4.141	3.273	2.655	1	450	4.798	4X325	4X325	2X325
EEA-145-510	14,69	6,1	€ 375	-	4.934	3.879	3.150	1	450	4.603	6X325	6X325	2X325
EEA-145-610	17,62	7,3	€ 424	-	5.631	4.405	3.572	1	450	4.412	8X325	8X325	2X325
EEA-150-310	8,81	3,6	€ 271	-	3.818	3.034	2.491	1	500	7.467	4X325	4X325	2X325
EEA-150-410	11,75	4,9	€ 314	-	4.884	3.854	3.148	1	500	7.021	6X325	6X325	2X325
EEA-150-510	14,69	6,1	€ 375	-	5.803	4.589	3.717	1	500	6.618	6X325	6X325	2X325
EEA-150-610	17,62	7,3	€ 424	-	6.642	5.233	4.211	1	500	6.258	8X325	8X325	2X325
EEA-150-510-E2	18,88	7,8	€ 456	-	7.025	5.453	4.459	1	500	7.301	6X375	6X375	2X375
EEA-150-610-E2	22,66	9,3	€ 517	-	8.019	6.255	5.113	1	500	7.012	8X375	8X375	2X375



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-130-310	69	54	47	49	39	43
EEA-130-410	69	54	47	49	39	43
EEA-130-510	69	54	52	49	44	43
EEA-130-610	69	54	52	49	44	43
EEA-135-310	69	54	52	49	44	43
EEA-135-410	69	54	52	49	44	43
EEA-135-510	69	54	59	49	51	43
EEA-135-610	69	54	59	49	51	43
EEA-135-310-E2	77	61	52	56	44	51
EEA-135-410-E2	77	61	52	56	44	51
EEA-135-510-E2	77	61	59	56	51	51
EEA-135-610-E2	77	61	59	56	51	51
EEA-140-310	77	61	52	56	44	51
EEA-140-410	77	61	52	56	44	51
EEA-140-510	77	61	59	56	51	51
EEA-140-610	77	61	59	56	51	51
EEA-145-310	92	77	56	72	44	66
EEA-145-410	92	77	56	72	44	66
EEA-145-510	92	77	62	72	51	66
EEA-145-610	92	77	62	72	51	66
EEA-150-310	92	77	56	72	44	66
EEA-150-410	92	77	56	72	44	66
EEA-150-510	92	77	62	72	51	66
EEA-150-610	92	77	62	72	51	66
EEA-150-510-E2	104	85	62	80	55	75
EEA-150-610-E2	104	85	62	80	55	75



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2	
												Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-230-310	6,93	2,7	€ 222	-	2.218	1.753	1.397	2	300	2.918	4X425	4X425	2X425
EEA-230-410	9,32	3,8	€ 257	-	2.855	2.215	1.785	2	300	2.757	4X425	4X425	2X425
EEA-230-510	11,59	4,6	€ 316	-	3.365	2.582	2.073	2	300	2.623	6X425	6X425	2X425
EEA-230-610	13,98	5,7	€ 350	-	3.732	2.945	2.351	2	300	2.497	8X425	8X425	2X425
EEA-235-310	6,99	2,7	€ 223	-	2.730	2.226	1.807	2	350	4.842	4X425	4X425	2X425
EEA-235-410	9,32	3,8	€ 257	-	3.521	2.707	2.196	2	350	4.435	4X425	4X425	2X425
EEA-235-510	11,59	4,6	€ 318	-	4.101	3.279	2.663	2	350	4.086	6X425	6X425	2X425
EEA-235-610	13,98	5,7	€ 352	-	4.645	3.649	2.950	2	350	3.790	8X425	8X425	2X425
EEA-235-310-E2	10,07	4,1	€ 289	-	3.689	2.879	2.285	2	350	5.177	4X500	4X500	2X500
EEA-235-410-E2	13,43	5,5	€ 341	-	4.639	3.600	2.935	2	350	5.183	4X500	4X500	2X500
EEA-235-510-E2	16,78	6,9	€ 410	-	5.507	4.309	3.483	2	350	4.926	6X500	6X500	2X500
EEA-235-610-E2	20,14	8,3	€ 462	-	6.257	4.786	3.925	2	350	4.687	8X500	8X500	2X500
EEA-240-310	10,07	4,1	€ 289	-	3.976	3.132	2.522	2	400	6.598	4X500	4X500	2X500
EEA-240-410	13,43	5,5	€ 341	-	5.001	3.943	3.158	2	400	6.169	4X500	4X500	2X500
EEA-240-510	16,78	6,9	€ 413	-	5.906	4.654	3.789	2	400	5.780	6X500	6X500	2X500
EEA-240-610	20,14	8,3	€ 466	-	6.721	5.299	4.289	2	400	5.455	8X500	8X500	2X500
EEA-245-310	17,62	7,2	€ 464	-	6.554	5.176	4.166	2	450	9.973	4X650	4X650	2X650
EEA-245-410	23,50	9,7	€ 546	-	8.324	6.578	5.336	2	450	9.549	6X650	6X650	2X650
EEA-245-510	29,37	12,1	€ 667	-	9.916	7.797	6.331	2	450	9.159	6X650	6X650	2X650
EEA-245-610	35,24	14,5	€ 744	-	11.317	8.854	7.180	2	450	8.780	8X650	8X650	2X650
EEA-250-310	17,62	7,2	€ 467	-	7.673	6.099	5.007	2	500	14.860	4X650	4X650	2X650
EEA-250-410	23,50	9,7	€ 549	-	9.816	7.747	6.327	2	500	13.971	6X650	6X650	2X650
EEA-250-510	29,37	12,1	€ 673	-	11.663	9.223	7.470	2	500	13.169	6X650	6X650	2X650
EEA-250-610	35,24	14,5	€ 744	-	13.349	10.518	8.463	2	500	12.454	8X650	8X650	2X650
EEA-250-510-E2	37,76	15,5	€ 790	-	14.120	10.960	8.963	2	500	14.529	6X750	6X750	2X750
EEA-250-610-E2	45,31	18,6	€ 895	-	16.117	12.572	10.277	2	500	13.953	8X750	8X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-230-310	109	54	47	49	39	83
EEA-230-410	109	54	47	49	39	83
EEA-230-510	109	54	52	49	44	83
EEA-230-610	109	54	52	49	44	83
EEA-235-310	109	54	52	49	44	83
EEA-235-410	109	54	52	49	44	83
EEA-235-510	109	54	59	49	51	83
EEA-235-610	109	54	59	49	51	83
EEA-235-310-E2	128	61	52	56	44	99
EEA-235-410-E2	128	61	52	56	44	99
EEA-235-510-E2	128	61	59	56	51	99
EEA-235-610-E2	128	61	59	56	51	99
EEA-240-310	128	61	52	56	44	99
EEA-240-410	128	61	52	56	44	99
EEA-240-510	128	61	59	56	51	99
EEA-240-610	128	61	59	56	51	99
EEA-245-310	158	79	56	74	49	129
EEA-245-410	158	79	56	74	49	129
EEA-245-510	158	79	62	74	55	129
EEA-245-610	158	79	62	74	55	129
EEA-250-310	158	79	56	74	49	129
EEA-250-410	158	79	56	74	49	129
EEA-250-510	158	79	62	74	55	129
EEA-250-610	158	79	62	74	55	129
EEA-250-510-E2	176	85	62	80	55	147
EEA-250-610-E2	176	85	62	80	55	147



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-330-310	10,40	4,1	€ 319	-	3.338	2.638	2.102	3	300	4.377	4X625	4X625	2X625
EEA-330-410	13,98	5,7	€ 368	-	4.297	3.334	2.686	3	300	4.136	4X625	4X625	2X625
EEA-330-510	17,39	6,9	€ 440	-	5.064	3.886	3.120	3	300	3.935	6X625	6X625	2X625
EEA-330-610	20,97	8,6	€ 489	-	5.617	4.432	3.538	3	300	3.746	8X625	8X625	2X625
EEA-335-310	10,49	4,1	€ 320	-	4.109	3.350	2.720	3	350	7.263	4X625	4X625	2X625
EEA-335-410	13,98	5,7	€ 368	-	5.299	4.074	3.305	3	350	6.653	4X625	4X625	2X625
EEA-335-510	17,39	6,9	€ 441	-	6.172	4.935	4.008	3	350	6.129	6X625	6X625	2X625
EEA-335-610	20,97	8,6	€ 490	-	6.991	5.492	4.440	3	350	5.685	8X625	8X625	2X625
EEA-335-310-E2	15,11	6,2	€ 397	-	5.561	4.340	3.445	3	350	7.766	4X750	4X750	2X750
EEA-335-410-E2	20,15	8,3	€ 475	-	6.993	5.427	4.425	3	350	7.775	4X750	4X750	2X750
EEA-335-510-E2	25,17	10,4	€ 564	-	8.302	6.496	5.251	3	350	7.389	6X750	6X750	2X750
EEA-335-610-E2	30,21	12,5	€ 639	-	9.432	7.215	5.917	3	350	7.031	8X750	8X750	2X750
EEA-340-310	15,11	6,2	€ 397	-	5.994	4.721	3.802	3	400	9.897	4X750	4X750	2X750
EEA-340-410	20,15	8,3	€ 475	-	7.539	5.944	4.761	3	400	9.254	4X750	4X750	2X750
EEA-340-510	25,17	10,4	€ 564	-	8.903	7.016	5.712	3	400	8.670	6X750	6X750	2X750
EEA-340-610	30,21	12,5	€ 639	-	10.132	7.988	6.466	3	400	8.183	8X750	8X750	2X750
EEA-345-310	26,43	10,8	€ 712	-	9.864	7.790	6.270	3	450	14.960	4X975	4X975	2X975
EEA-345-410	35,25	14,6	€ 854	-	12.528	9.900	8.031	3	450	14.324	6X975	6X975	2X975
EEA-345-510	44,06	18,2	€ 1.013	-	14.983	11.781	9.566	3	450	13.739	6X975	6X975	2X975
EEA-345-610	52,86	21,8	€ 1.139	-	17.100	13.378	10.849	3	450	13.170	8X975	8X975	2X975
EEA-350-310	26,43	10,8	€ 712	-	11.594	9.216	7.566	3	500	22.290	4X975	4X975	2X975
EEA-350-410	35,25	14,6	€ 851	-	14.832	11.706	9.560	3	500	20.957	6X975	6X975	2X975
EEA-350-510	44,06	18,2	€ 1.002	-	17.623	13.936	11.287	3	500	19.754	6X975	6X975	2X975
EEA-350-610	52,86	21,8	€ 1.139	-	20.170	15.893	12.788	3	500	18.681	8X975	8X975	2X975
EEA-350-510-E2	56,64	23,3	€ 1.124	-	21.251	16.495	13.489	3	500	21.794	6X1100	6X1100	2X1100
EEA-350-610-E2	67,97	27,9	€ 1.278	-	24.256	18.921	15.467	3	500	20.930	8X1100	8X1100	2X1100



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-330-310	149	54	47	49	39	123
EEA-330-410	149	54	47	49	39	123
EEA-330-510	149	54	52	49	44	123
EEA-330-610	149	54	52	49	44	123
EEA-335-310	149	56	56	51	49	123
EEA-335-410	149	56	56	51	49	123
EEA-335-510	149	56	62	51	55	123
EEA-335-610	149	56	62	51	55	123
EEA-335-310-E2	176	63	56	58	49	147
EEA-335-410-E2	176	63	56	58	49	147
EEA-335-510-E2	176	63	62	58	55	147
EEA-335-610-E2	176	63	62	58	55	147
EEA-340-310	176	63	56	58	49	147
EEA-340-410	176	63	56	58	49	147
EEA-340-510	176	63	62	58	55	147
EEA-340-610	176	63	62	58	55	147
EEA-345-310	221	79	56	74	49	192
EEA-345-410	221	79	56	74	49	192
EEA-345-510	221	79	62	74	55	192
EEA-345-610	221	79	62	74	55	192
EEA-350-310	221	79	56	74	49	192
EEA-350-410	221	79	56	74	49	192
EEA-350-510	221	79	62	74	55	192
EEA-350-610	221	79	62	74	55	192
EEA-350-510-E2	248	85	62	80	55	219
EEA-350-610-E2	248	85	62	80	55	219



EEA Serisi | EEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEA-430-310	13,86	5,4	€ 402	-	4.469	3.532	2.815	4	300	5.836	4X825	4X825	2X825
EEA-430-410	18,64	7,6	€ 475	-	5.753	4.463	3.597	4	300	5.514	4X825	4X825	2X825
EEA-430-510	23,18	9,2	€ 561	-	6.780	5.203	4.177	4	300	5.246	6X825	6X825	2X825
EEA-430-610	27,96	11,4	€ 637	-	7.520	5.934	4.737	4	300	4.994	8X825	8X825	2X825
EEA-435-310	13,86	5,4	€ 403	-	5.501	4.485	3.641	4	350	9.684	4X825	4X825	2X825
EEA-435-410	18,64	7,6	€ 476	-	7.095	5.455	4.425	4	350	8.870	4X825	4X825	2X825
EEA-435-510	23,18	9,2	€ 563	-	8.264	6.607	5.366	4	350	8.172	6X825	6X825	2X825
EEA-435-610	27,96	11,4	€ 638	-	9.360	7.353	5.944	4	350	7.580	8X825	8X825	2X825
EEA-435-310-E2	20,14	8,2	€ 523	-	7.452	5.816	4.616	4	350	10.354	4X975	4X975	2X975
EEA-435-410-E2	26,86	11,0	€ 615	-	9.371	7.272	5.929	4	350	10.366	4X975	4X975	2X975
EEA-435-510-E2	33,56	13,8	€ 723	-	11.124	8.704	7.036	4	350	9.852	6X975	6X975	2X975
EEA-435-610-E2	40,28	16,6	€ 814	-	12.639	9.668	7.929	4	350	9.374	8X975	8X975	2X975
EEA-440-310	20,14	8,2	€ 523	-	8.032	6.327	5.094	4	400	13.196	4X975	4X975	2X975
EEA-440-410	26,86	11,0	€ 615	-	10.102	7.965	6.379	4	400	12.338	4X975	4X975	2X975
EEA-440-510	33,56	13,8	€ 723	-	11.930	9.401	7.654	4	400	11.560	6X975	6X975	2X975
EEA-440-610	40,28	16,6	€ 814	-	13.576	10.704	8.664	4	400	10.910	8X975	8X975	2X975
EEA-445-310	35,24	14,4	€ 874	-	13.250	10.464	8.422	4	450	19.946	4X1275	4X1275	2X1275
EEA-445-410	47,00	19,4	€ 1.032	-	16.829	13.299	10.788	4	450	19.098	6X1275	6X1275	2X1275
EEA-445-510	58,74	24,2	€ 1.250	-	20.127	15.826	12.851	4	450	18.318	6X1275	6X1275	2X1275
EEA-445-610	70,48	29,0	€ 1.419	-	22.971	17.972	14.574	4	450	17.560	8X1275	8X1275	2X1275
EEA-450-310	35,24	14,4	€ 874	-	15.574	12.380	10.163	4	500	29.720	4X1275	4X1275	2X1275
EEA-450-410	47,00	19,4	€ 1.032	-	19.924	15.725	12.842	4	500	27.942	6X1275	6X1275	2X1275
EEA-450-510	58,74	24,2	€ 1.250	-	23.673	18.721	15.162	4	500	26.338	6X1275	6X1275	2X1275
EEA-450-610	70,48	29,0	€ 1.419	-	27.095	21.349	17.178	4	500	24.908	8X1275	8X1275	2X1275
EEA-450-510-E2	75,52	31,0	€ 1.454	-	28.547	22.158	18.121	4	500	29.058	6X1475	6X1475	2X1475
EEA-450-610-E2	90,62	37,2	€ 1.674	-	32.584	25.417	20.777	4	500	27.906	8X1475	8X1475	2X1475



Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEA-430-310	192	54	47	49	39	163
EEA-430-410	192	54	47	49	39	163
EEA-430-510	192	54	52	49	44	163
EEA-430-610	192	54	52	49	44	163
EEA-435-310	192	56	56	51	49	163
EEA-435-410	192	56	56	51	49	163
EEA-435-510	192	56	62	51	55	163
EEA-435-610	192	56	62	51	55	163
EEA-435-310-E2	224	63	56	58	49	195
EEA-435-410-E2	224	63	56	58	49	195
EEA-435-510-E2	224	63	62	58	55	195
EEA-435-610-E2	224	63	62	58	55	195
EEA-440-310	224	63	56	58	49	195
EEA-440-410	224	63	56	58	49	195
EEA-440-510	224	63	62	58	55	195
EEA-440-610	224	63	62	58	55	195
EEA-445-310	284	79	56	74	49	255
EEA-445-410	284	79	56	74	49	255
EEA-445-510	284	79	62	74	55	255
EEA-445-610	284	79	62	74	55	255
EEA-450-310	284	79	56	74	49	255
EEA-450-410	284	79	56	74	49	255
EEA-450-510	284	79	62	74	55	255
EEA-450-610	284	79	62	74	55	255
EEA-450-510-E2	320	85	62	80	55	291
EEA-450-610-E2	320	85	62	80	55	291



EEB Serisi | EEB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"



Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W				nXW	nXW	nXW
EEB-430-36	21,12	8,6	€ 490	7.646	4.920	4.168	3.370	4	300	5.800	4X825	4X825	2X825
EEB-430-46	28,36	12,2	€ 596	10.462	6.898	5.676	4.568	4	300	5.494	4X825	4X825	2X825
EEB-430-56	35,30	14,6	€ 711	10.862	7.130	6.032	4.912	4	300	5.210	6X825	6X825	2X825
EEB-430-66	42,56	18,2	€ 816	12.658	8.394	7.012	5.692	4	300	4.968	8X825	8X825	2X825
EEB-435-36	21,12	8,6	€ 491	10.312	6.546	5.510	4.382	4	350	9.364	4X825	4X825	2X825
EEB-435-46	28,36	12,2	€ 597	13.474	9.086	7.374	5.892	4	350	8.558	4X825	4X825	2X825
EEB-435-56	35,30	14,6	€ 713	14.462	9.332	7.842	6.308	4	350	7.860	6X825	6X825	2X825
EEB-435-66	42,56	18,2	€ 817	16.496	10.984	9.044	7.262	4	350	7.294	8X825	8X825	2X825
EEB-435-36-E2	30,64	13,2	€ 652	14.514	9.766	7.838	6.270	4	350	10.800	4X975	4X975	2X975
EEB-435-46-E2	40,84	17,6	€ 797	17.392	11.610	9.482	7.610	4	350	10.212	4X975	4X975	2X975
EEB-435-56-E2	50,66	20,4	€ 961	19.038	12.354	10.346	8.320	4	350	9.684	6X975	6X975	2X975
EEB-435-66-E2	61,28	26,2	€ 1.106	22.130	14.794	12.148	9.768	4	350	9.216	8X975	8X975	2X975
EEB-440-36	30,64	13,2	€ 652	16.026	10.754	8.558	6.882	4	400	13.048	4X975	4X975	2X975
EEB-440-46	40,84	17,6	€ 797	19.188	12.954	10.542	8.418	4	400	12.188	4X975	4X975	2X975
EEB-440-56	50,66	20,4	€ 961	21.212	13.852	11.532	9.236	4	400	11.494	6X975	6X975	2X975
EEB-440-66	61,28	26,2	€ 1.106	24.400	16.544	13.388	10.770	4	400	10.798	8X975	8X975	2X975
EEB-445-36	53,62	23,0	€ 1.137	26.208	17.594	13.740	10.978	4	450	19.454	4X1275	4X1275	2X1275
EEB-445-46	71,48	30,6	€ 1.392	32.154	21.666	17.100	13.736	4	450	18.616	6X1275	6X1275	2X1275
EEB-445-56	89,36	38,2	€ 1.698	37.014	25.040	19.950	15.996	4	450	17.878	6X1275	6X1275	2X1275
EEB-445-66	107,22	46,0	€ 1.952	40.942	27.800	22.340	17.976	4	450	17.206	8X1275	8X1275	2X1275
EEB-445-86	142,98	61,2	€ 2.505	46.584	31.608	25.630	20.736	4	450	16.024	8X1275	8X1275	2X1275
EEB-450-36	53,62	23,0	€ 1.137	32.444	21.604	16.392	12.904	4	500	29.640	4X1275	4X1275	2X1275
EEB-450-46	71,48	30,6	€ 1.392	39.640	26.516	20.392	16.162	4	500	27.416	6X1275	6X1275	2X1275
EEB-450-56	89,36	38,2	€ 1.698	45.510	30.580	23.814	18.980	4	500	25.636	6X1275	6X1275	2X1275
EEB-450-66	107,22	46,0	€ 1.952	50.180	33.836	26.654	21.364	4	500	24.066	8X1275	8X1275	2X1275
EEB-450-86	142,98	61,2	€ 2.505	56.138	38.176	30.648	24.740	4	500	21.264	8X1275	8X1275	2X1275
EEB-450-56-E2	114,88	49,2	€ 2.019	54.890	36.670	27.076	21.138	4	500	29.090	6X1450	6X1450	2X1450
EEB-450-66-E2	137,86	59,0	€ 2.343	60.866	40.838	30.602	24.050	4	500	27.650	8X1450	8X1450	2X1450



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEB-430-36	189	54	47	49	39	163
EEB-430-46	189	54	47	49	39	163
EEB-430-56	189	54	52	49	44	163
EEB-430-66	189	54	52	49	44	163
EEB-435-36	189	56	56	51	49	163
EEB-435-46	189	56	56	51	49	163
EEB-435-56	189	56	62	51	55	163
EEB-435-66	189	56	62	51	55	163
EEB-435-36-E2	224	63	56	58	49	195
EEB-435-46-E2	224	63	56	58	49	195
EEB-435-56-E2	224	63	62	58	55	195
EEB-435-66-E2	224	63	62	58	55	195
EEB-440-36	224	63	56	58	49	195
EEB-440-46	224	63	56	58	49	195
EEB-440-56	224	63	62	58	55	195
EEB-440-66	224	63	62	58	55	195
EEB-445-36	284	79	56	74	49	255
EEB-445-46	284	79	56	74	49	255
EEB-445-56	284	79	62	74	55	255
EEB-445-66	284	79	62	74	55	255
EEB-445-86	284	79	71	74	63	255
EEB-450-36	284	79	56	74	49	255
EEB-450-46	284	79	56	74	49	255
EEB-450-56	284	79	62	74	55	255
EEB-450-66	284	79	62	74	55	255
EEB-450-86	284	79	71	74	63	255
EEB-450-56-E2	320	85	62	80	55	291
EEB-450-66-E2	320	85	62	80	55	291



EEB Serisi | EEB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"



Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEB-545-36	67,03	28,8	€ 1.383	32.760	21.993	17.175	13.723	5	450	24.318	4X1600	4X1600	2X1600
EEB-545-46	89,35	38,3	€ 1.697	40.193	27.083	21.375	17.170	5	450	23.270	6X1600	6X1600	2X1600
EEB-545-56	111,70	47,8	€ 2.065	46.268	31.300	24.938	19.995	5	450	22.348	6X1600	6X1600	2X1600
EEB-545-66	134,03	57,5	€ 2.379	51.178	34.750	27.925	22.470	5	450	21.508	8X1600	8X1600	2X1600
EEB-545-86	178,73	76,5	€ 3.054	58.230	39.510	32.038	25.920	5	450	20.030	8X1600	8X1600	2X1600
EEB-550-36	67,03	28,8	€ 1.383	40.555	27.005	20.490	16.130	5	500	37.050	4X1600	4X1600	2X1600
EEB-550-46	89,35	38,3	€ 1.697	49.550	33.145	25.490	20.203	5	500	34.270	6X1600	6X1600	2X1600
EEB-550-56	111,70	47,8	€ 2.065	56.888	38.225	29.768	23.725	5	500	32.045	6X1600	6X1600	2X1600
EEB-550-66	134,03	57,5	€ 2.379	62.725	42.295	33.318	26.705	5	500	30.083	8X1600	8X1600	2X1600
EEB-550-86	178,73	76,5	€ 3.054	70.173	47.720	38.310	30.925	5	500	26.580	8X1600	8X1600	2X1600
EEB-550-56-E2	143,60	61,5	€ 2.521	68.613	45.838	33.845	26.423	5	500	36.363	6X1825	6X1825	2X1825
EEB-550-66-E2	172,33	73,8	€ 2.926	76.083	51.048	38.253	30.063	5	500	34.563	8X1825	8X1825	2X1825



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEB-545-36	347	79	56	74	49	318
EEB-545-46	347	79	56	74	49	318
EEB-545-56	347	79	62	74	55	318
EEB-545-66	347	79	62	74	55	318
EEB-545-86	347	79	71	74	63	318
EEB-550-36	347	79	56	74	49	318
EEB-550-46	347	79	56	74	49	318
EEB-550-56	347	79	62	74	55	318
EEB-550-66	347	79	62	74	55	318
EEB-550-86	347	79	71	74	63	318
EEB-550-56-E2	392	85	62	80	55	363
EEB-550-66-E2	392	85	62	80	55	363



EEB Serisi | EEB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"



Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEB-430-38	16,40	8,6	€ 470	6.182	3.984	3.400	2.752	4	300	5.954	4X825	4X825	2X825
EEB-430-48	22,10	12,2	€ 569	8.822	5.766	4.776	3.846	4	300	5.668	4X825	4X825	2X825
EEB-430-58	27,46	14,6	€ 678	10.500	6.948	5.662	4.544	4	300	5.406	6X825	6X825	2X825
EEB-430-68	33,14	18,2	€ 776	11.000	7.272	6.082	4.956	4	300	5.176	8X825	8X825	2X825
EEB-435-38	16,40	8,6	€ 472	8.356	5.264	4.472	3.574	4	350	9.754	4X825	4X825	2X825
EEB-435-48	22,10	12,2	€ 570	11.622	7.728	6.274	5.016	4	350	9.006	4X825	4X825	2X825
EEB-435-58	27,46	14,6	€ 679	13.520	9.120	7.284	5.810	4	350	8.360	6X825	6X825	2X825
EEB-435-68	33,14	18,2	€ 778	14.632	9.538	7.904	6.366	4	350	7.772	8X825	8X825	2X825
EEB-435-38-E2	23,86	13,2	€ 623	12.234	8.216	6.604	5.274	4	350	11.068	4X975	4X975	2X975
EEB-435-48-E2	31,82	17,6	€ 759	15.550	10.464	8.164	6.500	4	350	10.540	4X975	4X975	2X975
EEB-435-58-E2	39,78	21,8	€ 913	17.758	11.932	9.600	7.706	4	350	10.052	6X975	6X975	2X975
EEB-435-68-E2	47,72	26,2	€ 1.049	20.086	13.594	10.790	8.634	4	350	9.614	8X975	8X975	2X975
EEB-440-38	23,86	13,2	€ 623	13.558	9.112	7.344	5.852	4	400	13.490	4X975	4X975	2X975
EEB-440-48	31,82	17,6	€ 759	17.160	11.510	8.870	7.054	4	400	12.644	4X975	4X975	2X975
EEB-440-58	39,78	21,8	€ 913	19.640	13.254	10.636	8.498	4	400	11.974	6X975	6X975	2X975
EEB-440-68	47,72	26,2	€ 1.049	22.220	15.008	11.796	9.394	4	400	11.406	8X975	8X975	2X975
EEB-445-38	41,76	23,0	€ 1.087	22.100	14.858	11.800	9.422	4	450	19.830	4X1275	4X1275	2X1275
EEB-445-48	55,68	30,6	€ 1.325	27.484	18.530	14.822	11.872	4	450	19.060	6X1275	6X1275	2X1275
EEB-445-58	69,60	38,2	€ 1.614	32.078	21.694	17.380	13.930	4	450	18.386	6X1275	6X1275	2X1275
EEB-445-68	83,52	46,0	€ 1.852	35.958	24.276	19.520	15.700	4	450	17.764	8X1275	8X1275	2X1275
EEB-445-88	111,38	61,2	€ 2.371	41.970	27.978	22.926	18.492	4	450	16.664	8X1275	8X1275	2X1275
EEB-450-38	41,76	23,0	€ 1.087	27.624	18.448	14.308	11.382	4	500	30.792	4X1275	4X1275	2X1275
EEB-450-48	55,68	30,6	€ 1.325	34.124	22.866	17.916	14.322	4	500	28.592	6X1275	6X1275	2X1275
EEB-450-58	69,60	38,2	€ 1.614	39.664	26.660	21.074	16.910	4	500	26.852	6X1275	6X1275	2X1275
EEB-450-68	83,52	46,0	€ 1.852	44.324	29.878	23.806	19.048	4	500	25.374	8X1275	8X1275	2X1275
EEB-450-88	111,38	61,2	€ 2.371	51.156	34.712	27.938	22.418	4	500	22.810	8X1275	8X1275	2X1275
EEB-450-58-E2	89,50	49,2	€ 1.912	48.058	32.192	24.314	19.170	4	500	30.242	6X1450	6X1450	2X1450
EEB-450-68-E2	107,40	59,0	€ 2.214	53.884	36.222	27.644	21.920	4	500	28.854	8X1450	8X1450	2X1450



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEB-430-38	189	54	47	49	39	163
EEB-430-48	189	54	47	49	39	163
EEB-430-58	189	54	52	49	44	163
EEB-430-68	189	54	52	49	44	163
EEB-435-38	189	56	56	51	49	163
EEB-435-48	189	56	56	51	49	163
EEB-435-58	189	56	62	51	55	163
EEB-435-68	189	56	62	51	55	163
EEB-435-38-E2	224	63	56	58	49	195
EEB-435-48-E2	224	63	56	58	49	195
EEB-435-58-E2	224	63	62	58	55	195
EEB-435-68-E2	224	63	62	58	55	195
EEB-440-38	224	63	56	58	49	195
EEB-440-48	224	63	56	58	49	195
EEB-440-58	224	63	62	58	55	195
EEB-440-68	224	63	62	58	55	195
EEB-445-38	284	79	56	74	49	255
EEB-445-48	284	79	56	74	49	255
EEB-445-58	284	79	62	74	55	255
EEB-445-68	284	79	62	74	55	255
EEB-445-88	284	79	71	74	63	255
EEB-450-38	284	79	56	74	49	255
EEB-450-48	284	79	56	74	49	255
EEB-450-58	284	79	62	74	55	255
EEB-450-68	284	79	62	74	55	255
EEB-450-88	284	79	71	74	63	255
EEB-450-58-E2	320	85	62	80	55	291
EEB-450-68-E2	320	85	62	80	55	291



EEB Serisi | EEB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"

Bakır Boru / Copper Pipe : 5/8"



Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEB-545-38	52,20	28,8	€ 1.321	27.625	18.573	14.750	11.778	5	450	24.788	4X1600	4X1600	2X1600
EEB-545-48	69,60	38,3	€ 1.613	34.355	23.163	18.528	14.840	5	450	23.825	6X1600	6X1600	2X1600
EEB-545-58	87,00	47,8	€ 1.961	40.098	27.118	21.725	17.413	5	450	22.983	6X1600	6X1600	2X1600
EEB-545-68	104,40	57,5	€ 2.253	44.948	30.345	24.400	19.625	5	450	22.205	8X1600	8X1600	2X1600
EEB-545-88	139,23	76,5	€ 2.887	52.463	34.973	28.658	23.115	5	450	20.830	8X1600	8X1600	2X1600
EEB-550-38	52,20	28,8	€ 1.321	34.530	23.060	17.885	14.228	5	500	38.490	4X1600	4X1600	2X1600
EEB-550-48	69,60	38,3	€ 1.613	42.655	28.583	22.395	17.903	5	500	35.740	6X1600	6X1600	2X1600
EEB-550-58	87,00	47,8	€ 1.961	49.580	33.325	26.343	21.138	5	500	33.565	6X1600	6X1600	2X1600
EEB-550-68	104,40	57,5	€ 2.253	55.405	37.348	29.758	23.810	5	500	31.718	8X1600	8X1600	2X1600
EEB-550-88	139,23	76,5	€ 2.887	63.945	43.390	34.923	28.023	5	500	28.513	8X1600	8X1600	2X1600
EEB-550-58-E2	111,88	61,5	€ 2.386	60.073	40.240	30.393	23.963	5	500	37.803	6X1825	6X1825	2X1825
EEB-550-68-E2	134,25	73,8	€ 2.765	67.355	45.278	34.555	27.400	5	500	36.068	8X1825	8X1825	2X1825

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEB-545-38	347	79	56	74	49	318
EEB-545-48	347	79	56	74	49	318
EEB-545-58	347	79	62	74	55	318
EEB-545-68	347	79	62	74	55	318
EEB-545-88	347	79	71	74	63	318
EEB-550-38	347	79	56	74	49	318
EEB-550-48	347	79	56	74	49	318
EEB-550-58	347	79	62	74	55	318
EEB-550-68	347	79	62	74	55	318
EEB-550-88	347	79	71	74	63	318
EEB-550-58-E2	392	85	62	80	55	363
EEB-550-68-E2	392	85	62	80	55	363



EEB Serisi | EEB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"



Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEB-430-310	13,76	9,2	€ 458	6.706	4.516	3.544	2.822	4	300	6.062	4X825	4X825	2X825
EEB-430-410	18,34	12,2	€ 553	8.352	5.602	4.182	3.364	4	300	5.788	4X825	4X825	2X825
EEB-430-510	22,76	14,6	€ 658	9.308	6.108	5.010	4.022	4	300	5.538	6X825	6X825	2X825
EEB-430-610	27,50	18,2	€ 752	10.814	7.222	5.812	4.658	4	300	5.318	8X825	8X825	2X825
EEB-435-310	13,76	9,2	€ 460	8.710	5.822	4.438	3.512	4	350	10.032	4X825	4X825	2X825
EEB-435-410	18,34	12,2	€ 555	10.690	7.088	5.054	3.896	4	350	9.316	4X825	4X825	2X825
EEB-435-510	22,76	14,6	€ 660	12.150	8.166	6.510	5.202	4	350	8.698	6X825	6X825	2X825
EEB-435-610	27,50	18,2	€ 754	13.928	9.398	7.382	5.888	4	350	8.140	8X825	8X825	2X825
EEB-435-310-E2	19,80	13,2	€ 606	10.702	7.008	5.720	4.570	4	350	11.248	4X975	4X975	2X975
EEB-435-410-E2	26,40	17,6	€ 736	13.786	9.286	7.330	5.844	4	350	10.760	4X975	4X975	2X975
EEB-435-510-E2	33,00	21,8	€ 885	15.858	10.462	8.520	6.832	4	350	10.312	6X975	6X975	2X975
EEB-435-610-E2	39,60	26,2	€ 1.014	18.132	12.244	9.722	7.800	4	350	9.892	8X975	8X975	2X975
EEB-440-310	19,80	13,2	€ 606	11.892	7.920	6.380	5.092	4	400	13.780	4X975	4X975	2X975
EEB-440-410	26,40	17,6	€ 736	15.258	10.248	8.004	6.364	4	400	12.984	4X975	4X975	2X975
EEB-440-510	33,00	21,8	€ 885	17.534	11.718	9.424	7.550	4	400	12.314	6X975	6X975	2X975
EEB-440-610	39,60	26,2	€ 1.014	20.078	13.562	10.744	8.580	4	400	11.772	8X975	8X975	2X975
EEB-445-310	34,66	23,0	€ 1.057	19.320	13.004	10.374	8.284	4	450	20.076	4X1275	4X1275	2X1275
EEB-445-410	46,20	30,6	€ 1.285	24.250	16.302	13.028	10.436	4	450	19.388	6X1275	6X1275	2X1275
EEB-445-510	57,76	38,2	€ 1.564	28.544	19.054	15.362	12.336	4	450	18.732	6X1275	6X1275	2X1275
EEB-445-610	69,30	46,0	€ 1.792	32.270	21.416	17.442	14.006	4	450	18.140	8X1275	8X1275	2X1275
EEB-445-810	92,40	61,2	€ 2.291	38.058	25.146	20.708	16.746	4	450	17.090	8X1275	8X1275	2X1275
EEB-450-310	34,66	23,0	€ 1.057	24.310	16.272	12.796	10.248	4	500	31.576	4X1275	4X1275	2X1275
EEB-450-410	46,20	30,6	€ 1.285	30.298	20.328	16.110	12.868	4	500	29.482	6X1275	6X1275	2X1275
EEB-450-510	57,76	38,2	€ 1.564	35.452	23.848	19.030	16.746	4	500	27.730	6X1275	6X1275	2X1275
EEB-450-610	69,30	46,0	€ 1.792	39.950	26.936	21.612	17.260	4	500	26.302	8X1275	8X1275	2X1275
EEB-450-810	92,40	61,2	€ 2.291	47.000	31.590	25.478	20.470	4	500	23.868	8X1275	8X1275	2X1275
EEB-450-510-E2	74,26	49,2	€ 1.848	43.072	28.902	22.164	17.608	4	500	31.054	6X1450	6X1450	2X1450
EEB-450-610-E2	89,12	59,0	€ 2.137	48.668	32.748	25.334	20.180	4	500	32.748	8X1450	8X1450	2X1450



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEB-430-310	189	54	47	49	39	163
EEB-430-410	189	54	47	49	39	163
EEB-430-510	189	54	52	49	44	163
EEB-430-610	189	54	52	49	44	163
EEB-435-310	189	56	56	51	49	163
EEB-435-410	189	56	56	51	49	163
EEB-435-510	189	56	62	51	55	163
EEB-435-610	189	56	62	51	55	163
EEB-435-310-E2	224	63	56	58	49	195
EEB-435-410-E2	224	63	56	58	49	195
EEB-435-510-E2	224	63	62	58	55	195
EEB-435-610-E2	224	63	62	58	55	195
EEB-440-310	224	63	56	58	49	195
EEB-440-410	224	63	56	58	49	195
EEB-440-510	224	63	62	58	55	195
EEB-440-610	224	63	62	58	55	195
EEB-445-310	284	79	56	74	49	255
EEB-445-410	284	79	56	74	49	255
EEB-445-510	284	79	62	74	55	255
EEB-445-610	284	79	62	74	55	255
EEB-445-810	284	79	71	74	63	255
EEB-450-310	284	79	56	74	49	255
EEB-450-410	284	79	56	74	49	255
EEB-450-510	284	79	62	74	55	255
EEB-450-610	284	79	62	74	55	255
EEB-450-810	284	79	71	74	63	255
EEB-450-510-E2	320	85	62	80	55	291
EEB-450-610-E2	320	85	62	80	55	291



EEB Serisi | EEB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"



Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEB-545-310	43,33	28,8	€ 1.283	24.150	16.255	12.968	10.355	5	450	25.095	4X1600	4X1600	2X1600
EEB-545-410	57,75	38,3	€ 1.563	30.313	20.378	16.285	13.045	5	450	24.235	6X1600	6X1600	2X1600
EEB-545-510	72,20	47,8	€ 1.898	35.680	23.818	19.203	15.420	5	450	23.415	6X1600	6X1600	2X1600
EEB-545-610	86,63	57,5	€ 2.178	40.338	26.770	21.803	17.508	5	450	22.675	8X1600	8X1600	2X1600
EEB-545-810	115,50	76,5	€ 2.787	47.573	31.433	25.885	20.933	5	450	21.363	8X1600	8X1600	2X1600
EEB-550-310	43,33	28,8	€ 1.283	30.388	20.340	15.995	12.810	5	500	39.470	4X1600	4X1600	2X1600
EEB-550-410	57,75	38,3	€ 1.563	37.873	25.410	20.138	16.085	5	500	36.853	6X1600	6X1600	2X1600
EEB-550-510	72,20	47,8	€ 1.898	44.315	29.810	23.788	20.933	5	500	34.663	6X1600	6X1600	2X1600
EEB-550-610	86,63	57,5	€ 2.178	49.938	33.670	27.015	21.575	5	500	32.878	8X1600	8X1600	2X1600
EEB-550-810	115,50	76,5	€ 2.787	58.750	39.488	31.848	25.588	5	500	29.835	8X1600	8X1600	2X1600
EEB-550-510-E2	92,83	61,5	€ 2.306	53.840	36.128	27.705	22.010	5	500	38.818	6X1825	6X1825	2X1825
EEB-550-610-E2	111,40	73,8	€ 2.669	60.835	40.935	31.668	25.225	5	500	40.935	8X1825	8X1825	2X1825



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEB-545-310	347	79	56	74	49	318
EEB-545-410	347	79	56	74	49	318
EEB-545-510	347	79	62	74	55	318
EEB-545-610	347	79	62	74	55	318
EEB-545-810	347	79	71	74	63	318
EEB-550-310	347	79	56	74	49	318
EEB-550-410	347	79	56	74	49	318
EEB-550-510	347	79	62	74	55	318
EEB-550-610	347	79	62	74	55	318
EEB-550-810	347	79	71	74	63	318
EEB-550-510-E2	392	85	62	80	55	363
EEB-550-610-E2	392	85	62	80	55	363



EEC Serisi | EEC Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEC-130-38	6,36	1,2	€ 150	1.710	1.161	946	760	1	300	1.609	4X225	4X225	2X225
EEC-130-48	8,48	1,6	€ 173	2.205	1.496	1.202	975	1	300	1.557	4X225	4X225	2X225
EEC-130-58	10,59	1,9	€ 204	2.624	1.773	1.375	1.108	1	300	1.510	6X225	6X225	2X225
EEC-130-68	12,71	2,3	€ 226	2.935	2.000	1.624	1.312	1	300	1.467	8X225	8X225	2X225
EEC-135-38	6,36	1,2	€ 163	2.108	1.425	1.165	950	1	350	2.747	4X225	4X225	2X225
EEC-135-48	8,48	1,6	€ 186	2.747	1.848	1.451	1.171	1	350	2.608	4X225	4X225	2X225
EEC-135-58	10,59	1,9	€ 217	3.277	2.195	1.650	1.299	1	350	2.486	6X225	6X225	2X225
EEC-135-68	12,71	2,3	€ 240	3.697	2.501	1.987	1.613	1	350	2.374	8X225	8X225	2X225
EEC-135-38-E2	9,54	1,7	€ 191	2.803	1.902	1.562	1.256	1	350	2.996	4X275	4X275	2X275
EEC-135-48-E2	12,71	2,3	€ 225	3.549	2.414	1.979	1.587	1	350	2.912	4X275	4X275	2X275
EEC-135-58-E2	15,89	2,9	€ 276	4.213	2.861	2.342	1.886	1	350	2.832	6X275	6X275	2X275
EEC-135-68-E2	19,07	3,5	€ 309	4.800	2.152	2.659	2.152	1	350	2.750	8X275	8X275	2X275
EEC-140-38	9,54	1,7	€ 207	3.053	2.066	1.693	1.376	1	400	3.739	4X275	4X275	2X275
EEC-140-48	12,71	2,3	€ 240	3.874	2.628	2.160	1.745	1	400	3.603	4X275	4X275	2X275
EEC-140-58	15,89	2,9	€ 291	4.604	3.130	2.580	2.069	1	400	3.471	6X275	6X275	2X275
EEC-140-68	19,07	3,5	€ 324	5.252	3.578	2.939	2.361	1	400	3.351	8X275	8X275	2X275
EEC-145-38	15,02	2,7	€ 278	4.777	3.203	2.448	1.944	1	450	5.204	4X325	4X325	2X325
EEC-145-48	20,02	3,6	€ 329	6.064	4.077	3.140	2.501	1	450	5.069	6X325	6X325	2X325
EEC-145-58	25,03	4,6	€ 397	7.217	4.864	3.773	3.040	1	450	4.937	6X325	6X325	2X325
EEC-145-68	30,03	5,5	€ 455	8.248	5.574	4.350	3.512	1	450	4.823	8X325	8X325	2X325
EEC-150-38	15,02	2,7	€ 278	5.686	3.784	2.816	2.206	1	500	8.392	4X325	4X325	2X325
EEC-150-48	20,02	3,6	€ 329	7.249	4.836	3.629	2.852	1	500	8.005	6X325	6X325	2X325
EEC-150-58	25,03	4,6	€ 397	8.645	5.784	4.374	3.451	1	500	7.633	6X325	6X325	2X325
EEC-150-68	30,03	5,5	€ 455	9.889	6.632	5.055	4.004	1	500	7.279	8X325	8X325	2X325



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEC-130-38	69	58	47	53	39	43
EEC-130-48	69	58	52	53	44	43
EEC-130-58	69	58	59	53	51	43
EEC-130-68	69	58	64	53	56	43
EEC-135-38	69	58	52	53	44	43
EEC-135-48	69	58	59	53	51	43
EEC-135-58	69	58	64	53	56	43
EEC-135-68	69	58	69	53	61	43
EEC-135-38-E2	77	68	56	63	49	51
EEC-135-48-E2	77	68	62	63	55	51
EEC-135-58-E2	77	68	67	63	60	51
EEC-135-68-E2	77	68	71	63	63	51
EEC-140-38	77	68	56	63	49	51
EEC-140-48	77	68	62	63	55	51
EEC-140-58	77	68	67	63	60	51
EEC-140-68	77	68	71	63	63	51
EEC-145-38	92	79	52	74	44	66
EEC-145-48	92	79	59	74	51	66
EEC-145-58	92	79	64	74	56	66
EEC-145-68	92	79	69	74	61	66
EEC-150-38	92	79	52	74	44	66
EEC-150-48	92	79	59	74	51	66
EEC-150-58	92	79	64	74	56	66
EEC-150-68	92	79	69	74	61	66



EEC Serisi | EEC Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEC-230-38	12,71	2,3	€ 257	3.420	2.322	1.891	1.519	2	300	3.217	4X425	4X425	2X425
EEC-230-48	16,95	3,1	€ 299	4.410	2.991	2.403	1.950	2	300	3.113	4X425	4X425	2X425
EEC-230-58	21,18	3,8	€ 353	5.247	3.545	2.749	2.215	2	300	3.020	6X425	6X425	2X425
EEC-230-68	25,42	4,6	€ 401	5.869	4.000	3.247	2.624	2	300	2.933	8X425	8X425	2X425
EEC-235-38	12,71	2,3	€ 257	4.215	2.850	2.330	1.899	2	350	5.494	4X425	4X425	2X425
EEC-235-48	16,95	3,1	€ 299	5.493	3.696	2.901	2.342	2	350	5.215	4X425	4X425	2X425
EEC-235-58	21,18	3,8	€ 353	6.553	4.389	3.299	2.598	2	350	4.971	6X425	6X425	2X425
EEC-235-68	25,42	4,6	€ 401	7.394	5.002	3.973	3.225	2	350	4.747	8X425	8X425	2X425
EEC-235-38-E2	19,07	3,4	€ 344	5.606	3.803	3.123	2.512	2	350	5.992	4X500	4X500	2X500
EEC-235-48-E2	25,42	4,6	€ 415	7.098	4.827	3.957	3.173	2	350	5.823	4X500	4X500	2X500
EEC-235-58-E2	31,78	5,7	€ 503	8.425	5.721	4.684	3.771	2	350	5.664	6X500	6X500	2X500
EEC-235-68-E2	38,13	6,9	€ 570	9.600	4.304	5.317	4.304	2	350	5.499	8X500	8X500	2X500
EEC-240-38	19,07	3,4	€ 344	6.105	4.131	3.386	2.751	2	400	7.478	4X500	4X500	2X500
EEC-240-48	25,42	4,6	€ 415	7.748	5.255	4.319	3.490	2	400	7.206	4X500	4X500	2X500
EEC-240-58	31,78	5,7	€ 503	9.207	6.260	5.160	4.137	2	400	6.941	6X500	6X500	2X500
EEC-240-68	38,13	6,9	€ 570	10.504	7.155	5.877	4.721	2	400	6.701	8X500	8X500	2X500
EEC-245-38	30,03	5,4	€ 503	9.554	6.405	4.896	3.887	2	450	10.407	4X650	4X650	2X650
EEC-245-48	40,04	7,2	€ 610	12.128	8.154	6.279	5.002	2	450	10.137	6X650	6X650	2X650
EEC-245-58	50,05	9,1	€ 748	14.433	9.727	7.545	6.079	2	450	9.874	6X650	6X650	2X650
EEC-245-68	60,06	10,9	€ 854	16.495	11.147	8.700	7.023	2	450	9.645	8X650	8X650	2X650
EEC-250-38	30,03	5,4	€ 503	11.372	7.567	5.632	4.411	2	500	16.783	4X650	4X650	2X650
EEC-250-48	40,04	7,2	€ 610	14.497	9.672	7.257	5.704	2	500	16.010	6X650	6X650	2X650
EEC-250-58	50,05	9,1	€ 747	17.290	11.567	8.748	6.901	2	500	15.265	6X650	6X650	2X650
EEC-250-68	60,06	10,9	€ 854	19.778	13.264	10.110	8.007	2	500	14.558	8X650	8X650	2X650



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEC-230-38	109	58	47	53	39	83
EEC-230-48	109	58	52	53	44	83
EEC-230-58	109	58	59	53	51	83
EEC-230-68	109	58	64	53	56	83
EEC-235-38	109	58	52	53	44	83
EEC-235-48	109	58	59	53	51	83
EEC-235-58	109	58	64	53	56	83
EEC-235-68	109	58	69	53	61	83
EEC-235-38-E2	128	68	56	63	49	99
EEC-235-48-E2	128	68	62	63	55	99
EEC-235-58-E2	128	68	67	63	60	99
EEC-235-68-E2	128	68	71	63	63	99
EEC-240-38	128	68	56	63	49	99
EEC-240-48	128	68	62	63	55	99
EEC-240-58	128	68	67	63	60	99
EEC-240-68	128	68	71	63	63	99
EEC-245-38	158	81	56	76	49	129
EEC-245-48	158	81	62	76	55	129
EEC-245-58	158	81	67	76	60	129
EEC-245-68	158	81	71	76	63	129
EEC-250-38	158	81	56	76	49	129
EEC-250-48	158	81	62	76	55	129
EEC-250-58	158	81	57	76	60	129
EEC-250-68	158	81	71	76	63	129



EEC Serisi | EEC Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEC-330-38	19,07	3,5	€ 353	5.130	3.483	2.837	2.279	3	300	4.826	4X625	4X625	2X625
EEC-330-48	25,43	4,7	€ 415	6.615	4.487	3.605	2.925	3	300	4.670	4X625	4X625	2X625
EEC-330-58	31,77	5,7	€ 492	7.871	5.318	4.124	3.323	3	300	4.530	6X625	6X625	2X625
EEC-330-68	38,13	6,9	€ 554	8.804	6.000	4.871	3.936	3	300	4.400	8X625	8X625	2X625
EEC-335-38	19,07	3,5	€ 354	6.323	4.275	3.495	2.849	3	350	8.241	4X625	4X625	2X625
EEC-335-48	25,43	4,7	€ 416	8.240	5.544	4.352	3.513	3	350	7.823	4X625	4X625	2X625
EEC-335-58	31,77	5,7	€ 493	9.830	6.584	4.949	3.897	3	350	7.457	6X625	6X625	2X625
EEC-335-68	38,13	6,9	€ 555	11.091	7.503	5.960	4.838	3	350	7.121	8X625	8X625	2X625
EEC-335-38-E2	28,61	5,1	€ 468	8.409	5.705	4.685	3.768	3	350	8.988	4X750	4X750	2X750
EEC-335-48-E2	38,13	6,9	€ 560	10.647	7.241	5.936	4.760	3	350	8.735	4X750	4X750	2X750
EEC-335-58-E2	47,67	8,6	€ 679	12.638	8.582	7.026	5.657	3	350	8.496	6X750	6X750	2X750
EEC-335-68-E2	57,20	10,4	€ 777	14.400	6.456	7.976	6.456	3	350	8.249	8X750	8X750	2X750
EEC-340-38	28,61	5,1	€ 468	9.158	6.197	5.079	4.127	3	400	11.217	4X750	4X750	2X750
EEC-340-48	38,13	6,9	€ 560	11.622	7.883	6.479	5.235	3	400	10.809	4X750	4X750	2X750
EEC-340-58	47,67	8,6	€ 679	13.811	9.390	7.740	6.206	3	400	10.412	6X750	6X750	2X750
EEC-340-68	57,20	10,4	€ 777	15.756	10.733	8.816	7.082	3	400	10.052	8X750	8X750	2X750
EEC-345-38	45,05	8,1	€ 732	14.331	9.608	7.344	5.831	3	450	15.611	4X975	4X975	2X975
EEC-345-48	60,06	10,8	€ 885	18.192	12.231	9.419	7.503	3	450	15.206	6X975	6X975	2X975
EEC-345-58	75,08	13,7	€ 1.073	21.650	14.591	11.318	9.119	3	450	14.811	6X975	6X975	2X975
EEC-345-68	90,09	16,4	€ 1.224	24.743	16.721	13.050	10.535	3	450	14.468	8X975	8X975	2X975
EEC-350-38	45,05	8,1	€ 732	17.058	11.351	8.448	6.617	3	500	25.175	4X975	4X975	2X975
EEC-350-48	60,06	10,8	€ 885	21.746	14.508	10.886	8.556	3	500	24.015	6X975	6X975	2X975
EEC-350-58	75,08	13,7	€ 1.073	25.935	17.351	13.122	10.352	3	500	22.898	6X975	6X975	2X975
EEC-350-68	90,09	16,4	€ 1.224	29.667	19.896	15.165	12.011	3	500	21.837	8X975	8X975	2X975



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEC-330-38	149	58	47	53	39	123
EEC-330-48	149	58	52	53	44	123
EEC-330-58	149	58	59	53	51	123
EEC-330-68	149	58	64	53	56	123
EEC-335-38	149	60	56	55	49	123
EEC-335-48	149	60	62	55	55	123
EEC-335-58	149	60	67	55	60	123
EEC-335-68	149	60	71	55	63	123
EEC-335-38-E2	176	70	56	65	49	147
EEC-335-48-E2	176	70	62	65	55	147
EEC-335-58-E2	176	70	67	65	60	147
EEC-335-68-E2	176	70	71	65	63	147
EEC-340-38	176	70	56	65	49	147
EEC-340-48	176	70	62	65	55	147
EEC-340-58	176	70	67	65	60	147
EEC-340-68	176	70	71	65	63	147
EEC-345-38	221	81	56	76	49	192
EEC-345-48	221	81	62	76	55	192
EEC-345-58	221	81	67	76	60	192
EEC-345-68	221	81	71	76	63	192
EEC-350-38	221	81	56	76	49	192
EEC-350-48	221	81	62	76	55	192
EEC-350-58	221	81	67	76	60	192
EEC-350-68	221	81	71	76	63	192



EEC Serisi | EEC Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EEC-435-38-E2	38,14	6,8	€ 596	11.212	7.606	6.246	5.024	4	350	11.984	4X975	4X975	2X975
EEC-435-48-E2	50,84	9,2	€ 717	14.196	9.654	7.914	6.346	4	350	11.646	4X975	4X975	2X975
EEC-435-58-E2	63,56	11,4	€ 868	16.850	11.442	9.368	7.542	4	350	11.328	6X975	6X975	2X975
EEC-435-68-E2	76,26	13,8	€ 995	19.200	8.608	10.634	8.608	4	350	10.998	8X975	8X975	2X975
EEC-440-38	38,14	6,8	€ 596	12.210	8.262	6.772	5.502	4	400	14.956	4X975	4X975	2X975
EEC-440-48	50,84	9,2	€ 717	15.496	10.510	8.638	6.980	4	400	14.412	4X975	4X975	2X975
EEC-440-58	63,56	11,4	€ 868	18.414	12.520	10.320	8.274	4	400	13.882	6X975	6X975	2X975
EEC-440-68	76,26	13,8	€ 995	21.008	14.310	11.754	9.442	4	400	13.402	8X975	8X975	2X975
EEC-445-38	60,06	10,8	€ 950	19.108	12.810	9.792	7.774	4	450	20.814	4X1275	4X1275	2X1275
EEC-445-48	80,08	14,4	€ 1.149	24.256	16.308	12.558	10.004	4	450	20.274	6X1275	6X1275	2X1275
EEC-445-58	100,10	18,2	€ 1.373	28.866	19.454	15.090	12.158	4	450	19.748	6X1275	6X1275	2X1275
EEC-445-68	120,12	21,8	€ 1.570	32.990	22.294	17.400	14.046	4	450	19.290	8X1275	8X1275	2X1275
EEC-450-38	60,06	10,8	€ 950	22.744	15.134	11.264	8.822	4	500	33.566	4X1275	4X1275	2X1275
EEC-450-48	80,08	14,4	€ 1.149	28.994	19.344	14.514	11.408	4	500	32.020	6X1275	6X1275	2X1275
EEC-450-58	100,10	18,2	€ 1.373	34.580	23.134	17.496	13.802	4	500	30.530	6X1275	6X1275	2X1275
EEC-450-68	120,12	21,8	€ 1.570	39.556	26.528	20.220	16.014	4	500	29.116	8X1275	8X1275	2X1275



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EEC-435-38-E2	224	70	56	65	49	195
EEC-435-48-E2	224	70	62	65	55	195
EEC-435-58-E2	224	70	67	65	60	195
EEC-435-68-E2	224	70	71	65	63	195
EEC-440-38	224	70	56	65	49	195
EEC-440-48	224	70	62	65	55	195
EEC-440-58	224	70	67	65	60	195
EEC-440-68	224	70	71	65	63	195
EEC-445-38	284	81	56	76	49	255
EEC-445-48	284	81	62	76	55	255
EEC-445-58	284	81	67	76	60	255
EEC-445-68	284	81	71	76	63	255
EEC-450-38	284	81	56	76	49	255
EEC-450-48	284	81	62	76	55	255
EEC-450-58	284	81	67	76	60	255
EEC-450-68	284	81	71	76	63	255



EED Serisi | EED Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"



Bakır Boru / Copper Pipe :5/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EED-130-48	8,37	2,5	€ 193	2.425	1.626	1.211	952	1	300	1.527	4X225	4X225	2X225
EED-130-58	10,46	3,1	€ 243	2.773	1.856	1.515	1.220	1	300	1.472	6X225	6X225	2X225
EED-130-68	12,55	3,7	€ 270	3.151	2.147	1.716	1.382	1	300	1.428	8X225	8X225	2X225
EED-135-48	8,37	2,5	€ 193	3.030	2.008	1.434	1.105	1	350	2.523	4X225	4X225	2X225
EED-135-58	10,46	3,1	€ 243	3.522	2.381	1.917	1.545	1	350	2.391	6X225	6X225	2X225
EED-135-68	12,55	3,7	€ 270	4.019	2.715	2.134	1.714	1	350	2.269	8X225	8X225	2X225
EED-135-48-E2	12,55	3,7	€ 270	4.032	2.720	2.139	1.720	1	350	2.857	4X275	4X275	2X275
EED-135-58-E2	15,63	4,4	€ 328	4.725	3.173	2.403	1.899	1	350	2.767	6X275	6X275	2X275
EED-135-68-E2	18,82	5,5	€ 378	5.352	3.631	2.895	2.321	1	350	2.688	8X275	8X275	2X275
EED-140-38	9,36	2,6	€ 229	3.343	2.254	1.836	1.466	1	400	3.670	4X275	4X275	2X275
EED-140-48	12,55	3,7	€ 270	4.432	2.979	2.319	1.853	1	400	3.515	4X275	4X275	2X275
EED-140-58	15,63	4,4	€ 328	5.180	3.467	2.585	2.029	1	400	3.370	6X275	6X275	2X275
EED-140-68	18,82	5,5	€ 378	5.890	3.982	3.147	2.533	1	400	3.237	8X275	8X275	2X275
EED-145-38	14,82	4,3	€ 311	5.323	3.557	2.666	2.098	1	450	5.134	4X325	4X325	2X325
EED-145-48	19,76	5,8	€ 374	6.687	4.498	3.499	2.797	1	450	4.978	6X325	6X325	2X325
EED-145-58	24,70	7,2	€ 452	7.911	5.298	3.938	3.089	1	450	4.839	6X325	6X325	2X325
EED-145-68	29,64	8,6	€ 524	8.988	6.060	4.668	3.720	1	450	4.708	8X325	8X325	2X325
EED-150-38	14,82	4,3	€ 311	6.398	4.236	3.070	2.379	1	500	8.195	4X325	4X325	2X325
EED-150-48	19,76	5,8	€ 374	8.085	5.399	4.092	3.227	1	500	7.750	6X325	6X325	2X325
EED-150-58	24,70	7,2	€ 452	9.500	6.302	4.520	3.490	1	500	7.338	6X325	6X325	2X325
EED-150-68	29,64	8,6	€ 524	10.849	7.256	5.433	4.267	1	500	6.978	8X325	8X325	2X325



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-130-48	69	58	52	53	44	43
EED-130-58	69	58	59	53	51	43
EED-130-68	69	58	64	53	56	43
EED-135-48	69	58	59	53	51	43
EED-135-58	69	58	64	53	56	43
EED-135-68	69	58	69	53	61	43
EED-135-48-E2	77	68	62	63	55	51
EED-135-58-E2	77	68	67	63	60	51
EED-135-68-E2	77	68	71	63	63	51
EED-140-38	77	68	56	63	49	51
EED-140-48	77	68	62	63	55	51
EED-140-58	77	68	67	63	60	51
EED-140-68	77	68	71	63	63	51
EED-145-38	92	79	52	74	44	66
EED-145-48	92	79	59	74	51	66
EED-145-58	92	79	64	74	56	66
EED-145-68	92	79	69	74	61	66
EED-150-38	92	79	52	74	44	66
EED-150-48	92	79	59	74	51	66
EED-150-58	92	79	64	74	56	66
EED-150-68	92	79	69	74	61	66



EED Serisi | EED Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"

Bakır Boru / Copper Pipe :5/8"



Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EED-230-48	16,73	4,9	€ 321	4.849	3.252	2.421	1.904	2	300	3.053	4X425	4X425	2X425
EED-230-58	20,91	6,1	€ 398	5.545	3.711	3.030	2.440	2	300	2.944	6X425	6X425	2X425
EED-230-68	25,09	7,3	€ 449	6.301	4.293	3.432	2.764	2	300	2.856	8X425	8X425	2X425
EED-235-48	16,73	4,9	€ 321	6.059	4.016	2.867	2.210	2	350	5.046	4X425	4X425	2X425
EED-235-58	20,91	6,1	€ 399	7.043	4.762	3.834	3.089	2	350	4.782	6X425	6X425	2X425
EED-235-68	25,09	7,3	€ 449	8.037	5.429	4.268	3.427	2	350	4.538	8X425	8X425	2X425
EED-235-48-E2	25,09	7,3	€ 452	8.064	5.439	4.278	3.439	2	350	5.713	4X500	4X500	2X500
EED-235-58-E2	31,26	8,8	€ 552	9.449	6.345	4.805	3.798	2	350	5.534	6X500	6X500	2X500
EED-235-68-E2	37,63	10,9	€ 636	10.704	7.262	5.790	4.642	2	350	5.375	8X500	8X500	2X500
EED-240-38	18,72	5,1	€ 377	6.685	4.507	3.672	2.931	2	400	7.339	4X500	4X500	2X500
EED-240-48	25,09	7,3	€ 452	8.863	5.958	4.637	3.706	2	400	7.029	4X500	4X500	2X500
EED-240-58	31,26	8,8	€ 552	10.360	6.933	5.170	4.058	2	400	6.739	6X500	6X500	2X500
EED-240-68	37,63	10,9	€ 636	11.779	7.963	6.294	5.065	2	400	6.473	8X500	8X500	2X500
EED-245-38	29,64	8,6	€ 558	10.645	7.113	5.332	4.195	2	450	10.268	4X650	4X650	2X650
EED-245-48	39,52	11,5	€ 685	13.374	8.996	6.998	5.594	2	450	9.956	6X650	6X650	2X650
EED-245-58	49,39	14,4	€ 836	15.822	10.595	7.876	6.178	2	450	9.677	6X650	6X650	2X650
EED-245-68	59,27	17,2	€ 962	17.975	12.120	9.336	7.439	2	450	9.415	8X650	8X650	2X650
EED-250-38	29,64	8,6	€ 558	12.796	8.472	6.140	4.758	2	500	16.390	4X650	4X650	2X650
EED-250-48	39,52	11,5	€ 685	16.170	10.798	8.183	6.454	2	500	15.500	6X650	6X650	2X650
EED-250-58	49,39	14,4	€ 835	19.000	12.603	9.039	6.980	2	500	14.676	6X650	6X650	2X650
EED-250-68	59,27	17,2	€ 962	21.697	14.512	10.866	8.534	2	500	13.956	8X650	8X650	2X650

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-230-48	109	58	52	53	44	83
EED-230-58	109	58	59	53	51	83
EED-230-68	109	58	64	53	56	83
EED-235-48	109	58	59	53	51	83
EED-235-58	109	58	64	53	56	83
EED-235-68	109	58	69	53	61	83
EED-235-48-E2	128	68	62	63	55	99
EED-235-58-E2	128	68	67	63	60	99
EED-235-68-E2	128	68	71	63	63	99
EED-240-38	128	68	56	63	49	99
EED-240-48	128	68	62	63	55	99
EED-240-58	128	68	67	63	60	99
EED-240-68	128	68	71	63	63	99
EED-245-38	158	81	56	76	49	129
EED-245-48	158	81	62	76	55	129
EED-245-58	158	81	67	76	60	129
EED-245-68	158	81	71	76	63	129
EED-250-38	158	81	56	76	49	129
EED-250-48	158	81	62	76	55	129
EED-250-58	158	81	57	76	60	129
EED-250-68	158	81	71	76	63	129



EED Serisi | EED Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"

Bakır Boru / Copper Pipe :5/8"



Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EED-330-48	25,10	7,4	€ 466	7.274	4.878	3.632	2.856	3	300	4.580	4X625	4X625	2X625
EED-330-58	31,37	9,2	€ 557	8.318	5.567	4.545	3.660	3	300	4.416	6X625	6X625	2X625
EED-330-68	37,64	11,0	€ 631	9.452	6.440	5.148	4.146	3	300	4.284	8X625	8X625	2X625
EED-335-48	25,10	7,4	€ 468	9.089	6.024	4.301	3.315	3	350	7.569	4X625	4X625	2X625
EED-335-58	31,37	9,2	€ 558	10.565	7.143	5.751	4.634	3	350	7.173	6X625	6X625	2X625
EED-335-68	37,64	11,0	€ 632	12.056	8.144	6.402	5.141	3	350	6.807	8X625	8X625	2X625
EED-335-48-E2	37,64	11,0	€ 636	12.096	8.159	6.417	5.159	3	350	8.570	4X750	4X750	2X750
EED-335-58-E2	46,89	13,2	€ 773	14.174	9.518	7.208	5.697	3	350	8.301	6X750	6X750	2X750
EED-335-68-E2	56,45	16,4	€ 892	16.056	10.893	8.685	6.963	3	350	8.063	8X750	8X750	2X750
EED-340-38	28,08	7,7	€ 525	10.028	6.761	5.508	4.397	3	400	11.009	4X750	4X750	2X750
EED-340-48	37,64	11,0	€ 636	13.295	8.937	6.956	5.559	3	400	10.544	4X750	4X750	2X750
EED-340-58	46,89	13,2	€ 773	15.540	10.400	7.755	6.087	3	400	10.109	6X750	6X750	2X750
EED-340-68	56,45	16,4	€ 892	17.669	11.945	9.441	7.598	3	400	9.710	8X750	8X750	2X750
EED-345-38	44,46	12,9	€ 820	15.968	10.670	7.998	6.293	3	450	15.402	4X975	4X975	2X975
EED-345-48	59,28	17,3	€ 996	20.061	13.494	10.497	8.391	3	450	14.934	6X975	6X975	2X975
EED-345-58	74,09	21,6	€ 1.207	23.733	15.893	11.814	9.267	3	450	14.516	6X975	6X975	2X975
EED-345-68	88,91	25,8	€ 1.388	26.963	18.180	14.004	11.159	3	450	14.123	8X975	8X975	2X975
EED-350-38	44,46	12,9	€ 820	19.194	12.708	9.210	7.137	3	500	24.585	4X975	4X975	2X975
EED-350-48	59,28	17,3	€ 996	24.255	16.197	12.275	9.681	3	500	23.250	6X975	6X975	2X975
EED-350-58	74,09	21,6	€ 1.207	28.500	18.905	13.559	10.470	3	500	22.014	6X975	6X975	2X975
EED-350-68	88,91	25,8	€ 1.388	32.546	21.768	16.299	12.801	3	500	20.934	8X975	8X975	2X975

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-330-48	149	58	52	53	44	123
EED-330-58	149	58	59	53	51	123
EED-330-68	149	58	64	53	56	123
EED-335-48	149	60	62	55	55	123
EED-335-58	149	60	67	55	60	123
EED-335-68	149	60	71	55	63	123
EED-335-48-E2	176	70	62	65	55	147
EED-335-58-E2	176	70	67	65	60	147
EED-335-68-E2	176	70	71	65	63	147
EED-340-38	176	70	56	65	49	147
EED-340-48	176	70	62	65	55	147
EED-340-58	176	70	67	65	60	147
EED-340-68	176	70	71	65	63	147
EED-345-38	221	81	56	76	49	192
EED-345-48	221	81	62	76	55	192
EED-345-58	221	81	67	76	60	192
EED-345-68	221	81	71	76	63	192
EED-350-38	221	81	56	76	49	192
EED-350-48	221	81	62	76	55	192
EED-350-58	221	81	67	76	60	192
EED-350-68	221	81	71	76	63	192



EED Serisi | EED Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"

Bakır Boru / Copper Pipe :5/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EED-435-48-E2	50,18	14,6	€ 816	16.128	10.878	8.556	6.878	4	350	11.426	4X975	4X975	2X975
EED-435-58-E2	62,52	17,6	€ 991	18.898	12.690	9.610	7.596	4	350	11.068	6X975	6X975	2X975
EED-435-68-E2	75,26	21,8	€ 1.145	21.408	14.524	11.580	9.284	4	350	10.750	8X975	8X975	2X975
EED-440-38	37,44	10,2	€ 670	13.370	9.014	7.344	5.862	4	400	14.678	4X975	4X975	2X975
EED-440-48	50,18	14,6	€ 816	17.726	11.916	9.274	7.412	4	400	14.058	4X975	4X975	2X975
EED-440-58	62,52	17,6	€ 991	20.720	13.866	10.340	8.116	4	400	13.478	6X975	6X975	2X975
EED-440-68	75,26	21,8	€ 1.145	23.558	15.926	12.588	10.130	4	400	12.946	8X975	8X975	2X975
EED-445-38	59,28	17,2	€ 1.065	21.290	14.226	10.664	8.390	4	450	20.536	4X1275	4X1275	2X1275
EED-445-48	79,04	23,0	€ 1.296	26.748	17.992	13.996	11.188	4	450	19.912	6X1275	6X1275	2X1275
EED-445-58	98,78	28,8	€ 1.552	31.644	21.190	15.752	12.356	4	450	19.354	6X1275	6X1275	2X1275
EED-445-68	118,54	34,4	€ 1.788	35.950	24.240	18.672	14.878	4	450	18.830	8X1275	8X1275	2X1275
EED-450-38	59,28	17,2	€ 1.065	25.592	16.944	12.280	9.516	4	500	32.780	4X1275	4X1275	2X1275
EED-450-48	79,04	23,0	€ 1.296	32.340	21.596	16.366	12.908	4	500	31.000	6X1275	6X1275	2X1275
EED-450-58	98,78	28,8	€ 1.552	38.000	25.206	18.078	13.960	4	500	29.352	6X1275	6X1275	2X1275
EED-450-68	118,54	34,4	€ 1.788	43.394	29.024	21.732	17.068	4	500	27.912	8X1275	8X1275	2X1275



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-435-48-E2	224	70	62	65	55	195
EED-435-58-E2	224	70	67	65	60	195
EED-435-68-E2	224	70	71	65	63	195
EED-440-38	224	70	56	65	49	195
EED-440-48	224	70	62	65	55	195
EED-440-58	224	70	67	65	60	195
EED-440-68	224	70	71	65	63	195
EED-445-38	284	81	56	76	49	255
EED-445-48	284	81	62	76	55	255
EED-445-58	284	81	67	76	60	255
EED-445-68	284	81	71	76	63	255
EED-450-38	284	81	56	76	49	255
EED-450-48	284	81	62	76	55	255
EED-450-58	284	81	67	76	60	255
EED-450-68	284	81	71	76	63	255

EED Serisi | EED Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"



Bakır Boru / Copper Pipe :5/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EED-545-38	74,10	21,5	€ 1.310	26.613	17.783	13.330	10.488	5	450	25.670	4X1600	4X1600	2X1600
EED-545-48	98,80	28,8	€ 1.596	33.435	22.490	17.495	13.985	5	450	24.890	6X1600	6X1600	2X1600
EED-545-58	123,48	36,0	€ 1.917	39.555	26.488	19.690	15.445	5	450	24.193	6X1600	6X1600	2X1600
EED-545-68	148,18	43,0	€ 2.207	44.938	30.300	23.340	18.598	5	450	23.538	8X1600	8X1600	2X1600
EED-550-38	74,10	21,5	€ 1.310	31.990	21.180	15.350	11.895	5	500	40.975	4X1600	4X1600	2X1600
EED-550-48	98,80	28,8	€ 1.596	40.425	26.995	20.458	16.135	5	500	38.750	6X1600	6X1600	2X1600
EED-550-58	123,48	36,0	€ 1.917	47.500	31.508	22.598	17.450	5	500	36.690	6X1600	6X1600	2X1600
EED-550-68	148,18	43,0	€ 2.207	54.243	36.280	27.165	21.335	5	500	34.890	8X1600	8X1600	2X1600



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-545-38	347	81	56	76	49	318
EED-545-48	347	81	62	76	55	318
EED-545-58	347	81	67	76	60	318
EED-545-68	347	81	71	76	63	318
EED-550-38	347	81	56	76	49	318
EED-550-48	347	81	62	76	55	318
EED-550-58	347	81	67	76	60	318
EED-550-68	347	81	71	76	63	318



EED Serisi | EED Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"

Bakır Boru / Copper Pipe :5/8"



Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h	nXW	nXW	nXW
EED-130-410	6,82	2,5	€ 185	2.136	1.435	1.091	865	1	300	1.549	4X225	4X225	2X225
EED-130-510	8,53	3,1	€ 233	2.432	1.599	1.314	1.062	1	300	1.499	6X225	6X225	2X225
EED-130-610	10,24	3,7	€ 258	2.808	1.885	1.525	1.226	1	300	1.456	8X225	8X225	2X225
EED-135-410	6,82	2,5	€ 185	2.680	1.784	1.305	1.017	1	350	2.588	4X225	4X225	2X225
EED-135-510	8,53	3,1	€ 233	3.099	2.095	1.683	1.348	1	350	2.479	6X225	6X225	2X225
EED-135-610	10,24	3,7	€ 259	3.580	2.419	1.923	1.545	1	350	2.349	8X225	8X225	2X225
EED-135-410-E2	10,24	3,7	€ 259	3.516	2.373	1.890	1.518	1	350	2.897	4X275	4X275	2X275
EED-135-510-E2	12,74	4,4	€ 314	4.173	2.809	2.163	1.724	1	350	2.817	6X275	6X275	2X275
EED-135-610-E2	15,35	5,5	€ 360	4.747	3.221	2.575	2.068	1	350	2.742	8X275	8X275	2X275
EED-140-310	7,63	2,6	€ 220	2.879	1.906	1.553	1.242	1	400	3.723	4X275	4X275	2X275
EED-140-410	10,24	3,7	€ 259	3.869	2.604	2.056	1.648	1	400	3.581	4X275	4X275	2X275
EED-140-510	12,74	4,4	€ 314	4.586	3.074	2.338	1.851	1	400	3.445	6X275	6X275	2X275
EED-140-610	15,35	5,5	€ 360	5.228	3.534	2.822	2.268	1	400	3.322	8X275	8X275	2X275
EED-145-310	12,09	4,3	€ 297	2.982	2.982	2.415	1.937	1	450	5.188	4X325	4X325	2X325
EED-145-410	16,12	5,8	€ 355	5.830	3.926	3.097	2.486	1	450	5.044	6X325	6X325	2X325
EED-145-510	20,15	7,2	€ 429	6.992	4.695	3.558	2.816	1	450	4.917	6X325	6X325	2X325
EED-145-610	24,18	8,6	€ 496	7.977	5.385	4.208	3.370	1	450	4.794	8X325	8X325	2X325
EED-150-310	12,09	4,3	€ 297	5.403	3.630	2.936	2.353	1	500	8.346	4X325	4X325	2X325
EED-150-410	16,12	5,8	€ 355	7.081	4.739	3.659	2.910	1	500	7.947	6X325	6X325	2X325
EED-150-510	20,15	7,2	€ 429	8.445	5.622	4.129	3.220	1	500	7.561	6X325	6X325	2X325
EED-150-610	24,18	8,6	€ 496	9.664	6.479	4.935	3.908	1	500	7.214	8X325	8X325	2X325

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-130-410	69	58	52	53	44	43
EED-130-510	69	58	59	53	51	43
EED-130-610	69	58	64	53	56	43
EED-135-410	69	58	59	53	51	43
EED-135-510	69	58	64	53	56	43
EED-135-610	69	58	69	53	61	43
EED-135-410-E2	77	68	62	63	55	51
EED-135-510-E2	77	68	67	63	60	51
EED-135-610-E2	77	68	71	63	63	51
EED-140-310	77	68	56	63	49	51
EED-140-410	77	68	62	63	55	51
EED-140-510	77	68	67	63	60	51
EED-140-610	77	68	71	63	63	51
EED-145-310	92	79	52	74	44	66
EED-145-410	92	79	59	74	51	66
EED-145-510	92	79	64	74	56	66
EED-145-610	92	79	69	74	61	66
EED-150-310	92	79	52	74	44	66
EED-150-410	92	79	59	74	51	66
EED-150-510	92	79	64	74	56	66
EED-150-610	92	79	69	74	61	66



EED Serisi | EED Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"

Bakır Boru / Copper Pipe :5/8"



Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h	nXW	nXW	nXW
EED-230-410	13,64	4,9	€ 305	4.271	2.869	2.181	1.729	2	300	3.097	4X425	4X425	2X425
EED-230-510	17,05	6,1	€ 379	4.864	3.197	2.628	2.124	2	300	2.998	6X425	6X425	2X425
EED-230-610	20,47	7,3	€ 426	5.616	3.770	3.050	2.451	2	300	2.911	8X425	8X425	2X425
EED-235-410	13,64	4,9	€ 306	5.359	3.567	2.610	2.033	2	350	5.176	4X425	4X425	2X425
EED-235-510	17,05	6,1	€ 379	6.198	4.189	3.366	2.696	2	350	4.957	6X425	6X425	2X425
EED-235-610	20,47	7,3	€ 426	7.160	4.837	3.845	3.089	2	350	4.697	8X425	8X425	2X425
EED-235-410-E2	20,47	7,3	€ 430	7.032	4.746	3.779	3.035	2	350	5.793	4X500	4X500	2X500
EED-235-510-E2	25,48	8,8	€ 523	8.346	5.618	4.326	3.447	2	350	5.634	6X500	6X500	2X500
EED-235-610-E2	30,70	10,9	€ 601	9.494	6.441	5.149	4.135	2	350	5.484	8X500	8X500	2X500
EED-240-310	15,25	5,1	€ 359	5.757	3.811	3.105	2.483	2	400	7.446	4X500	4X500	2X500
EED-240-410	20,47	7,3	€ 430	7.738	5.208	4.111	3.296	2	400	7.162	4X500	4X500	2X500
EED-240-510	25,48	8,8	€ 523	9.171	6.148	4.676	3.701	2	400	6.890	6X500	6X500	2X500
EED-240-610	30,70	10,9	€ 601	10.455	7.068	5.643	4.535	2	400	6.644	8X500	8X500	2X500
EED-245-310	24,18	8,6	€ 536	5.963	5.963	4.830	3.873	2	450	10.375	4X650	4X650	2X650
EED-245-410	32,23	11,5	€ 648	11.659	7.852	6.194	4.972	2	450	10.087	6X650	6X650	2X650
EED-245-510	40,29	14,4	€ 790	13.983	9.390	7.116	5.632	2	450	9.833	6X650	6X650	2X650
EED-245-610	48,35	17,2	€ 907	15.954	10.770	8.415	6.740	2	450	9.587	8X650	8X650	2X650
EED-250-310	24,18	8,6	€ 536	10.806	7.259	5.872	4.706	2	500	16.691	4X650	4X650	2X650
EED-250-410	32,23	11,5	€ 648	14.161	9.478	7.317	5.820	2	500	15.893	6X650	6X650	2X650
EED-250-510	40,29	14,4	€ 789	16.889	11.243	8.258	6.439	2	500	15.121	6X650	6X650	2X650
EED-250-610	48,35	17,2	€ 907	19.327	12.957	9.869	7.816	2	500	14.427	8X650	8X650	2X650

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-230-410	109	58	52	53	44	83
EED-230-510	109	58	59	53	51	83
EED-230-610	109	58	64	53	56	83
EED-235-410	109	58	59	53	51	83
EED-235-510	109	58	64	53	56	83
EED-235-610	109	58	69	53	61	83
EED-235-410-E2	128	68	62	63	55	99
EED-235-510-E2	128	68	67	63	60	99
EED-235-610-E2	128	68	71	63	63	99
EED-240-310	128	68	56	63	49	99
EED-240-410	128	68	62	63	55	99
EED-240-510	128	68	67	63	60	99
EED-240-610	128	68	71	63	63	99
EED-245-310	158	81	56	76	49	129
EED-245-410	158	81	62	76	55	129
EED-245-510	158	81	67	76	60	129
EED-245-610	158	81	71	76	63	129
EED-250-310	158	81	56	76	49	129
EED-250-410	158	81	62	76	55	129
EED-250-510	158	81	57	76	60	129
EED-250-610	158	81	71	76	63	129



EED Serisi | EED Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"

Bakır Boru / Copper Pipe :5/8"



Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EED-330-410	20,46	7,4	€ 443	6.407	4.304	3.272	2.594	3	300	4.646	4X625	4X625	2X625
EED-330-510	25,58	9,2	€ 527	7.296	4.796	3.942	3.186	3	300	4.497	6X625	6X625	2X625
EED-330-610	30,71	11,0	€ 596	8.424	5.655	4.575	3.677	3	300	4.367	8X625	8X625	2X625
EED-335-410	20,46	7,4	€ 444	8.039	5.351	3.915	3.050	3	350	7.764	4X625	4X625	2X625
EED-335-510	25,58	9,2	€ 528	9.297	6.284	5.049	4.044	3	350	7.436	6X625	6X625	2X625
EED-335-610	30,71	11,0	€ 597	10.740	7.256	5.768	4.634	3	350	7.046	8X625	8X625	2X625
EED-335-410-E2	30,71	11,0	€ 601	10.548	7.119	5.669	4.553	3	350	8.690	4X750	4X750	2X750
EED-335-510-E2	38,22	13,2	€ 729	12.519	8.427	6.489	5.171	3	350	8.451	6X750	6X750	2X750
EED-335-610-E2	46,05	16,4	€ 840	14.241	9.662	7.724	6.203	3	350	8.226	8X750	8X750	2X750
EED-340-310	22,88	7,7	€ 498	8.636	5.717	4.658	3.725	3	400	11.169	4X750	4X750	2X750
EED-340-410	30,71	11,0	€ 601	11.607	7.812	6.167	4.944	3	400	10.743	4X750	4X750	2X750
EED-340-510	38,22	13,2	€ 729	13.757	9.222	7.014	5.552	3	400	10.335	6X750	6X750	2X750
EED-340-610	46,05	16,4	€ 840	15.683	10.602	8.465	6.803	3	400	9.966	8X750	8X750	2X750
EED-345-310	36,27	12,9	€ 778	8.945	8.945	7.245	5.810	3	450	15.563	4X975	4X975	2X975
EED-345-410	48,35	17,3	€ 941	17.489	11.778	9.291	7.458	3	450	15.131	6X975	6X975	2X975
EED-345-510	60,44	21,6	€ 1.138	20.975	14.085	10.674	8.448	3	450	14.750	6X975	6X975	2X975
EED-345-610	72,53	25,8	€ 1.305	23.931	16.155	12.623	10.110	3	450	14.381	8X975	8X975	2X975
EED-350-310	36,27	12,9	€ 778	16.209	10.889	8.808	7.059	3	500	25.037	4X975	4X975	2X975
EED-350-410	48,35	17,3	€ 941	21.242	14.217	10.976	8.730	3	500	23.840	6X975	6X975	2X975
EED-350-510	60,44	21,6	€ 1.138	25.334	16.865	12.387	9.659	3	500	22.682	6X975	6X975	2X975
EED-350-610	72,53	25,8	€ 1.305	28.991	19.436	14.804	11.724	3	500	21.641	8X975	8X975	2X975

Fiyatlara fan dahil değildir. | Prices fan is not included.



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-330-410	149	58	52	53	44	123
EED-330-510	149	58	59	53	51	123
EED-330-610	149	58	64	53	56	123
EED-335-410	149	60	62	55	55	123
EED-335-510	149	60	67	55	60	123
EED-335-610	149	60	71	55	63	123
EED-335-410-E2	176	70	62	65	55	147
EED-335-510-E2	176	70	67	65	60	147
EED-335-610-E2	176	70	71	65	63	147
EED-340-310	176	70	56	65	49	147
EED-340-410	176	70	62	65	55	147
EED-340-510	176	70	67	65	60	147
EED-340-610	176	70	71	65	63	147
EED-345-310	221	81	56	76	49	192
EED-345-410	221	81	62	76	55	192
EED-345-510	221	81	67	76	60	192
EED-345-610	221	81	71	76	63	192
EED-350-310	221	81	56	76	49	192
EED-350-410	221	81	62	76	55	192
EED-350-510	221	81	67	76	60	192
EED-350-610	221	81	71	76	63	192



EED Serisi | EED Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"



Bakır Boru / Copper Pipe :5/8"

Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h	nXW	nXW	nXW
EED-435-410-E2	40,94	14,6	€ 769	14.064	9.492	7.558	6.070	4	350	11.586	4X975	4X975	2X975
EED-435-510-E2	50,96	17,6	€ 933	16.692	11.236	8.652	6.894	4	350	11.268	6X975	6X975	2X975
EED-435-610-E2	61,40	21,8	€ 1.075	18.988	12.882	10.298	8.270	4	350	10.968	8X975	8X975	2X975
EED-440-310	30,50	10,2	€ 635	11.514	7.622	6.210	4.966	4	400	14.892	4X975	4X975	2X975
EED-440-410	40,94	14,6	€ 769	15.476	10.416	8.222	6.592	4	400	14.324	4X975	4X975	2X975
EED-440-510	50,96	17,6	€ 933	18.342	12.296	9.352	7.402	4	400	13.780	6X975	6X975	2X975
EED-440-610	61,40	21,8	€ 1.075	20.910	14.136	11.286	9.070	4	400	13.288	8X975	8X975	2X975
EED-445-310	48,36	17,2	€ 1.009	11.926	11.926	9.660	7.746	4	450	20.750	4X1275	4X1275	2X1275
EED-445-410	64,46	23,0	€ 1.222	23.318	15.704	12.388	9.944	4	450	20.174	6X1275	6X1275	2X1275
EED-445-510	80,58	28,8	€ 1.460	27.966	18.780	14.232	11.264	4	450	19.666	6X1275	6X1275	2X1275
EED-445-610	96,70	34,4	€ 1.677	31.908	21.540	16.830	13.480	4	450	19.174	8X1275	8X1275	2X1275
EED-450-310	48,36	17,2	€ 1.009	21.612	14.518	11.744	9.412	4	500	33.382	4X1275	4X1275	2X1275
EED-450-410	64,46	23,0	€ 1.222	28.322	18.956	14.634	11.640	4	500	31.786	6X1275	6X1275	2X1275
EED-450-510	80,58	28,8	€ 1.460	33.778	22.486	16.516	12.878	4	500	30.242	6X1275	6X1275	2X1275
EED-450-610	96,70	34,4	€ 1.677	38.654	25.914	19.738	15.632	4	500	28.854	8X1275	8X1275	2X1275



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-435-410-E2	224	70	62	65	55	195
EED-435-510-E2	224	70	67	65	60	195
EED-435-610-E2	224	70	71	65	63	195
EED-440-310	224	70	56	65	49	195
EED-440-410	224	70	62	65	55	195
EED-440-510	224	70	67	65	60	195
EED-440-610	224	70	71	65	63	195
EED-445-310	284	81	56	76	49	255
EED-445-410	284	81	62	76	55	255
EED-445-510	284	81	67	76	60	255
EED-445-610	284	81	71	76	63	255
EED-450-310	284	81	56	76	49	255
EED-450-410	284	81	62	76	55	255
EED-450-510	284	81	67	76	60	255
EED-450-610	284	81	71	76	63	255



EED Serisi | EED Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"



Bakır Boru / Copper Pipe :5/8"

Hatve / Fin Spacing : 10 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/ - 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EED-545-310	60,45	21,5	€ 1.240	14.908	14.908	12.075	9.683	5	450	25.938	4X1600	4X1600	2X1600
EED-545-410	80,58	28,8	€ 1.504	29.148	19.630	15.485	12.430	5	450	25.218	6X1600	6X1600	2X1600
EED-545-510	100,73	36,0	€ 1.802	34.958	23.475	17.790	14.080	5	450	24.583	6X1600	6X1600	2X1600
EED-545-610	120,88	43,0	€ 2.069	39.885	26.925	21.038	16.850	5	450	23.968	8X1600	8X1600	2X1600
EED-550-310	60,45	21,5	€ 1.240	27.015	18.148	14.680	11.765	5	500	41.728	4X1600	4X1600	2X1600
EED-550-410	80,58	28,8	€ 1.504	35.403	23.695	18.293	14.550	5	500	39.733	6X1600	6X1600	2X1600
EED-550-510	100,73	36,0	€ 1.802	42.223	28.108	20.645	16.098	5	500	37.803	6X1600	6X1600	2X1600
EED-550-610	120,88	43,0	€ 2.069	48.318	32.393	24.673	19.540	5	500	36.068	8X1600	8X1600	2X1600



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EED-545-310	347	81	56	76	49	318
EED-545-410	347	81	62	76	55	318
EED-545-510	347	81	67	76	60	318
EED-545-610	347	81	71	76	63	318
EED-550-310	347	81	56	76	49	318
EED-550-410	347	81	62	76	55	318
EED-550-510	347	81	67	76	60	318
EED-550-610	347	81	71	76	63	318



TAVAN TİPİ SOĞUTUCULAR

CEILING TYPE COOLERS





ESB • ESA • EDB • EDA
Serisi / Series

ESB Serisi | ESB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"






Bakır Boru / Copper Pipe :3/8"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
ESB-130-44	4,19	0,7	€ 132	1.681	1.074	880	697	1	300	942	4X225	4X225	2X225
ESB-130-54	5,21	0,8	€ 148	1.740	1.173	898	706	1	300	772	6X225	6X225	2X225
ESB-130-64	6,28	1,0	€ 159	1.871	1.279	1.026	826	1	300	705	8X225	8X225	2X225
ESB-135-44	5,03	0,8	€ 150	2.335	1.545	1.108	866	1	350	1.492	4X275	4X275	2X275
ESB-135-54	6,28	1,0	€ 168	2.583	1.738	1.357	1.075	1	350	1.308	6X275	6X275	2X275
ESB-135-64	7,54	1,2	€ 181	2.670	1.801	1.361	1.081	1	350	1.122	8X275	8X275	2X275
ESB-135-44-E2	6,67	1,0	€ 163	2.787	1.870	1.465	1.162	1	350	1.718	4X275	4X275	2X275
ESB-135-54-E2	8,38	1,3	€ 184	3.153	2.131	1.699	1.355	1	350	1.543	6X275	6X275	2X275
ESB-135-64-E2	10,05	1,5	€ 201	3.428	2.319	1.807	1.435	1	350	1.414	8X275	8X275	2X275
ESB-140-44	5,03	0,8	€ 151	2.450	1.618	1.147	893	1	400	1.651	4X275	4X275	2X275
ESB-140-54	6,28	1,0	€ 168	2.800	1.877	1.435	1.142	1	400	1.515	6X275	6X275	2X275
ESB-140-64	7,54	1,2	€ 181	2.945	1.975	1.468	1.159	1	400	1.340	8X275	8X275	2X275
ESB-140-44-E2	6,67	1,0	€ 174	3.001	2.006	1.542	1.230	1	400	2.001	4X275	4X275	2X275
ESB-140-54-E2	8,38	1,3	€ 195	3.443	2.319	1.833	1.462	1	400	1.821	6X275	6X275	2X275
ESB-140-64-E2	10,05	1,5	€ 212	3.778	2.544	1.958	1.543	1	400	1.680	8X275	8X275	2X275
ESB-230-44	8,37	1,3	€ 213	3.361	2.147	1.760	1.394	2	300	1.883	4X425	4X425	2X425
ESB-230-54	10,42	1,5	€ 236	3.480	2.345	1.795	1.411	2	300	1.544	6X425	6X425	2X425
ESB-230-64	12,56	1,9	€ 255	3.741	2.558	2.052	1.651	2	300	1.410	8X425	8X425	2X425
ESB-235-44	10,05	1,5	€ 243	4.669	3.090	2.216	1.732	2	350	2.984	4X500	4X500	2X500
ESB-235-54	12,56	1,9	€ 270	5.165	3.475	2.714	2.149	2	350	2.616	6X500	6X500	2X500
ESB-235-64	15,07	2,3	€ 293	5.340	3.601	2.722	2.161	2	350	2.244	8X500	8X500	2X500
ESB-235-44-E2	13,34	1,9	€ 264	5.574	3.739	2.929	2.324	2	350	3.435	4X500	4X500	2X500
ESB-235-54-E2	16,75	2,5	€ 303	6.305	4.262	3.397	2.710	2	350	3.086	6X500	6X500	2X500
ESB-235-64-E2	20,10	3,0	€ 333	6.855	4.637	3.613	2.869	2	350	2.828	8X500	8X500	2X500
ESB-240-44	10,05	1,5	€ 244	4.899	3.235	2.293	1.785	2	400	3.301	4X500	4X500	2X500
ESB-240-54	12,56	1,9	€ 271	5.600	3.754	2.869	2.284	2	400	3.030	6X500	6X500	2X500
ESB-240-64	15,07	2,3	€ 293	5.889	3.950	2.935	2.317	2	400	2.680	8X500	8X500	2X500
ESB-240-44-E2	13,34	1,9	€ 280	6.001	4.012	3.084	2.459	2	400	4.002	4X500	4X500	2X500
ESB-240-54-E2	16,75	2,5	€ 315	6.885	4.637	3.665	2.924	2	400	3.641	6X500	6X500	2X500
ESB-240-64-E2	20,10	3,0	€ 345	7.555	5.087	3.915	3.085	2	400	3.359	8X500	8X500	2X500
ESB-330-44	12,56	2,0	€ 274	5.042	3.221	2.640	2.091	3	300	2.825	4X625	4X625	2X625
ESB-330-54	15,63	2,3	€ 305	5.220	3.518	2.693	2.117	3	300	2.316	6X625	6X625	2X625
ESB-330-64	18,84	2,9	€ 333	5.612	3.837	3.078	2.477	3	300	2.115	8X625	8X625	2X625
ESB-335-44	15,08	2,3	€ 314	7.004	4.635	3.324	2.598	3	350	4.476	4X750	4X750	2X750
ESB-335-54	18,84	2,9	€ 351	7.748	5.213	4.071	3.224	3	350	3.924	6X750	6X750	2X750
ESB-335-64	22,61	3,5	€ 383	8.010	5.402	4.083	3.242	3	350	3.366	8X750	8X750	2X750
ESB-335-44-E2	20,01	2,9	€ 341	8.361	5.609	4.394	3.486	3	350	5.153	4X750	4X750	2X750
ESB-335-54-E2	25,13	3,8	€ 390	9.458	6.393	5.096	4.065	3	350	4.629	6X750	6X750	2X750
ESB-335-64-E2	30,15	4,5	€ 433	10.283	6.956	5.420	4.304	3	350	4.242	8X750	8X750	2X750
ESB-340-44	15,08	2,3	€ 315	7.349	4.853	3.440	2.678	3	400	4.952	4X750	4X750	2X750
ESB-340-54	18,84	2,9	€ 351	8.400	5.631	4.304	3.426	3	400	4.545	6X750	6X750	2X750
ESB-340-64	22,61	3,5	€ 384	8.834	5.925	4.403	3.476	3	400	4.020	8X750	8X750	2X750
ESB-340-44-E2	20,01	2,9	€ 361	9.002	6.018	4.626	3.689	3	400	6.003	4X750	4X750	2X750
ESB-340-54-E2	25,13	3,8	€ 409	10.328	6.956	5.498	4.386	3	400	5.462	6X750	6X750	2X750
ESB-340-64-E2	30,15	4,5	€ 452	11.333	7.631	5.873	4.628	3	400	5.039	8X750	8X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
ESB-130-44	70	29	69	25	61	43
ESB-130-54	70	29	76	25	68	43
ESB-130-64	70	29	76	25	68	43
ESB-135-44	78	29	74	25	66	51
ESB-135-54	78	29	81	25	73	51
ESB-135-64	78	29	81	25	73	51
ESB-135-44-E2	78	47	74	38	66	51
ESB-135-54-E2	78	47	81	38	73	51
ESB-135-64-E2	78	47	81	38	73	51
ESB-140-44	78	34	74	25	66	51
ESB-140-54	78	34	81	25	73	51
ESB-140-64	78	34	81	25	73	51
ESB-140-44-E2	78	47	74	38	66	51
ESB-140-54-E2	78	47	81	38	73	51
ESB-140-64-E2	78	47	81	38	73	51
ESB-230-44	110	29	69	25	61	83
ESB-230-54	110	29	76	25	68	83
ESB-230-64	110	29	76	25	68	83
ESB-235-44	126	29	74	25	66	99
ESB-235-54	126	29	81	25	73	99
ESB-235-64	126	29	81	25	73	99
ESB-235-44-E2	126	47	74	38	66	99
ESB-235-54-E2	126	47	81	38	73	99
ESB-235-64-E2	126	47	81	38	73	99
ESB-240-44	126	34	74	25	66	99
ESB-240-54	126	34	81	25	73	99
ESB-240-64	126	34	81	25	73	99
ESB-240-44-E2	126	47	74	38	66	99
ESB-240-54-E2	126	47	81	38	73	99
ESB-240-64-E2	126	47	81	38	73	99
ESB-330-44	150	29	69	25	61	123
ESB-330-54	150	29	76	25	68	123
ESB-330-64	150	29	76	25	68	123
ESB-335-44	174	29	74	25	66	147
ESB-335-54	174	29	81	25	73	147
ESB-335-64	174	29	81	25	73	147
ESB-335-44-E2	174	47	74	38	66	147
ESB-335-54-E2	174	47	81	38	73	147
ESB-335-64-E2	174	47	81	38	73	147
ESB-340-44	174	34	74	25	66	147
ESB-340-54	174	34	81	25	73	147
ESB-340-64	174	34	81	25	73	147
ESB-340-44-E2	174	47	74	38	66	147
ESB-340-54-E2	174	47	81	38	73	147
ESB-340-64-E2	174	47	81	38	73	147



ESB Serisi | ESB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"







Bakır Boru / Copper Pipe :3/8"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
											Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
ESB-130-46	2,89	0,7	€ 128	1.321	889	708	566	1	300	960	4X225	4X225	2X225
ESB-130-56	3,59	0,8	€ 138	1.489	1.001	780	620	1	300	865	6X225	6X225	2X225
ESB-130-66	4,34	1,0	€ 152	1.646	1.104	830	648	1	300	792	8X225	8X225	2X225
ESB-135-46	3,47	0,8	€ 134	1.938	1.290	960	757	1	350	1.669	4X275	4X275	2X275
ESB-135-56	4,34	1,0	€ 150	2.194	1.474	1.168	935	1	350	1.502	6X275	6X275	2X275
ESB-135-66	5,21	1,2	€ 162	2.303	1.550	1.205	955	1	350	1.254	8X275	8X275	2X275
ESB-135-46-E2	4,60	1,0	€ 156	2.500	1.675	1.311	1.039	1	350	1.872	4X275	4X275	2X275
ESB-135-56-E2	5,78	1,3	€ 175	2.867	1.933	1.537	1.231	1	350	1.692	6X275	6X275	2X275
ESB-135-66-E2	6,94	1,5	€ 190	3.132	2.127	1.651	1.307	1	350	1.550	8X275	8X275	2X275
ESB-140-46	3,47	0,8	€ 134	2.017	1.341	990	779	1	400	1.815	4X275	4X275	2X275
ESB-140-56	4,34	1,0	€ 151	2.308	1.549	1.222	974	1	400	1.657	6X275	6X275	2X275
ESB-140-66	5,21	1,2	€ 162	2.522	1.692	1.301	1.025	1	400	1.497	8X275	8X275	2X275
ESB-140-46-E2	4,60	1,0	€ 167	2.686	1.794	1.379	1.099	1	400	2.160	4X275	4X275	2X275
ESB-140-56-E2	5,78	1,3	€ 186	3.116	2.094	1.652	1.316	1	400	1.973	6X275	6X275	2X275
ESB-140-66-E2	6,94	1,5	€ 201	3.155	2.174	1.680	1.328	1	400	1.850	8X275	8X275	2X275
ESB-230-46	5,78	1,3	€ 203	2.641	1.777	1.416	1.131	2	300	1.920	4X425	4X425	2X425
ESB-230-56	7,17	1,5	€ 221	2.977	2.001	1.560	1.239	2	300	1.730	6X425	6X425	2X425
ESB-230-66	8,67	1,9	€ 237	3.292	2.208	1.660	1.295	2	300	1.583	8X425	8X425	2X425
ESB-235-46	6,94	1,5	€ 233	3.876	2.580	1.919	1.513	2	350	3.338	4X500	4X500	2X500
ESB-235-56	8,67	1,9	€ 256	4.387	2.947	2.336	1.869	2	350	3.004	6X500	6X500	2X500
ESB-235-66	10,41	2,3	€ 275	4.605	3.100	2.409	1.910	2	350	2.508	8X500	8X500	2X500
ESB-235-46-E2	9,19	1,9	€ 249	5.000	3.349	2.622	2.078	2	350	3.744	4X500	4X500	2X500
ESB-235-56-E2	11,56	2,5	€ 285	5.733	3.865	3.073	2.461	2	350	3.383	6X500	6X500	2X500
ESB-235-66-E2	13,87	3,0	€ 311	6.263	4.254	3.301	2.614	2	350	3.099	8X500	8X500	2X500
ESB-240-46	6,94	1,5	€ 233	4.033	2.681	1.979	1.557	2	400	3.630	4X500	4X500	2X500
ESB-240-56	8,67	1,9	€ 257	4.616	3.097	2.443	1.947	2	400	3.314	6X500	6X500	2X500
ESB-240-66	10,41	2,3	€ 277	5.043	3.384	2.601	2.049	2	400	2.994	8X500	8X500	2X500
ESB-240-46-E2	9,19	1,9	€ 265	5.371	3.587	2.758	2.197	2	400	4.319	4X500	4X500	2X500
ESB-240-56-E2	11,56	2,5	€ 296	6.231	4.187	3.304	2.632	2	400	3.946	6X500	6X500	2X500
ESB-240-66-E2	13,87	3,0	€ 323	6.310	4.347	3.360	2.656	2	400	3.700	8X500	8X500	2X500
ESB-330-46	8,67	2,0	€ 260	3.962	2.666	2.124	1.697	3	300	2.880	4X625	4X625	2X625
ESB-330-56	10,76	2,3	€ 288	4.466	3.002	2.340	1.859	3	300	2.595	6X625	6X625	2X625
ESB-330-66	13,01	2,9	€ 313	4.938	3.312	2.490	1.943	3	300	2.375	8X625	8X625	2X625
ESB-335-46	10,41	2,3	€ 297	5.814	3.870	2.879	2.270	3	350	5.007	4X750	4X750	2X750
ESB-335-56	13,01	2,9	€ 330	6.581	4.421	3.504	2.804	3	350	4.506	6X750	6X750	2X750
ESB-335-66	15,62	3,5	€ 359	6.908	4.650	3.614	2.865	3	350	3.762	8X750	8X750	2X750
ESB-335-46-E2	13,79	2,9	€ 320	7.500	5.024	3.933	3.117	3	350	5.616	4X750	4X750	2X750
ESB-335-56-E2	17,34	3,8	€ 362	8.600	5.798	4.610	3.692	3	350	5.075	6X750	6X750	2X750
ESB-335-66-E2	20,81	4,5	€ 400	9.395	6.381	4.952	3.921	3	350	4.649	8X750	8X750	2X750
ESB-340-46	10,41	2,3	€ 298	6.050	4.022	2.969	2.336	3	400	5.445	4X750	4X750	2X750
ESB-340-56	13,01	2,9	€ 331	6.924	4.646	3.665	2.921	3	400	4.971	6X750	6X750	2X750
ESB-340-66	15,62	3,5	€ 360	7.565	5.076	3.902	3.074	3	400	4.491	8X750	8X750	2X750
ESB-340-46-E2	13,79	2,9	€ 339	8.057	5.381	4.137	3.296	3	400	6.479	4X750	4X750	2X750
ESB-340-56-E2	17,34	3,8	€ 382	9.347	6.281	4.956	3.948	3	400	5.919	6X750	6X750	2X750
ESB-340-66-E2	20,81	4,5	€ 420	9.465	6.521	5.040	3.984	3	400	5.550	8X750	8X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
ESB-130-46	70	29	69	25	61	43
ESB-130-56	70	29	76	25	68	43
ESB-130-66	70	29	76	25	68	43
ESB-135-46	78	29	74	25	66	51
ESB-135-56	78	29	81	25	73	51
ESB-135-66	78	29	81	25	73	51
ESB-135-46-E2	78	47	74	38	66	51
ESB-135-56-E2	78	47	81	38	73	51
ESB-135-66-E2	78	47	81	38	73	51
ESB-140-46	78	34	74	25	66	51
ESB-140-56	78	34	81	25	73	51
ESB-140-66	78	34	81	25	73	51
ESB-140-46-E2	78	47	74	38	66	51
ESB-140-56-E2	78	47	81	38	73	51
ESB-140-66-E2	78	47	81	38	73	51
ESB-230-46	110	29	69	25	61	83
ESB-230-56	110	29	76	25	68	83
ESB-230-66	110	29	76	25	68	83
ESB-235-46	126	29	74	25	66	99
ESB-235-56	126	29	81	25	73	99
ESB-235-66	126	29	81	25	73	99
ESB-235-46-E2	126	47	74	38	66	99
ESB-235-56-E2	126	47	81	38	73	99
ESB-235-66-E2	126	47	81	38	73	99
ESB-240-46	126	34	74	25	66	99
ESB-240-56	126	34	81	25	73	99
ESB-240-66	126	34	81	25	73	99
ESB-240-46-E2	126	47	74	38	66	99
ESB-240-56-E2	126	47	81	38	73	99
ESB-240-66-E2	126	47	81	38	73	99
ESB-330-46	150	29	69	25	61	123
ESB-330-56	150	29	76	25	68	123
ESB-330-66	150	29	76	25	68	123
ESB-335-46	174	29	74	25	66	147
ESB-335-56	174	29	81	25	73	147
ESB-335-66	174	29	81	25	73	147
ESB-335-46-E2	174	47	74	38	66	147
ESB-335-56-E2	174	47	81	38	73	147
ESB-335-66-E2	174	47	81	38	73	147
ESB-340-46	174	34	74	25	66	147
ESB-340-56	174	34	81	25	73	147
ESB-340-66	174	34	81	25	73	147
ESB-340-46-E2	174	47	74	38	66	147
ESB-340-56-E2	174	47	81	38	73	147
ESB-340-66-E2	174	47	81	38	73	147



ESA Serisi | ESA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"







Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
ESA-130-44	6,40	1,2	€ 159	2.100	1.431	1.183	969	1	300	1.067	4X225	4X225	2X225
ESA-130-54	7,97	1,4	€ 181	2.289	1.563	1.270	1.040	1	300	871	6X225	6X225	2X225
ESA-130-64	9,61	1,7	€ 196	2.458	1.682	1.335	1.084	1	300	795	8X225	8X225	2X225
ESA-135-44	7,68	1,4	€ 186	3.001	2.021	1.597	1.279	1	350	1.712	4X275	4X275	2X275
ESA-135-54	9,61	1,7	€ 205	3.279	2.229	1.835	1.506	1	350	1.552	6X275	6X275	2X275
ESA-135-64	11,53	2,1	€ 223	3.488	2.385	1.938	1.586	1	350	1.259	8X275	8X275	2X275
ESA-230-44	12,80	2,3	€ 257	4.199	2.862	2.366	1.937	2	300	2.134	4X425	4X425	2X425
ESA-230-54	15,94	2,7	€ 285	4.577	3.126	2.540	2.079	2	300	1.741	6X425	6X425	2X425
ESA-230-64	19,21	3,4	€ 312	4.915	3.363	2.669	2.167	2	300	1.590	8X425	8X425	2X425
ESA-235-44	15,36	2,8	€ 287	6.002	4.041	3.193	2.558	2	350	3.423	4X500	4X500	2X500
ESA-235-54	19,21	3,4	€ 322	6.558	4.457	3.669	3.011	2	350	3.104	6X500	6X500	2X500
ESA-235-64	23,05	4,1	€ 359	6.976	4.769	3.875	3.171	2	350	2.518	8X500	8X500	2X500
ESA-330-44	19,20	3,5	€ 345	6.299	4.293	3.549	2.906	3	300	3.201	4X625	4X625	2X625
ESA-330-54	23,91	4,1	€ 385	6.866	4.689	3.810	3.119	3	300	2.612	6X625	6X625	2X625
ESA-330-64	28,82	5,1	€ 425	7.373	5.045	4.004	3.251	3	300	2.385	8X625	8X625	2X625
ESA-335-44	23,04	4,2	€ 394	9.003	6.062	4.790	3.837	3	350	5.135	4X750	4X750	2X750
ESA-335-54	28,82	5,1	€ 441	9.837	6.686	5.504	4.517	3	350	4.656	6X750	6X750	2X750
ESA-335-64	34,58	6,2	€ 488	10.464	7.154	5.813	4.757	3	350	3.777	8X750	8X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
ESA-130-44	70	34	69	30	61	43
ESA-130-54	70	34	76	30	68	43
ESA-130-64	70	34	76	30	68	43
ESA-135-44	78	34	69	30	61	51
ESA-135-54	78	34	76	30	68	51
ESA-135-64	78	34	76	30	68	51
ESA-230-44	110	34	69	30	61	83
ESA-230-54	110	34	76	30	68	83
ESA-230-64	110	34	76	30	68	83
ESA-235-44	126	34	69	30	61	99
ESA-235-54	126	34	76	30	68	99
ESA-235-64	126	34	76	30	68	99
ESA-330-44	150	34	69	30	61	123
ESA-330-54	150	34	76	30	68	123
ESA-330-64	150	34	76	30	68	123
ESA-335-44	174	34	69	30	61	147
ESA-335-54	174	34	76	30	68	147
ESA-335-64	174	34	76	30	68	147



ESA Serisi | ESA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"






Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
ESA-130-46	4,40	1,2	€ 149	1.700	1.148	946	755	1	300	1.155	4X225	4X225	2X225
ESA-130-56	5,47	1,4	€ 169	1.955	1.325	1.085	873	1	300	1.073	6X225	6X225	2X225
ESA-130-66	6,60	1,7	€ 183	2.218	1.508	1.213	981	1	300	902	8X225	8X225	2X225
ESA-135-46	5,28	1,4	€ 165	2.448	1.648	1.327	1.078	1	350	1.886	4X275	4X275	2X275
ESA-135-56	6,56	1,7	€ 194	2.718	1.842	1.531	1.220	1	350	1.719	6X275	6X275	2X275
ESA-135-66	7,92	2,1	€ 210	3.149	2.116	1.599	1.261	1	350	1.421	8X275	8X275	2X275
ESA-230-46	8,80	2,3	€ 243	3.400	2.295	1.891	1.510	2	300	2.309	4X425	4X425	2X425
ESA-230-56	10,93	2,7	€ 262	3.910	2.650	2.169	1.746	2	300	2.145	6X425	6X425	2X425
ESA-230-66	13,20	3,4	€ 292	4.435	3.015	2.426	1.962	2	300	1.804	8X425	8X425	2X425
ESA-235-46	10,56	2,8	€ 271	4.896	3.296	2.654	2.156	2	350	3.771	4X500	4X500	2X500
ESA-235-56	13,12	3,4	€ 294	5.435	3.683	3.061	2.439	2	350	3.437	6X500	6X500	2X500
ESA-235-66	15,84	4,1	€ 328	6.297	4.231	3.198	2.521	2	350	2.841	8X500	8X500	2X500
ESA-330-46	13,20	3,5	€ 324	5.100	3.443	2.837	2.265	3	300	3.464	4X625	4X625	2X625
ESA-330-56	16,40	4,1	€ 348	5.865	3.975	3.254	2.619	3	300	3.218	6X625	6X625	2X625
ESA-330-66	19,80	5,1	€ 394	6.653	4.523	3.639	2.943	3	300	2.706	8X625	8X625	2X625
ESA-335-46	15,84	4,2	€ 369	7.344	4.944	3.981	3.234	3	350	5.657	4X750	4X750	2X750
ESA-335-56	19,68	5,1	€ 398	8.153	5.525	4.592	3.659	3	350	5.156	6X750	6X750	2X750
ESA-335-66	23,76	6,2	€ 451	9.446	6.347	4.797	3.782	3	350	4.262	8X750	8X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
ESA-130-46	70	34	69	30	61	43
ESA-130-56	70	34	76	30	68	43
ESA-130-66	70	34	76	30	68	43
ESA-135-46	78	34	69	30	61	51
ESA-135-56	78	34	76	30	68	51
ESA-135-66	78	34	76	30	68	51
ESA-230-46	110	34	69	30	61	83
ESA-230-56	110	34	76	30	68	83
ESA-230-66	110	34	76	30	68	83
ESA-235-46	126	34	69	30	61	99
ESA-235-56	126	34	76	30	68	99
ESA-235-66	126	34	76	30	68	99
ESA-330-46	150	34	69	30	61	123
ESA-330-56	150	34	76	30	68	123
ESA-330-66	150	34	76	30	68	123
ESA-335-46	174	34	69	30	61	147
ESA-335-56	174	34	76	30	68	147
ESA-335-66	174	34	76	30	68	147



ESA Serisi | ESA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"







Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
ESA-130-48	3,40	1,2	€ 148	1.596	1.067	791	619	1	300	1.122	4X225	4X225	2X225
ESA-130-58	4,22	1,4	€ 168	1.729	1.223	961	766	1	300	1.036	6X225	6X225	2X225
ESA-130-68	5,10	1,7	€ 181	1.978	1.344	1.089	876	1	300	960	8X225	8X225	2X225
ESA-135-48	4,08	1,4	€ 174	2.163	1.456	1.190	965	1	350	1.840	4X275	4X275	2X275
ESA-135-58	5,06	1,6	€ 189	2.479	1.669	1.330	1.077	1	350	1.659	6X275	6X275	2X275
ESA-135-68	6,12	2,1	€ 204	2.807	1.890	1.453	1.165	1	350	1.530	8X275	8X275	2X275
ESA-230-48	6,80	2,3	€ 227	3.192	2.133	1.581	1.237	2	300	2.243	4X425	4X425	2X425
ESA-230-58	8,43	2,7	€ 254	3.458	2.446	1.921	1.532	2	300	2.071	6X425	6X425	2X425
ESA-230-68	10,19	3,4	€ 281	3.956	2.688	2.178	1.751	2	300	1.920	8X425	8X425	2X425
ESA-235-48	8,15	2,8	€ 263	4.326	2.912	2.379	1.930	2	350	3.680	4X500	4X500	2X500
ESA-235-58	10,11	3,2	€ 283	4.957	3.338	2.659	2.153	2	350	3.318	6X500	6X500	2X500
ESA-235-68	12,23	4,1	€ 316	5.614	3.780	2.906	2.329	2	350	3.060	8X500	8X500	2X500
ESA-330-48	10,20	3,5	€ 314	4.788	3.200	2.372	1.856	3	300	3.365	4X625	4X625	2X625
ESA-330-58	12,65	4,1	€ 347	5.187	3.669	2.882	2.298	3	300	3.107	6X625	6X625	2X625
ESA-330-68	15,29	5,1	€ 379	5.934	4.032	3.267	2.627	3	300	2.880	8X625	8X625	2X625
ESA-335-48	12,23	4,2	€ 357	6.489	4.368	3.569	2.895	3	350	5.520	4X750	4X750	2X750
ESA-335-58	15,17	4,8	€ 395	7.436	5.007	3.989	3.230	3	350	4.977	6X750	6X750	2X750
ESA-335-68	18,35	6,2	€ 433	8.421	5.670	4.359	3.494	3	350	4.590	8X750	8X750	2X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
ESA-130-48	70	34	69	30	61	43
ESA-130-58	70	34	76	30	68	43
ESA-130-68	70	34	76	30	68	43
ESA-135-48	78	34	69	30	61	51
ESA-135-58	78	34	76	30	68	51
ESA-135-68	78	34	76	30	68	51
ESA-230-48	110	34	69	30	61	83
ESA-230-58	110	34	76	30	68	83
ESA-230-68	110	34	76	30	68	83
ESA-235-48	126	34	69	30	61	99
ESA-235-58	126	34	76	30	68	99
ESA-235-68	126	34	76	30	68	99
ESA-330-48	150	34	69	30	61	123
ESA-330-58	150	34	76	30	68	123
ESA-330-68	150	34	76	30	68	123
ESA-335-48	174	34	69	30	61	147
ESA-335-58	174	34	76	30	68	147
ESA-335-68	174	34	76	30	68	147



EDB Serisi | EDB Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"






Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EDB-130-44	8,37	1,3	€ 206	2.796	1.895	1.505	1.201	1	300	1.365	8X225	8X225	4X225
EDB-130-54	10,47	1,6	€ 229	3.110	2.129	1.741	1.424	1	300	1.297	12X225	12X225	4X225
EDB-130-64	12,56	1,9	€ 251	3.419	2.309	1.727	1.346	1	300	1.234	12X225	12X225	4X225
EDB-135-44	10,05	1,5	€ 229	4.134	2.760	2.028	1.597	1	350	2.359	8X275	8X275	4X275
EDB-135-54	12,56	1,9	€ 264	4.679	3.165	2.497	1.994	1	350	2.204	12X275	12X275	4X275
EDB-135-64	15,07	2,3	€ 289	5.111	3.454	2.656	2.094	1	350	2.067	12X275	12X275	4X275
EDB-140-44	10,05	1,5	€ 229	4.511	2.997	2.165	1.695	1	400	2.794	8X275	8X275	4X275
EDB-140-54	12,56	1,9	€ 264	5.080	3.424	2.679	2.126	1	400	2.545	12X275	12X275	4X275
EDB-140-64	15,07	2,3	€ 289	5.503	3.706	2.789	2.211	1	400	2.339	12X275	12X275	4X275
EDB-230-44	16,74	2,6	€ 315	5.592	3.790	3.010	2.402	2	300	2.730	8X425	8X425	4X425
EDB-230-54	20,94	3,2	€ 362	6.220	4.258	3.482	2.848	2	300	2.594	12X425	12X425	4X425
EDB-230-64	25,12	3,8	€ 398	6.838	4.618	3.454	2.692	2	300	2.468	12X425	12X425	4X425
EDB-235-44	20,10	3,0	€ 353	8.268	5.520	4.056	3.194	2	350	4.718	8X500	8X500	4X500
EDB-235-54	25,12	3,8	€ 407	9.358	6.330	4.994	3.988	2	350	4.408	12X500	12X500	4X500
EDB-235-64	30,14	4,6	€ 453	10.222	6.908	5.312	4.188	2	350	4.134	12X500	12X500	4X500
EDB-240-44	20,10	3,0	€ 353	9.022	5.994	4.330	3.390	2	400	5.588	8X500	8X500	4X500
EDB-240-54	25,12	3,8	€ 407	10.160	6.848	5.358	4.252	2	400	5.090	12X500	12X500	4X500
EDB-240-64	30,14	4,6	€ 453	11.006	7.412	5.578	4.422	2	400	4.678	12X500	12X500	4X500
EDB-330-44	25,11	3,9	€ 412	8.388	5.685	4.515	3.603	3	300	4.095	8X625	8X625	4X625
EDB-330-54	31,41	4,8	€ 470	9.330	6.387	5.223	4.272	3	300	3.891	12X625	12X625	4X625
EDB-330-64	37,68	5,7	€ 526	10.257	6.927	5.181	4.038	3	300	3.702	12X625	12X625	4X625
EDB-335-44	30,15	4,5	€ 455	12.402	8.280	6.084	4.791	3	350	7.077	8X750	8X750	4X750
EDB-335-54	37,68	5,7	€ 530	14.037	9.495	7.491	5.982	3	350	6.612	12X750	12X750	4X750
EDB-335-64	45,21	6,9	€ 596	15.333	10.362	7.968	6.282	3	350	6.201	12X750	12X750	4X750
EDB-340-44	30,15	4,5	€ 463	13.533	8.991	6.495	5.085	3	400	8.382	8X750	8X750	4X750
EDB-340-54	37,68	5,7	€ 538	15.240	10.272	8.037	6.378	3	400	7.635	12X750	12X750	4X750
EDB-340-64	45,21	6,9	€ 604	16.509	11.118	8.367	6.633	3	400	7.017	12X750	12X750	4X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EDB-130-44	74	38	100	28	92	43
EDB-130-54	74	38	110	28	102	43
EDB-130-64	74	38	110	28	102	43
EDB-135-44	78	38	100	28	92	51
EDB-135-54	78	38	110	28	102	51
EDB-135-64	78	38	110	28	102	51
EDB-140-44	78	38	100	28	92	51
EDB-140-54	78	38	110	28	102	51
EDB-140-64	78	38	110	28	102	51
EDB-230-44	114	38	100	28	92	83
EDB-230-54	114	38	110	28	102	83
EDB-230-64	114	38	110	28	102	83
EDB-235-44	130	38	100	28	92	99
EDB-235-54	130	38	110	28	102	99
EDB-235-64	130	38	110	28	102	99
EDB-240-44	130	38	100	28	92	99
EDB-240-54	130	38	110	28	102	99
EDB-240-64	130	38	110	28	102	99
EDB-330-44	154	38	100	28	92	123
EDB-330-54	154	38	110	28	102	123
EDB-330-64	154	38	110	28	102	123
EDB-335-44	178	38	100	28	92	147
EDB-335-54	178	38	110	28	102	147
EDB-335-64	178	38	110	28	102	147
EDB-340-44	178	38	100	28	92	147
EDB-340-54	178	38	110	28	102	147
EDB-340-64	178	38	110	28	102	147



EDB Serisi | EDB Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"







Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	W	W	W	pcs	mm	m³/h	Batarya Coil	Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EDB-130-46	5,78	1,3	€ 197	2.247	1.524	1.222	989	1	300	1.434	8X225	8X225	4X225
EDB-130-56	7,23	1,6	€ 217	2.545	1.735	1.427	1.149	1	300	1.371	12X225	12X225	4X225
EDB-130-66	8,67	1,9	€ 236	2.927	1.978	1.511	1.182	1	300	1.313	12X225	12X225	4X225
EDB-135-46	6,94	1,5	€ 217	3.349	2.245	1.725	1.359	1	350	2.500	8X275	8X275	4X275
EDB-135-56	8,67	1,9	€ 250	3.843	2.602	2.081	1.669	1	350	2.364	12X275	12X275	4X275
EDB-135-66	10,41	2,3	€ 272	4.328	2.924	2.289	1.812	1	350	2.239	12X275	12X275	4X275
EDB-140-46	6,94	1,5	€ 217	3.665	2.447	1.838	1.454	1	400	2.984	8X275	8X275	4X275
EDB-140-56	8,67	1,9	€ 250	4.220	2.843	2.262	1.803	1	400	2.804	12X275	12X275	4X275
EDB-140-66	10,41	2,3	€ 272	4.723	3.180	2.465	1.952	1	400	2.611	12X275	12X275	4X275
EDB-230-46	11,56	2,6	€ 299	4.494	3.048	2.444	1.978	2	300	2.868	8X425	8X425	4X425
EDB-230-56	14,46	3,2	€ 334	5.090	3.470	2.854	2.298	2	300	2.742	12X425	12X425	4X425
EDB-230-66	17,34	3,8	€ 368	5.854	3.956	3.022	2.364	2	300	2.626	12X425	12X425	4X425
EDB-235-46	13,88	3,0	€ 329	6.698	4.490	3.450	2.718	2	350	5.000	8X500	8X500	4X500
EDB-235-56	17,34	3,8	€ 376	7.686	5.204	4.162	3.338	2	350	4.728	12X500	12X500	4X500
EDB-235-66	20,82	4,6	€ 417	8.656	5.848	4.578	3.624	2	350	4.478	12X500	12X500	4X500
EDB-240-46	13,88	3,0	€ 329	7.330	4.894	3.676	2.908	2	400	5.968	8X500	8X500	4X500
EDB-240-56	17,34	3,8	€ 376	8.440	5.686	4.524	3.606	2	400	5.608	12X500	12X500	4X500
EDB-240-66	20,82	4,6	€ 417	9.446	6.360	4.930	3.904	2	400	5.222	12X500	12X500	4X500
EDB-330-46	17,34	3,9	€ 383	6.741	4.572	3.666	2.967	3	300	4.302	8X625	8X625	4X625
EDB-330-56	21,69	4,8	€ 440	7.635	5.205	4.281	3.447	3	300	4.113	12X625	12X625	4X625
EDB-330-66	26,01	5,7	€ 482	8.781	5.934	4.533	3.546	3	300	3.939	12X625	12X625	4X625
EDB-335-46	20,82	4,5	€ 420	10.047	6.735	5.175	4.077	3	350	7.500	8X750	8X750	4X750
EDB-335-56	26,01	5,7	€ 485	11.529	7.806	6.243	5.007	3	350	7.092	12X750	12X750	4X750
EDB-335-66	31,23	6,9	€ 543	12.984	8.772	6.867	5.436	3	350	6.717	12X750	12X750	4X750
EDB-340-46	20,82	4,5	€ 428	10.995	7.341	5.514	4.362	3	400	8.952	8X750	8X750	4X750
EDB-340-56	26,01	5,7	€ 493	12.660	8.529	6.786	5.409	3	400	8.412	12X750	12X750	4X750
EDB-340-66	31,23	6,9	€ 551	14.169	9.540	7.395	5.856	3	400	7.833	12X750	12X750	4X750



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EDB-130-46	74	38	100	28	92	43
EDB-130-56	74	38	110	28	102	43
EDB-130-66	74	38	110	28	102	43
EDB-135-46	78	38	100	28	92	51
EDB-135-56	78	38	110	28	102	51
EDB-135-66	78	38	110	28	102	51
EDB-140-46	78	38	100	28	92	51
EDB-140-56	78	38	110	28	102	51
EDB-140-66	78	38	110	28	102	51
EDB-230-46	114	38	100	28	92	83
EDB-230-56	114	38	110	28	102	83
EDB-230-66	114	38	110	28	102	83
EDB-235-46	130	38	100	28	92	99
EDB-235-56	130	38	110	28	102	99
EDB-235-66	130	38	110	28	102	99
EDB-240-46	130	38	100	28	92	99
EDB-240-56	130	38	110	28	102	99
EDB-240-66	130	38	110	28	102	99
EDB-330-46	154	38	100	28	92	123
EDB-330-56	154	38	110	28	102	123
EDB-330-66	154	38	110	28	102	123
EDB-335-46	178	38	100	28	92	147
EDB-335-56	178	38	110	28	102	147
EDB-335-66	178	38	110	28	102	147
EDB-340-46	178	38	100	28	92	147
EDB-340-56	178	38	110	28	102	147
EDB-340-66	178	38	110	28	102	147



EDA Serisi | EDA Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"





Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EDA-130-34	9,60	1,7	€ 244	3030	2046	1576	1.254	1	300	1.455	8X225	8X225	4X225
EDA-130-44	12,80	2,3	€ 275	3450	2366	1959	1.580	1	300	1.378	8X225	8X225	4X225
EDA-130-54	15,94	2,7	€ 306	3826	2629	2170	1.765	1	300	1.312	12X225	12X225	4X225
EDA-130-64	19,21	3,4	€ 337	4173	2872	2329	1.895	1	300	1.252	12X225	12X225	4X225
EDA-135-34	11,52	2,1	€ 258	4456	2946	2073	1.588	1	350	2.595	8X275	8X275	4X275
EDA-135-44	15,36	2,8	€ 294	5141	3480	2792	2.272	1	350	2.558	8X275	8X275	4X275
EDA-135-54	19,21	3,4	€ 331	5699	3895	3232	2.622	1	350	2.428	12X275	12X275	4X275
EDA-135-64	23,05	4,1	€ 367	6316	4315	3538	2.892	1	350	2.309	12X275	12X275	4X275
EDA-140-34	11,52	2,1	€ 265	4424	2987	2481	2.034	1	400	3.073	8X275	8X275	4X275
EDA-140-44	15,36	2,8	€ 301	5656	3817	3034	1.230	1	400	3.053	8X275	8X275	4X275
EDA-140-54	19,21	3,4	€ 337	6289	4281	3542	2.901	1	400	2.880	12X275	12X275	4X275
EDA-140-64	23,05	4,1	€ 373	6959	4740	3845	3.143	1	400	2.703	12X275	12X275	4X275
EDA-145-64	40,33	7,2	€ 540	11699	7927	6168	4.929	1	450	4.305	12X325	12X325	4X325
EDA-150-64	40,33	7,2	€ 542	14258	9580	7234	5.694	1	500	6.023	12X325	12X325	4X325
EDA-230-34	19,20	3,4	€ 341	6060	4092	3152	2.508	2	300	2.910	8X425	8X425	4X425
EDA-230-44	25,60	4,6	€ 406	6900	4732	3918	3.160	2	300	2.756	8X425	8X425	4X425
EDA-230-54	31,88	5,4	€ 462	7652	5258	4340	3.530	2	300	2.624	12X425	12X425	4X425
EDA-230-64	38,42	6,8	€ 517	8346	5744	4658	3.790	2	300	2.504	12X425	12X425	4X425
EDA-235-34	23,04	4,2	€ 371	8912	5892	4146	3.176	2	350	5.190	8X500	8X500	4X500
EDA-235-44	30,72	5,6	€ 446	10282	6960	5584	4.544	2	350	5.116	8X500	8X500	4X500
EDA-235-54	38,42	6,8	€ 525	11398	7790	6464	5.244	2	350	4.856	12X500	12X500	4X500
EDA-235-64	46,10	8,2	€ 590	12632	8630	7076	5.784	2	350	4.618	12X500	12X500	4X500
EDA-240-34	23,04	4,2	€ 388	8848	5974	4962	4.068	2	400	6.146	8X500	8X500	4X500
EDA-240-44	30,72	5,6	€ 453	11312	7634	6068	2.460	2	400	6.106	8X500	8X500	4X500
EDA-240-54	38,42	6,8	€ 534	12578	8562	7084	5.802	2	400	5.760	12X500	12X500	4X500
EDA-240-64	46,10	8,2	€ 599	13918	9480	7690	6.286	2	400	5.406	12X500	12X500	4X500
EDA-245-64	80,66	14,4	€ 884	23398	15854	12336	9.858	2	450	8.610	12X650	12X650	4X650
EDA-250-64	80,66	14,4	€ 908	28516	19160	14468	11.388	2	500	12.046	12X650	12X650	4X650



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EDA-130-34	74	43	100	33	92	43
EDA-130-44	74	43	100	33	92	43
EDA-130-54	74	43	110	33	102	43
EDA-130-64	74	43	110	33	102	43
EDA-135-34	82	43	100	33	92	51
EDA-135-44	82	43	100	33	92	51
EDA-135-54	82	43	110	33	102	51
EDA-135-64	82	43	110	33	102	51
EDA-140-34	82	43	100	33	92	51
EDA-140-44	82	43	100	33	92	51
EDA-140-54	82	43	110	33	102	51
EDA-140-64	82	43	110	33	102	51
EDA-145-64	96	51	126	41	118	66
EDA-150-64	96	51	126	41	118	66
EDA-230-34	114	43	100	33	92	83
EDA-230-44	114	43	100	33	92	83
EDA-230-54	114	43	110	33	102	83
EDA-230-64	114	43	110	33	102	83
EDA-235-34	130	43	100	33	92	99
EDA-235-44	130	43	100	33	92	99
EDA-235-54	130	43	110	33	102	99
EDA-235-64	130	43	110	33	102	99
EDA-240-34	130	43	100	33	92	99
EDA-240-44	130	43	100	33	92	99
EDA-240-54	130	43	110	33	102	99
EDA-240-64	130	43	110	33	102	99
EDA-245-64	160	51	126	41	118	129
EDA-250-64	160	51	126	41	118	129



EDA Serisi | EDA Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"


Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EDA-330-34	28,80	5,1	€ 501	9090	6138	4728	3762	3	300	4.365	8X625	8X625	4X625
EDA-330-44	38,40	6,9	€ 581	10350	7098	5877	4740	3	300	4.134	8X625	8X625	4X625
EDA-330-54	47,82	8,1	€ 661	11478	7887	6510	5295	3	300	3.936	12X625	12X625	4X625
EDA-330-64	57,63	10,2	€ 740	12519	8616	6987	5685	3	300	3.756	12X625	12X625	4X625
EDA-335-34	34,56	6,3	€ 546	13368	8838	6219	4764	3	350	7.785	8X750	8X750	4X750
EDA-335-44	46,08	8,4	€ 640	15423	10440	8376	6816	3	350	7.674	8X750	8X750	4X750
EDA-335-54	57,63	10,2	€ 735	17097	11685	9696	7866	3	350	7.284	12X750	12X750	4X750
EDA-335-64	69,15	12,3	€ 829	18948	12945	10614	8676	3	350	6.927	12X750	12X750	4X750
EDA-340-34	34,56	6,3	€ 546	13272	8961	7443	6102	3	400	9.219	8X750	8X750	4X750
EDA-340-44	46,08	8,4	€ 640	16968	11451	9102	3690	3	400	9.159	8X750	8X750	4X750
EDA-340-54	57,63	10,2	€ 735	18867	12843	10626	8703	3	400	8.640	12X750	12X750	4X750
EDA-340-64	69,15	12,3	€ 829	20877	14220	11535	9429	3	400	8.109	12X750	12X750	4X750
EDA-345-64	120,99	21,6	€ 1.267	35097	23781	18504	14787	3	450	12.915	12X975	12X975	4X975
EDA-350-64	120,99	21,6	€ 1.283	42774	28740	21702	17082	3	500	18.069	12X975	12X975	4X975
EDA-430-34	38,40	6,8	€ 596	12120	8184	6304	5016	4	300	5.820	8X825	8X825	4X825
EDA-430-44	51,20	9,2	€ 699	13800	9464	7836	6320	4	300	5.512	8X825	8X825	4X825
EDA-430-54	63,76	10,8	€ 804	15304	10516	8680	7060	4	300	5.248	12X825	12X825	4X825
EDA-430-64	76,84	13,6	€ 908	16692	11488	9316	7580	4	300	5.008	12X825	12X825	4X825
EDA-435-34	46,08	8,4	€ 655	17824	11784	8292	6352	4	350	10.380	8X975	8X975	4X975
EDA-435-44	61,44	11,2	€ 778	20564	13920	11168	9088	4	350	10.232	8X975	8X975	4X975
EDA-435-54	76,84	13,6	€ 902	22796	15580	12928	10488	4	350	9.712	12X975	12X975	4X975
EDA-435-64	92,20	16,4	€ 1.026	25264	17260	14152	11568	4	350	9.236	12X975	12X975	4X975
EDA-440-34	46,08	8,4	€ 655	17696	11948	9924	8136	4	400	12.292	8X975	8X975	4X975
EDA-440-44	61,44	11,2	€ 778	22624	15268	12136	4920	4	400	12.212	8X975	8X975	4X975
EDA-440-54	76,84	13,6	€ 902	25156	17124	14168	11604	4	400	11.520	12X975	12X975	4X975
EDA-440-64	92,20	16,4	€ 1.026	27836	18960	15380	12572	4	400	10.812	12X975	12X975	4X975
EDA-445-64	161,32	28,8	€ 1.597	46796	31708	24672	19716	4	450	17.220	12X1275	12X1275	4X1275
EDA-450-64	161,32	28,8	€ 1.612	57032	38320	28936	22776	4	500	24.092	12X1275	12X1275	4X1275



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EDA-330-34	154	43	100	33	92	123
EDA-330-44	154	43	100	33	92	123
EDA-330-54	154	43	110	33	102	123
EDA-330-64	154	43	110	33	102	123
EDA-335-34	178	43	100	33	92	147
EDA-335-44	178	43	100	33	92	147
EDA-335-54	178	43	110	33	102	147
EDA-335-64	178	43	110	33	102	147
EDA-340-34	178	43	100	33	92	147
EDA-340-44	178	43	100	33	92	147
EDA-340-54	178	43	110	33	102	147
EDA-340-64	178	43	110	33	102	147
EDA-345-64	223	51	126	41	118	192
EDA-350-64	223	51	126	41	118	192
EDA-430-34	194	43	100	33	92	163
EDA-430-44	194	43	100	33	92	163
EDA-430-54	194	43	110	33	102	163
EDA-430-64	194	43	110	33	102	163
EDA-435-34	226	43	100	33	92	195
EDA-435-44	226	43	100	33	92	195
EDA-435-54	226	43	110	33	102	195
EDA-435-64	226	43	110	33	102	195
EDA-440-34	226	43	100	33	92	195
EDA-440-44	226	43	100	33	92	195
EDA-440-54	226	43	110	33	102	195
EDA-440-64	226	43	110	33	102	195
EDA-445-64	286	51	126	41	118	255
EDA-450-64	286	51	126	41	118	255



EDA Serisi | EDA Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"





Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EDA-130-36	6,60	1,7	€ 233	2438	1647	1301	1.052	1	300	1.512	8X225	8X225	4X225
EDA-130-46	8,80	2,3	€ 261	2966	1997	1500	1.194	1	300	1.442	8X225	8X225	4X225
EDA-130-56	10,93	2,7	€ 289	3229	2185	1798	1.452	1	300	1.382	12X225	12X225	4X225
EDA-130-66	13,20	3,4	€ 317	3647	2501	2041	1.636	1	300	1.327	12X225	12X225	4X225
EDA-135-36	7,84	1,8	€ 246	3194	2099	1757	1.399	1	350	2.705	8X275	8X275	4X275
EDA-135-46	10,56	2,8	€ 278	4131	2725	1875	1.427	1	350	2.677	8X275	8X275	4X275
EDA-135-56	13,12	3,2	€ 310	4778	3227	2569	2.082	1	350	2.570	12X275	12X275	4X275
EDA-135-66	15,84	4,1	€ 342	5469	3691	2847	2.287	1	350	2.458	12X275	12X275	4X275
EDA-140-36	7,84	1,8	€ 253	3471	2337	1947	1.537	1	400	3.244	8X275	8X275	4X275
EDA-140-46	10,56	2,8	€ 284	4533	3057	2476	2.017	1	400	3.227	8X275	8X275	4X275
EDA-140-56	13,12	3,2	€ 317	5238	3541	2791	2.252	1	400	3.060	12X275	12X275	4X275
EDA-140-66	15,84	4,1	€ 348	5859	3977	3269	2.640	1	400	2.921	12X275	12X275	4X275
EDA-145-66	27,72	7,2	€ 496	9845	6603	4897	3.836	1	450	4.519	12X325	12X325	4X325
EDA-150-66	27,72	7,2	€ 499	11961	7940	5660	4.341	1	500	6.520	12X325	12X325	4X325
EDA-230-36	13,20	3,4	€ 327	4876	3294	2602	2.104	2	300	3.024	8X425	8X425	4X425
EDA-230-46	17,60	4,6	€ 379	5932	3994	3000	2.388	2	300	2.884	8X425	8X425	4X425
EDA-230-56	21,86	5,4	€ 428	6458	4370	3596	2.904	2	300	2.764	12X425	12X425	4X425
EDA-230-66	26,40	6,8	€ 476	7294	5002	4082	3.272	2	300	2.654	12X425	12X425	4X425
EDA-235-36	15,68	3,6	€ 356	6388	4198	3514	2.798	2	350	5.410	8X500	8X500	4X500
EDA-235-46	21,12	5,6	€ 413	8262	5450	3750	2.854	2	350	5.354	8X500	8X500	4X500
EDA-235-56	26,24	6,4	€ 470	9556	6454	5138	4.164	2	350	5.140	12X500	12X500	4X500
EDA-235-66	31,68	8,2	€ 531	10938	7382	5694	4.574	2	350	4.916	12X500	12X500	4X500
EDA-240-36	15,68	3,6	€ 364	6942	4674	3894	3.074	2	400	6.488	8X500	8X500	4X500
EDA-240-46	21,12	5,6	€ 420	9066	6114	4952	4.034	2	400	6.454	8X500	8X500	4X500
EDA-240-56	26,24	6,4	€ 478	10476	7082	5582	4.504	2	400	6.120	12X500	12X500	4X500
EDA-240-66	31,68	8,2	€ 535	11718	7954	6538	5.280	2	400	5.842	12X500	12X500	4X500
EDA-245-66	55,44	14,4	€ 798	19690	13206	9794	7.672	2	450	9.038	12X650	12X650	4X650
EDA-250-66	55,44	14,4	€ 821	23922	15880	11320	8.682	2	500	13.040	12X650	12X650	4X650



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EDA-130-36	74	43	100	33	92	43
EDA-130-46	74	43	100	33	92	43
EDA-130-56	74	43	110	33	102	43
EDA-130-66	74	43	110	33	102	43
EDA-135-36	82	43	100	33	92	51
EDA-135-46	82	43	100	33	92	51
EDA-135-56	82	43	110	33	102	51
EDA-135-66	82	43	110	33	102	51
EDA-140-36	82	43	100	33	92	51
EDA-140-46	82	43	100	33	92	51
EDA-140-56	82	43	110	33	102	51
EDA-140-66	82	43	110	33	102	51
EDA-145-66	96	51	126	41	118	66
EDA-150-66	96	51	126	41	118	66
EDA-230-36	114	43	100	33	92	83
EDA-230-46	114	43	100	33	92	83
EDA-230-56	114	43	110	33	102	83
EDA-230-66	114	43	110	33	102	83
EDA-235-36	130	43	100	33	92	99
EDA-235-46	130	43	100	33	92	99
EDA-235-56	130	43	110	33	102	99
EDA-235-66	130	43	110	33	102	99
EDA-240-36	130	43	100	33	92	99
EDA-240-46	130	43	100	33	92	99
EDA-240-56	130	43	110	33	102	99
EDA-240-66	130	43	110	33	102	99
EDA-245-66	160	51	126	41	118	129
EDA-250-66	160	51	126	41	118	129



EDA Serisi | EDA Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"


Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EDA-330-36	19,80	5,1	€ 464	7314	4941	3903	3.156	3	350	4.536	8X625	8X625	4X625
EDA-330-46	26,40	6,9	€ 533	8898	5991	4500	3.582	3	350	4.326	8X625	8X625	4X625
EDA-330-56	32,79	8,1	€ 603	9687	6555	5394	4.356	3	350	4.146	12X625	12X625	4X625
EDA-330-66	39,60	10,2	€ 672	10941	7503	6123	4.908	3	350	3.981	12X625	12X625	4X625
EDA-335-36	23,52	5,4	€ 502	9582	6297	5271	4.197	3	350	8.115	8X750	8X750	4X750
EDA-335-46	31,68	8,4	€ 584	12393	8175	5625	4.281	3	350	8.031	8X750	8X750	4X750
EDA-335-56	39,36	9,6	€ 667	14334	9681	7707	6.246	3	350	7.710	12X750	12X750	4X750
EDA-335-66	47,52	12,3	€ 748	16407	11073	8541	6.861	3	350	7.374	12X750	12X750	4X750
EDA-340-36	23,52	5,4	€ 509	10413	7011	5841	4.611	3	400	9.732	8X750	8X750	4X750
EDA-340-46	31,68	8,4	€ 590	13599	9171	7428	6.051	3	400	9.681	8X750	8X750	4X750
EDA-340-56	39,36	9,6	€ 673	15714	10623	8373	6.756	3	400	9.180	12X750	12X750	4X750
EDA-340-66	47,52	12,3	€ 755	17577	11931	9807	7.920	3	400	8.763	12X750	12X750	4X750
EDA-345-66	83,16	21,6	€ 1.138	29535	19809	14691	11.508	3	450	13.557	12X975	12X975	4X975
EDA-350-66	83,16	21,6	€ 1.157	35883	23820	16980	13.023	3	500	19.560	12X975	12X975	4X975
EDA-430-36	26,40	6,8	€ 548	9752	6588	5204	4.208	4	300	6.048	8X825	8X825	4X825
EDA-430-46	35,20	9,2	€ 638	11864	7988	6000	4.776	4	300	6.048	8X825	8X825	4X825
EDA-430-56	43,72	10,8	€ 729	12916	8740	7192	5.808	4	300	5.768	12X825	12X825	4X825
EDA-430-66	52,80	13,6	€ 819	14588	10004	8164	6.544	4	300	5.528	12X825	12X825	4X825
EDA-435-36	31,36	7,2	€ 599	12776	8396	7028	5.596	4	350	5.528	8X975	8X975	4X975
EDA-435-46	42,24	11,2	€ 706	16524	10900	7500	5.708	4	350	5.308	8X975	8X975	4X975
EDA-435-56	52,48	12,8	€ 814	19112	12908	10276	8.328	4	350	10.820	12X975	12X975	4X975
EDA-435-66	63,36	16,4	€ 920	21876	14764	11388	9.148	4	350	10.280	12X975	12X975	4X975
EDA-440-36	31,36	7,2	€ 606	13884	9348	7788	6.148	4	400	10.280	8X975	8X975	4X975
EDA-440-46	42,24	11,2	€ 712	18132	12228	9904	8.068	4	400	9.832	8X975	8X975	4X975
EDA-440-56	52,48	12,8	€ 820	20952	14164	11164	9.008	4	400	12.908	12X975	12X975	4X975
EDA-440-66	63,36	16,4	€ 927	23436	15908	13076	10.560	4	400	12.240	12X975	12X975	4X975
EDA-445-66	110,88	28,8	€ 1.424	39380	26412	19588	15.344	4	450	11.684	12X1275	12X1275	4X1275
EDA-450-66	110,88	28,8	€ 1.443	47844	31760	22640	17.364	4	500	18.076	12X1275	12X1275	4X1275



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EDA-330-36	154	43	100	33	92	123
EDA-330-46	154	43	100	33	92	123
EDA-330-56	154	43	110	33	102	123
EDA-330-66	154	43	110	33	102	123
EDA-335-36	178	43	100	33	92	147
EDA-335-46	178	43	100	33	92	147
EDA-335-56	178	43	110	33	102	147
EDA-335-66	178	43	110	33	102	147
EDA-340-36	178	43	100	33	92	147
EDA-340-46	178	43	100	33	92	147
EDA-340-56	178	43	110	33	102	147
EDA-340-66	178	43	110	33	102	147
EDA-345-66	223	51	126	41	118	192
EDA-350-66	223	51	126	41	118	192
EDA-430-36	194	43	100	33	92	163
EDA-430-46	194	43	100	33	92	163
EDA-430-56	194	43	110	33	102	163
EDA-430-66	194	43	110	33	102	163
EDA-435-36	226	43	100	33	92	195
EDA-435-46	226	43	100	33	92	195
EDA-435-56	226	43	110	33	102	195
EDA-435-66	226	43	110	33	102	195
EDA-440-36	226	43	100	33	92	195
EDA-440-46	226	43	100	33	92	195
EDA-440-56	226	43	110	33	102	195
EDA-440-66	226	43	110	33	102	195
EDA-445-66	286	51	126	41	118	255
EDA-450-66	286	51	126	41	118	255



EDA Serisi | EDA Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"





Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EDA-130-38	5,10	1,7	€ 228	2.056	1.390	1.118	899	1	300	1.543	8X225	8X225	4X225
EDA-130-48	6,80	2,2	€ 254	2.566	1.731	1.328	1.064	1	300	1.481	8X225	8X225	4X225
EDA-130-58	8,43	2,7	€ 280	2.798	1.840	1.451	1.235	1	300	1.424	12X225	12X225	4X225
EDA-130-68	10,19	3,2	€ 306	3.236	2.194	1.783	1.437	1	300	1.375	12X225	12X225	4X225
EDA-135-38	6,11	2,1	€ 270	3.067	2.049	1.552	1.220	1	350	2.773	8X275	8X275	4X275
EDA-135-48	8,15	2,8	€ 270	3.570	2.370	1.912	1.303	1	350	2.747	8X275	8X275	4X275
EDA-135-58	10,11	3,2	€ 300	4.090	2.762	2.236	1.797	1	350	2.643	12X275	12X275	4X275
EDA-135-68	12,23	4,1	€ 330	4.772	3.223	2.527	2.039	1	350	2.548	12X275	12X275	4X275
EDA-140-38	6,11	2,1	€ 276	3.351	2.232	1.666	1.305	1	400	3.351	8X275	8X275	4X275
EDA-140-48	8,15	2,8	€ 276	3.827	2.581	2.117	1.694	1	400	3.338	8X275	8X275	4X275
EDA-140-58	10,11	3,2	€ 306	4.505	3.034	2.441	1.968	1	400	3.174	12X275	12X275	4X275
EDA-140-68	12,23	4,1	€ 336	5.260	3.542	2.743	2.204	1	400	3.041	12X275	12X275	4X275
EDA-145-68	21,41	7,2	€ 475	8.586	5.774	4.378	3.495	1	450	4.646	12X325	12X325	4X325
EDA-150-68	21,41	7,2	€ 477	10.500	6.998	5.126	3.992	1	500	6.828	12X325	12X325	4X325
EDA-230-38	10,19	3,4	€ 310	4.112	2.780	2.236	1.798	2	300	3.086	8X425	8X425	4X425
EDA-230-48	13,60	4,4	€ 355	5.132	3.462	2.656	2.128	2	300	2.962	8X425	8X425	4X425
EDA-230-58	16,86	5,4	€ 411	5.596	3.680	2.902	2.470	2	300	2.848	12X425	12X425	4X425
EDA-230-68	20,38	6,4	€ 456	6.472	4.388	3.566	2.874	2	300	2.750	12X425	12X425	4X425
EDA-235-38	12,22	4,2	€ 396	6.134	4.098	3.104	2.440	2	350	5.546	8X500	8X500	4X500
EDA-235-48	16,30	5,6	€ 396	7.140	4.740	3.824	2.606	2	350	5.494	8X500	8X500	4X500
EDA-235-58	20,22	6,4	€ 450	8.180	5.524	4.472	3.594	2	350	5.286	12X500	12X500	4X500
EDA-235-68	24,46	8,2	€ 502	9.544	6.446	5.054	4.078	2	350	5.096	12X500	12X500	4X500
EDA-240-38	12,22	4,2	€ 404	6.702	4.464	3.332	2.610	2	400	6.702	8X500	8X500	4X500
EDA-240-48	16,30	5,6	€ 404	7.654	5.162	4.234	3.388	2	400	6.676	8X500	8X500	4X500
EDA-240-58	20,22	6,4	€ 457	9.010	6.068	4.882	3.936	2	400	6.348	12X500	12X500	4X500
EDA-240-68	24,46	8,2	€ 510	10.520	7.084	5.486	4.408	2	400	6.082	12X500	12X500	4X500
EDA-245-68	42,82	14,4	€ 755	17.172	11.548	8.756	6.990	2	450	9.292	12X650	12X650	4X650
EDA-250-68	42,82	14,4	€ 778	21.000	13.996	10.252	7.984	2	500	13.656	12X650	12X650	4X650



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EDA-130-38	74	43	100	33	92	43
EDA-130-48	74	43	100	33	92	43
EDA-130-58	74	43	110	33	102	43
EDA-130-68	74	43	110	33	102	43
EDA-135-38	82	43	100	33	92	51
EDA-135-48	82	43	100	33	92	51
EDA-135-58	82	43	110	33	102	51
EDA-135-68	82	43	110	33	102	51
EDA-140-38	82	43	100	33	92	51
EDA-140-48	82	43	100	33	92	51
EDA-140-58	82	43	110	33	102	51
EDA-140-68	82	43	110	33	102	51
EDA-145-68	96	51	126	41	118	66
EDA-150-68	96	51	126	41	118	66
EDA-230-38	114	43	100	33	92	83
EDA-230-48	114	43	100	33	92	83
EDA-230-58	114	43	110	33	102	83
EDA-230-68	114	43	110	33	102	83
EDA-235-38	130	43	100	33	92	99
EDA-235-48	130	43	100	33	92	99
EDA-235-58	130	43	110	33	102	99
EDA-235-68	130	43	110	33	102	99
EDA-240-38	130	43	100	33	92	99
EDA-240-48	130	43	100	33	92	99
EDA-240-58	130	43	110	33	102	99
EDA-240-68	130	43	110	33	102	99
EDA-245-68	160	51	126	41	118	129
EDA-250-68	160	51	126	41	118	129



EDA Serisi | EDA Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"



Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm			Defrost Isıtıcılar Electric Defrost		
				SC1 10°C/0°C	SC2 0°C/- 8°C	SC3 - 18°C/- 25°C	SC4 - 25°C/- 31°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2 Batarya Coil	Tava D.Tray
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h	nXW	nXW	nXW
EDA-330-38	15,29	5,1	€ 448	6.168	4.170	3.354	2.697	3	300	4.629	8X625	8X625	4X625
EDA-330-48	20,40	6,6	€ 513	7.698	5.193	3.984	3.192	3	300	4.443	8X625	8X625	4X625
EDA-330-58	25,29	8,1	€ 577	8.394	5.520	4.353	3.705	3	300	4.272	12X625	12X625	4X625
EDA-330-68	30,57	9,6	€ 641	9.708	6.582	5.349	4.311	3	300	4.125	12X625	12X625	4X625
EDA-335-38	18,33	6,3	€ 559	9.201	6.147	4.656	3.660	3	350	8.319	8X750	8X750	4X750
EDA-335-48	24,45	8,4	€ 559	10.710	7.110	5.736	3.909	3	350	8.241	8X750	8X750	4X750
EDA-335-58	30,33	9,6	€ 636	12.270	8.286	6.708	5.391	3	350	7.929	12X750	12X750	4X750
EDA-335-68	36,69	12,3	€ 711	14.316	9.669	7.581	6.117	3	350	7.644	12X750	12X750	4X750
EDA-340-38	18,33	6,3	€ 566	10.053	6.696	4.998	3.915	3	400	10.053	8X750	8X750	4X750
EDA-340-48	24,45	8,4	€ 566	11.481	7.743	6.351	5.082	3	400	10.014	8X750	8X750	4X750
EDA-340-58	30,33	9,6	€ 642	13.515	9.102	7.323	5.904	3	400	9.522	12X750	12X750	4X750
EDA-340-68	36,69	12,3	€ 718	15.780	10.626	8.229	6.612	3	400	9.123	12X750	12X750	4X750
EDA-345-68	64,23	21,6	€ 1.073	25.758	17.322	13.134	10.485	3	450	13.938	12X975	12X975	4X975
EDA-350-68	64,23	21,6	€ 1.092	31.500	20.994	15.378	11.976	3	500	20.484	12X975	12X975	4X975
EDA-430-38	20,39	6,8	€ 528	8.224	5.560	4.472	3.596	4	300	6.172	8X825	8X825	4X825
EDA-430-48	27,20	8,8	€ 611	10.264	6.924	5.312	4.256	4	300	5.924	8X825	8X825	4X825
EDA-430-58	33,72	10,8	€ 695	11.192	7.360	5.804	4.940	4	300	5.696	12X825	12X825	4X825
EDA-430-68	40,76	12,8	€ 778	12.944	8.776	7.132	5.748	4	300	5.500	12X825	12X825	4X825
EDA-435-38	24,44	8,4	€ 673	12.268	8.196	6.208	4.880	4	350	11.092	8X975	8X975	4X975
EDA-435-48	32,60	11,2	€ 673	14.280	9.480	7.648	5.212	4	350	10.988	8X975	8X975	4X975
EDA-435-58	40,44	12,8	€ 773	16.360	11.048	8.944	7.188	4	350	10.572	12X975	12X975	4X975
EDA-435-68	48,92	16,4	€ 871	19.088	12.892	10.108	8.156	4	350	10.192	12X975	12X975	4X975
EDA-440-38	24,44	8,4	€ 680	13.404	8.928	6.664	5.220	4	400	13.404	8X975	8X975	4X975
EDA-440-48	32,60	11,2	€ 680	15.308	10.324	8.468	6.776	4	400	13.352	8X975	8X975	4X975
EDA-440-58	40,44	12,8	€ 779	18.020	12.136	9.764	7.872	4	400	12.696	12X975	12X975	4X975
EDA-440-68	48,92	16,4	€ 877	21.040	14.168	10.972	8.816	4	400	12.164	12X975	12X975	4X975
EDA-445-68	85,64	28,8	€ 1.337	34.344	23.096	17.512	13.980	4	450	18.584	12X1275	12X1275	4X1275
EDA-450-68	85,64	28,8	€ 1.357	42.000	27.992	20.504	15.968	4	500	27.312	12X1275	12X1275	4X1275



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EDA-330-38	154	43	100	33	92	123
EDA-330-48	154	43	100	33	92	123
EDA-330-58	154	43	110	33	102	123
EDA-330-68	154	43	110	33	102	123
EDA-335-38	178	43	100	33	92	147
EDA-335-48	178	43	100	33	92	147
EDA-335-58	178	43	110	33	102	147
EDA-335-68	178	43	110	33	102	147
EDA-340-38	178	43	100	33	92	147
EDA-340-48	178	43	100	33	92	147
EDA-340-58	178	43	110	33	102	147
EDA-340-68	178	43	110	33	102	147
EDA-345-68	223	51	126	41	118	192
EDA-350-68	223	51	126	41	118	192
EDA-430-38	194	43	100	33	92	163
EDA-430-48	194	43	100	33	92	163
EDA-430-58	194	43	110	33	102	163
EDA-430-68	194	43	110	33	102	163
EDA-435-38	226	43	100	33	92	195
EDA-435-48	226	43	100	33	92	195
EDA-435-58	226	43	110	33	102	195
EDA-435-68	226	43	110	33	102	195
EDA-440-38	226	43	100	33	92	195
EDA-440-48	226	43	100	33	92	195
EDA-440-58	226	43	110	33	102	195
EDA-440-68	226	43	110	33	102	195
EDA-445-68	286	51	126	41	118	255
EDA-450-68	286	51	126	41	118	255



ŞOK EVAPORATÖRLER BLAST FREEZERS



TSEK



EFA • EFB • ETA • ETB
Serisi / Series

EFA Serisi | EFA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"




Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 12 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity	Fanlar Fans 400V AC 50 Hz 1310 rpm / 880 rpm			Defrost Isıtıcılar Electric Defrost		
					Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				SC5 -34°C/-40°C				Batarya Coil nXW	Batarya Coil nXW	Tava D.Tray nXW
	m ²	dm ³	Euro	W	pcs	mm	m ³ /h			
EFA-163-612	47,15	27,4	€ 1.582	10.078	1	630	16.137	--	24X550	4X550
EFA-180-612	64,84	37,6	€ 2.071	12.264	1	800	18.672	--	30X600	4X600
EFA-263-612	94,30	54,7	€ 2.793	20.155	2	630	32.273	--	24X1050	4X1050
EFA-280-612	129,67	75,2	€ 3.657	24.527	2	800	37.343	--	30X1150	4X1150
EFA-363-612	141,45	82,1	€ 4.137	30.233	3	630	48.410	--	24X1550	4X1550
EFA-380-612	194,51	112,8	€ 5.390	36.791	3	800	56.015	--	30X1700	4X1700
EFA-463-612	188,60	109,4	€ 5.238	40.310	4	630	64.546	--	24X2050	4X2050
EFA-480-612	259,34	150,4	€ 6.841	49.054	4	800	74.686	--	30X2250	4X2250
EFA-263-612-D	47,15	27,4	€ 3.075	20.155	2	630	32.273	--	48X550	4X550
EFA-280-612-D	64,84	37,6	€ 4.088	24.527	2	800	37.343	--	60X600	4X600
EFA-463-612-D	94,30	54,7	€ 5.542	40.310	4	630	64.546	--	48X1050	4X1050
EFA-480-612-D	129,67	75,2	€ 7.341	49.054	4	800	74.686	--	60X1150	4X1150
EFA-663-612-D	141,45	82,1	€ 8.167	60.465	6	630	96.819	--	48X1550	4X1550
EFA-680-612-D	194,51	112,8	€ 10.821	73.581	6	800	112.029	--	60X1700	4X1700
EFA-863-612-D	188,60	109,4	€ 10.283	80.620	8	630	129.092	--	48X2050	4X2050
EFA-880-612-D	259,34	150,4	€ 13.635	98.108	8	800	149.372	--	60X2250	4X2250



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EFA-163-612	145	116	91	103	76	105
EFA-180-612	155	140	107	127	86	115
EFA-263-612	245	116	91	103	76	205
EFA-280-612	265	140	107	127	86	225
EFA-363-612	345	116	91	103	76	305
EFA-380-612	375	140	107	127	86	335
EFA-463-612	445	116	91	103	76	405
EFA-480-612	485	140	107	127	86	445
EFA-263-612-D	153	234	91	199	76	105
EFA-280-612-D	163	282	107	247	86	115
EFA-463-612-D	253	234	91	199	76	205
EFA-480-612-D	273	282	107	247	86	225
EFA-663-612-D	353	234	91	199	76	305
EFA-680-612-D	383	282	107	247	86	335
EFA-863-612-D	453	234	91	199	76	405
EFA-880-612-D	493	282	107	247	86	445



MODEL: EFA - 263 • 280 • 463 • 480 • 663 • 680 • 863 • 880 612-D

EFB Serisi | EFB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"




Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 12 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity	Fanlar Fans 400V AC 50 Hz 1310 rpm / 880 rpm			Defrost Isıtıcılar Electric Defrost		
				SC5 -34°C/-40°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
								Batarya Coil	Batarya Coil	Tava D.Tray
	m ²	dm ³	Euro	W	pcs	mm	m ³ /h	nXW	nXW	nXW
EFB-163-412	28,98	12,2	€ 1.102	5.616	1	630	17.720	--	16X550	4X550
EFB-163-612	43,46	18,3	€ 1.359	7.911	1	630	16.802	--	16X550	4X550
EFB-163-812	57,95	24,3	€ 1.615	9.894	1	630	15.981	--	16X550	4X550
EFB-180-412	39,34	16,7	€ 1.412	7.179	1	800	20.732	--	20X600	4X600
EFB-180-612	59,76	25,1	€ 1.760	10.062	1	800	19.531	--	20X600	4X600
EFB-180-812	79,68	33,4	€ 2.109	11.846	1	800	18.471	--	20X600	4X600
EFB-263-412	57,95	24,3	€ 1.824	11.231	2	630	35.439	--	16X1050	4X1050
EFB-263-612	86,92	36,5	€ 2.342	15.821	2	630	33.603	--	16X1050	4X1050
EFB-263-812	115,89	48,6	€ 2.789	19.788	2	630	31.962	--	16X1050	4X1050
EFB-280-412	78,68	33,4	€ 2.399	14.357	2	800	41.463	--	20X1150	4X1150
EFB-280-612	119,51	50,1	€ 3.059	20.123	2	800	39.061	--	20X1150	4X1150
EFB-280-812	159,35	66,8	€ 3.718	23.692	2	800	36.942	--	20X1150	4X1150
EFB-363-412	86,93	36,5	€ 2.786	16.847	3	630	53.159	--	16X1550	4X1550
EFB-363-612	130,38	54,8	€ 3.495	23.732	3	630	50.405	--	16X1550	4X1550
EFB-363-812	173,84	72,9	€ 4.204	29.682	3	630	47.943	--	16X1550	4X1550
EFB-380-412	118,02	50,1	€ 3.533	21.536	3	800	62.195	--	20X1700	4X1700
EFB-380-612	179,27	75,2	€ 4.503	30.185	3	800	58.592	--	20X1700	4X1700
EFB-380-812	239,03	100,2	€ 5.474	35.538	3	800	55.413	--	20X1700	4X1700
EFB-463-412	115,90	48,6	€ 3.463	22.462	4	630	70.878	--	16X2050	4X2050
EFB-463-612	173,84	73,0	€ 4.399	31.642	4	630	67.206	--	16X2050	4X2050
EFB-463-812	231,78	97,2	€ 5.335	39.576	4	630	63.924	--	16X2050	4X2050
EFB-480-412	157,36	66,8	€ 4.398	28.714	4	800	82.926	--	20X2250	4X2250
EFB-480-612	239,02	100,2	€ 5.680	40.246	4	800	78.122	--	20X2250	4X2250
EFB-480-812	318,70	133,6	€ 6.962	47.384	4	800	73.884	--	20X2250	4X2250
EFB-263-412-D	57,95	24,3	€ 2.107	11.231	2	630	35.439	--	32X550	4X550
EFB-263-612-D	86,92	36,5	€ 2.620	15.821	2	630	33.603	--	32X550	4X550
EFB-263-812-D	115,89	48,6	€ 3.132	19.788	2	630	31.962	--	32X550	4X550
EFB-280-412-D	78,68	33,4	€ 2.760	14.357	2	800	41.463	--	40X600	4X600
EFB-280-612-D	119,51	50,1	€ 3.457	20.123	2	800	39.061	--	40X600	4X600
EFB-280-812-D	159,35	66,8	€ 4.155	23.692	2	800	36.942	--	40X600	4X600
EFB-463-412-D	115,90	48,6	€ 3.457	22.462	4	630	70.878	--	32X1050	4X1050
EFB-463-612-D	173,84	73,0	€ 4.541	31.642	4	630	67.206	--	32X1050	4X1050
EFB-463-812-D	231,78	97,2	€ 5.389	39.576	4	630	63.924	--	32X1050	4X1050
EFB-480-412-D	157,36	66,8	€ 4.805	28.714	4	800	82.926	--	40X1150	4X1150
EFB-480-612-D	239,02	100,2	€ 6.125	40.246	4	800	78.122	--	40X1150	4X1150
EFB-480-812-D	318,70	133,6	€ 7.445	47.384	4	800	73.884	--	40X1150	4X1150
EFB-663-412-D	173,85	72,9	€ 5.439	33.693	6	630	106.317	--	32X1550	4X1550
EFB-663-612-D	260,76	109,5	€ 6.857	47.463	6	630	100.809	--	32X1550	4X1550
EFB-663-812-D	347,67	145,8	€ 8.276	59.364	6	630	95.886	--	32X1550	4X1550
EFB-680-412-D	236,04	100,2	€ 7.075	43.071	6	800	124.389	--	40X1700	4X1700
EFB-680-612-D	358,53	150,3	€ 9.018	60.369	6	800	117.183	--	40X1700	4X1700
EFB-680-812-D	478,05	200,4	€ 10.960	71.076	6	800	110.826	--	40X1700	4X1700
EFB-863-412-D	231,80	97,2	€ 6.706	44.924	8	630	141.756	--	32X2050	4X2050
EFB-863-612-D	347,68	146,0	€ 8.578	63.284	8	630	134.412	--	32X2050	4X2050
EFB-863-812-D	463,56	194,4	€ 10.449	79.152	8	630	127.848	--	32X2050	4X2050
EFB-880-412-D	314,72	133,6	€ 8.722	57.428	8	800	165.852	--	40X2250	4X2250
EFB-880-612-D	478,04	200,4	€ 11.288	80.492	8	800	156.244	--	40X2250	4X2250
EFB-880-812-D	637,40	267,2	€ 13.853	94.768	8	800	147.768	--	40X2250	4X2250



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
EFB-163-412	145	108	81	95	66	105
EFB-163-612	145	108	91	95	76	105
EFB-163-812	145	108	101	95	86	105
EFB-180-412	155	117	97	109	76	115
EFB-180-612	155	117	107	109	86	115
EFB-180-812	155	117	117	109	96	115
EFB-263-412	245	108	81	95	66	205
EFB-263-612	245	108	91	95	76	205
EFB-263-812	245	108	101	95	86	205
EFB-280-412	265	117	97	109	76	225
EFB-280-612	265	117	107	109	86	225
EFB-280-812	265	117	117	109	96	225
EFB-363-412	345	108	81	95	66	305
EFB-363-612	345	108	91	95	76	305
EFB-363-812	345	108	101	95	86	305
EFB-380-412	375	117	97	109	76	335
EFB-380-612	375	117	107	109	86	335
EFB-380-812	375	117	117	109	96	335
EFB-463-412	445	108	81	95	66	405
EFB-463-612	445	108	91	95	76	405
EFB-463-812	445	108	101	95	86	405
EFB-480-412	485	117	97	109	76	445
EFB-480-612	485	117	107	109	86	445
EFB-480-812	485	117	117	109	96	445
EFB-263-412-D	153	218	81	183	66	105
EFB-263-612-D	153	218	91	183	76	105
EFB-263-812-D	153	218	101	183	86	105
EFB-280-412-D	163	262	97	227	76	115
EFB-280-612-D	163	262	107	227	86	115
EFB-280-812-D	163	262	117	227	96	115
EFB-463-412-D	253	218	81	183	66	205
EFB-463-612-D	253	218	91	183	76	205
EFB-463-812-D	253	218	101	183	86	205
EFB-480-412-D	273	262	97	227	76	225
EFB-480-612-D	273	262	107	227	86	225
EFB-480-812-D	273	262	117	227	96	225
EFB-663-412-D	353	218	81	183	66	305
EFB-663-612-D	353	218	91	183	76	305
EFB-663-812-D	353	218	101	183	86	305
EFB-680-412-D	383	262	97	227	76	335
EFB-680-612-D	383	262	107	227	86	335
EFB-680-812-D	383	262	117	227	96	335
EFB-863-412-D	453	218	81	183	66	405
EFB-863-612-D	453	218	91	183	76	405
EFB-863-812-D	453	218	101	183	86	405
EFB-880-412-D	493	262	97	227	76	445
EFB-880-612-D	493	262	107	227	86	445
EFB-880-812-D	493	262	117	227	96	445



MODEL: EFB - 263 • 280 • 463 • 480 • 663 • 680 • 863 • 880 612-D

ETA Serisi | ETA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"



Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 12 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity	Fanlar Fans 400V AC 50 Hz 1310 rpm / 880 rpm			Defrost Isıtıcılar Electric Defrost		
				SC5 -34°C/-40°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1	B2	
				W	pcs	mm	m³/h	Batarya Coil nXW	Batarya Coil nXW	Tava D.Tray nXW
ETA-163-612	58,94	34,2	€ 1.945	11.454	1	630	17.190	--	30X550	4X550
ETA-180-612	77,80	45,1	€ 2.388	14.335	1	800	19.802	--	36X600	4X600
ETA-263-612	117,88	68,4	€ 3.376	22.907	2	630	34.380	--	30X1050	4X1050
ETA-280-612	155,60	90,2	€ 4.240	28.669	2	800	39.603	--	36X1150	4X1150
ETA-363-612	176,82	102,6	€ 4.891	34.361	3	630	51.570	--	30X1550	4X1550
ETA-380-612	233,40	135,3	€ 5.954	43.004	3	800	59.405	--	36X1700	4X1700
ETA-463-612	235,76	136,8	€ 6.188	45.814	4	630	103.140	--	30X2050	4X2050
ETA-480-612	311,20	180,4	€ 7.628	57.338	4	800	79.206	--	36X2250	4X2250



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
ETA-163-612	149	278	98	242	81	105
ETA-180-612	159	302	112	266	89	115
ETA-263-612	249	278	98	242	81	205
ETA-280-612	269	302	112	266	89	225
ETA-363-612	349	278	98	242	81	305
ETA-380-612	379	302	112	266	89	335
ETA-463-612	449	278	98	242	81	405
ETA-480-612	489	302	112	266	89	445



ETB Serisi | ETB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"



Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 12 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity	Fanlar Fans 400V AC 50 Hz 1310 rpm / 880 rpm			Defrost Isıtıcılar Electric Defrost		
				SC5 -34°C/-40°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	B1 Batarya Coil	B2	
	m ²	dm ³	Euro	W	pcs	mm	m ³ /h	nXW	nXW	Tava D.Tray
ETB-163-412	36,22	15,2	€ 1.500	6.532	1	630	18.365	--	20X550	4X550
ETB-163-612	54,33	22,8	€ 1.784	8.985	1	630	17.695	--	20X550	4X550
ETB-163-812	72,43	30,4	€ 2.068	11.156	1	630	17.064	--	20X550	4X550
ETB-180-412	47,81	20,1	€ 1.755	8.151	1	800	21.497	--	24X600	4X600
ETB-180-612	71,71	30,1	€ 2.125	11.416	1	800	20.496	--	24X600	4X600
ETB-180-812	95,61	40,1	€ 2.495	14.210	1	800	19.637	--	24X600	4X600
ETB-263-412	72,43	30,4	€ 2.455	13.064	2	630	36.730	--	20X1050	4X1050
ETB-263-612	108,65	45,6	€ 3.025	17.969	2	630	35.390	--	20X1050	4X1050
ETB-263-812	144,86	60,8	€ 3.522	22.311	2	630	34.128	--	20X1050	4X1050
ETB-280-412	95,61	40,1	€ 2.958	16.301	2	800	42.993	--	24X1150	4X1150
ETB-280-612	143,42	60,2	€ 3.637	22.831	2	800	40.992	--	24X1150	4X1150
ETB-280-812	191,22	80,2	€ 4.357	28.420	2	800	39.273	--	24X1150	4X1150
ETB-363-412	108,65	45,6	€ 3.604	19.596	3	630	55.095	--	20X1550	4X1550
ETB-363-612	162,98	68,4	€ 4.388	26.954	3	630	53.085	--	20X1550	4X1550
ETB-363-812	217,29	91,2	€ 5.172	33.467	3	630	51.192	--	20X1550	4X1550
ETB-380-412	143,42	60,2	€ 4.241	24.452	3	800	64.490	--	24X1700	4X1700
ETB-380-612	215,13	90,3	€ 5.271	34.247	3	800	61.488	--	24X1700	4X1700
ETB-380-812	286,83	120,3	€ 6.300	42.630	3	800	58.910	--	24X1700	4X1700
ETB-463-412	144,86	60,8	€ 4.493	26.128	4	630	73.460	--	20X2050	4X2050
ETB-463-612	217,30	91,2	€ 5.527	35.938	4	630	70.780	--	20X2050	4X2050
ETB-463-812	289,72	121,6	€ 6.561	44.622	4	630	68.256	--	20X2050	4X2050
ETB-480-412	191,22	80,2	€ 5.297	32.602	4	800	85.986	--	24X2250	4X2250
ETB-480-612	286,84	120,4	€ 6.656	45.662	4	800	81.984	--	24X2250	4X2250
ETB-480-812	382,44	160,4	€ 8.016	56.840	4	800	78.546	--	24X2250	4X2250



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
ETB-163-412	153	268	88	232	71	105
ETB-163-612	153	268	98	232	81	105
ETB-163-812	153	268	108	232	91	105
ETB-180-412	163	290	102	254	79	115
ETB-180-612	163	290	112	254	89	115
ETB-180-812	163	290	122	254	99	115
ETB-263-412	253	268	88	232	71	205
ETB-263-612	253	268	98	232	81	205
ETB-263-812	253	268	108	232	91	205
ETB-280-412	273	290	102	254	79	225
ETB-280-612	273	290	112	254	89	225
ETB-280-812	273	290	122	254	99	225
ETB-363-412	353	268	88	232	71	305
ETB-363-612	353	268	98	232	81	305
ETB-363-812	353	268	108	232	91	305
ETB-380-412	383	290	102	254	79	335
ETB-380-612	383	290	112	254	89	335
ETB-380-812	383	290	122	254	99	335
ETB-463-412	453	268	88	232	71	405
ETB-463-612	453	268	98	232	81	405
ETB-463-812	453	268	108	232	91	405
ETB-480-412	493	290	102	254	79	445
ETB-480-612	493	290	112	254	89	445
ETB-480-812	493	290	122	254	99	445




GLİKOLLÜ SOĞUTUCULAR GLYCOL COOLERS

EVACOND

İSİ DEĞİŞTİRİCİLERİ





GEEA • GEEB • GEDA • GEDB
Serisi / Series

GEEA Serisi | GEEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"





Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEEA-140-34	11,53	2,1	€ 205	4.492	4.230	3.417	3.507	1	400	2.890
GEEA-140-44	15,37	2,8	€ 243	5.357	5.017	3.913	3.717	1	400	2.632
GEEA-140-54	19,21	3,5	€ 293	5.998	5.589	4.099	3.617	1	400	2.418
GEEA-140-64	23,05	4,2	€ 331	6.886	6.490	5.240	4.767	1	400	2.237
GEEA-145-34	20,17	3,6	€ 308	7.588	7.127	5.821	5.144	1	450	4.591
GEEA-145-44	26,89	4,9	€ 363	9.482	8.944	7.405	6.451	1	450	4.274
GEEA-145-54	33,61	6,1	€ 437	10.945	10.325	7.721	7.400	1	450	4.001
GEEA-145-64	40,34	7,3	€ 498	12.043	11.353	8.636	8.040	1	450	3.772
GEEA-150-34	20,17	3,6	€ 308	8.352	8.592	5.989	6.422	1	500	6.624
GEEA-150-44	26,89	4,9	€ 363	10.745	10.145	8.215	8.043	1	500	6.031
GEEA-150-54	33,61	6,1	€ 437	12.607	11.939	8.735	9.274	1	500	5.547
GEEA-150-64	40,34	7,3	€ 498	14.067	13.839	10.049	10.170	1	500	5.154
GEEA-150-54-E2	43,22	7,8	€ 539	16.996	15.095	10.896	8.897	1	500	6.375
GEEA-150-64-E2	51,86	9,3	€ 617	18.550	17.551	12.685	10.767	1	500	5.835
GEEA-240-34	23,05	4,1	€ 333	8.983	8.460	6.833	7.013	2	400	5.780
GEEA-240-44	30,73	5,5	€ 403	10.714	10.034	7.825	7.434	2	400	5.264
GEEA-240-54	38,41	6,9	€ 483	11.996	11.177	8.197	7.234	2	400	4.835
GEEA-240-64	46,09	8,3	€ 545	13.771	12.980	10.480	9.534	2	400	4.474
GEEA-245-34	40,33	7,2	€ 542	15.175	14.254	11.641	10.287	2	450	9.182
GEEA-245-44	53,78	9,7	€ 658	18.963	17.887	14.809	12.902	2	450	8.547
GEEA-245-54	67,22	12,1	€ 787	21.889	20.650	15.441	14.800	2	450	8.001
GEEA-245-64	80,67	14,5	€ 904	24.086	22.706	17.272	16.080	2	450	7.544
GEEA-250-34	40,33	7,2	€ 547	16.703	17.184	11.978	12.844	2	500	13.247
GEEA-250-44	53,78	9,7	€ 659	21.490	20.290	16.430	16.086	2	500	12.061
GEEA-250-54	67,22	12,1	€ 801	25.213	23.878	17.470	18.548	2	500	11.093
GEEA-250-64	80,67	14,5	€ 899	28.133	27.677	20.098	20.340	2	500	10.308
GEEA-250-54-E2	86,43	15,5	€ 977	33.992	30.190	21.791	17.793	2	500	12.750
GEEA-250-64-E2	103,72	18,6	€ 1.113	37.100	35.101	25.369	21.534	2	500	11.669



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEEA-140-34	77	61	52	56	44	51
GEEA-140-44	77	61	52	56	44	51
GEEA-140-54	77	61	59	56	51	51
GEEA-140-64	77	61	59	56	51	51
GEEA-145-34	92	77	56	72	44	66
GEEA-145-44	92	77	56	72	44	66
GEEA-145-54	92	77	62	72	51	66
GEEA-145-64	92	77	62	72	51	66
GEEA-150-34	92	77	56	72	44	66
GEEA-150-44	92	77	56	72	44	66
GEEA-150-54	92	77	62	72	51	66
GEEA-150-64	92	77	62	72	51	66
GEEA-150-54-E2	104	85	62	80	55	75
GEEA-150-64-E2	104	85	62	80	55	75
GEEA-240-34	128	61	52	56	44	99
GEEA-240-44	128	61	52	56	44	99
GEEA-240-54	128	61	59	56	51	99
GEEA-240-64	128	61	59	56	51	99
GEEA-245-34	158	79	56	74	49	129
GEEA-245-44	158	79	56	74	49	129
GEEA-245-54	158	79	62	74	55	129
GEEA-245-64	158	79	62	74	55	129
GEEA-250-34	158	79	56	74	49	129
GEEA-250-44	158	79	56	74	49	129
GEEA-250-54	158	79	62	74	55	129
GEEA-250-64	158	79	62	74	55	129
GEEA-250-54-E2	176	85	62	80	55	147
GEEA-250-64-E2	176	85	62	80	55	147



GEEA Serisi | GEEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"





Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEEA-340-34	34,58	6,2	€ 460	13.475	12.690	10.250	10.520	3	400	8.670
GEEA-340-44	46,10	8,3	€ 559	16.071	15.051	11.738	11.151	3	400	7.896
GEEA-340-54	57,62	10,4	€ 670	17.994	16.766	12.296	10.851	3	400	7.253
GEEA-340-64	69,14	12,5	€ 765	20.657	19.470	15.720	14.301	3	400	6.711
GEEA-345-34	60,50	10,8	€ 823	22.763	21.381	17.462	15.431	3	450	13.773
GEEA-345-44	80,67	14,6	€ 1.001	28.445	26.831	22.214	19.353	3	450	12.821
GEEA-345-54	100,83	18,2	€ 1.197	32.834	30.975	23.162	22.200	3	450	12.002
GEEA-345-64	121,01	21,8	€ 1.339	36.129	34.059	25.908	24.120	3	450	11.316
GEEA-350-34	60,50	10,8	€ 823	25.055	25.776	17.967	19.266	3	500	19.871
GEEA-350-44	80,67	14,6	€ 1.001	32.235	30.435	24.645	24.129	3	500	18.092
GEEA-350-54	100,83	18,2	€ 1.203	37.820	35.817	26.205	27.822	3	500	16.640
GEEA-350-64	121,01	21,8	€ 1.360	42.200	41.516	30.147	30.510	3	500	15.462
GEEA-350-54-E2	129,65	23,3	€ 1.368	50.988	45.285	32.687	26.690	3	500	19.125
GEEA-350-64-E2	155,58	27,9	€ 1.595	55.650	52.652	38.054	32.301	3	500	17.504
GEEA-440-34	46,10	8,2	€ 607	17.966	16.920	13.666	14.026	4	400	11.560
GEEA-440-44	61,46	11,0	€ 727	21.428	20.068	15.650	14.868	4	400	10.528
GEEA-440-54	76,82	13,8	€ 863	23.992	22.354	16.394	14.468	4	400	9.670
GEEA-440-64	92,18	16,6	€ 983	27.542	25.960	20.960	19.068	4	400	8.948
GEEA-445-34	80,66	14,4	€ 1.021	30.350	28.508	23.282	20.574	4	450	18.364
GEEA-445-44	107,56	19,4	€ 1.229	37.926	35.774	29.618	25.804	4	450	17.094
GEEA-445-54	134,44	24,2	€ 1.495	43.778	41.300	30.882	29.600	4	450	16.002
GEEA-445-64	161,34	29,0	€ 1.714	48.172	45.412	34.544	32.160	4	450	15.088
GEEA-450-34	80,66	14,4	€ 1.021	33.406	34.368	23.956	25.688	4	500	26.494
GEEA-450-44	107,56	19,4	€ 1.229	42.980	40.580	32.860	32.172	4	500	24.122
GEEA-450-54	134,44	24,2	€ 1.495	50.426	47.756	34.940	37.096	4	500	22.186
GEEA-450-64	161,34	29,0	€ 1.714	56.266	55.354	40.196	40.680	4	500	20.616
GEEA-450-54-E2	172,86	31,0	€ 1.780	67.984	60.380	43.582	35.586	4	500	25.500
GEEA-450-64-E2	207,44	37,2	€ 2.065	74.200	70.202	50.738	43.068	4	500	23.338



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEEA-340-34	176	63	56	58	49	147
GEEA-340-44	176	63	56	58	49	147
GEEA-340-54	176	63	62	58	55	147
GEEA-340-64	176	63	62	58	55	147
GEEA-345-34	221	79	56	74	49	192
GEEA-345-44	221	79	56	74	49	192
GEEA-345-54	221	79	62	74	55	192
GEEA-345-64	221	79	62	74	55	192
GEEA-350-34	221	79	56	74	49	192
GEEA-350-44	221	79	56	74	49	192
GEEA-350-54	221	79	62	74	55	192
GEEA-350-64	221	79	62	74	55	192
GEEA-350-54-E2	248	85	62	80	55	219
GEEA-350-64-E2	248	85	62	80	55	219
GEEA-440-34	224	63	56	58	49	195
GEEA-440-44	224	63	56	58	49	195
GEEA-440-54	224	63	62	58	55	195
GEEA-440-64	224	63	62	58	55	195
GEEA-445-34	284	79	56	74	49	255
GEEA-445-44	284	79	56	74	49	255
GEEA-445-54	284	79	62	74	55	255
GEEA-445-64	284	79	62	74	55	255
GEEA-450-34	284	79	56	74	49	255
GEEA-450-44	284	79	56	74	49	255
GEEA-450-54	284	79	62	74	55	255
GEEA-450-64	284	79	62	74	55	255
GEEA-450-54-E2	320	85	62	80	55	291
GEEA-450-64-E2	320	85	62	80	55	291



GEEA Serisi | GEEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"





Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h
GEEA-140-36	7,92	2,1	€ 193	3.406	3.176	1.905	1.593	1	400	3.117
GEEA-140-46	10,56	2,8	€ 227	4.172	3.868	2.417	2.193	1	400	2.863
GEEA-140-56	13,20	3,5	€ 274	5.212	4.921	2.872	2.575	1	400	2.648
GEEA-140-66	15,84	4,2	€ 308	5.682	5.329	4.102	3.077	1	400	2.470
GEEA-145-36	13,86	3,6	€ 287	6.162	5.834	3.041	2.702	1	450	4.808
GEEA-145-46	18,48	4,9	€ 336	7.369	7.362	5.477	3.526	1	450	4.546
GEEA-145-56	23,10	6,1	€ 402	8.734	8.198	6.605	4.272	1	450	4.296
GEEA-145-66	27,72	7,3	€ 457	9.867	9.653	7.464	4.949	1	450	4.073
GEEA-150-36	13,86	3,6	€ 287	6.819	6.443	5.204	4.480	1	500	7.055
GEEA-150-46	18,48	4,9	€ 336	8.799	8.352	5.752	5.894	1	500	6.523
GEEA-150-56	23,10	6,1	€ 402	10.451	9.933	7.386	7.000	1	500	6.061
GEEA-150-66	27,72	7,3	€ 457	11.830	11.240	8.583	7.856	1	500	5.669
GEEA-150-56-E2	29,70	7,8	€ 495	12.551	11.856	7.455	6.833	1	500	6.829
GEEA-150-66-E2	35,64	9,3	€ 564	14.381	13.599	8.739	7.866	1	500	6.471
GEEA-240-36	15,84	4,1	€ 310	6.812	6.352	3.810	3.185	2	400	6.233
GEEA-240-46	21,12	5,5	€ 372	8.344	7.736	4.834	4.386	2	400	5.725
GEEA-240-56	26,40	6,9	€ 439	10.424	9.842	5.744	5.149	2	400	5.296
GEEA-240-66	31,68	8,3	€ 498	11.363	10.658	8.204	6.154	2	400	4.939
GEEA-245-36	27,72	7,2	€ 496	12.324	11.668	6.082	5.403	2	450	9.616
GEEA-245-46	36,95	9,7	€ 593	14.738	14.723	10.954	7.052	2	450	9.092
GEEA-245-56	46,19	12,1	€ 724	17.467	16.396	13.210	8.543	2	450	8.591
GEEA-245-66	55,43	14,5	€ 810	19.734	19.306	14.927	9.898	2	450	8.145
GEEA-250-36	27,72	7,2	€ 500	13.638	12.885	10.407	8.960	2	500	14.110
GEEA-250-46	36,95	9,7	€ 589	17.597	16.704	11.504	11.788	2	500	13.046
GEEA-250-56	46,19	12,1	€ 733	20.901	19.866	14.771	14.000	2	500	12.122
GEEA-250-66	55,43	14,5	€ 817	23.659	22.479	17.166	15.712	2	500	11.337
GEEA-250-56-E2	59,39	15,5	€ 889	25.101	23.711	14.909	13.665	2	500	13.657
GEEA-250-66-E2	71,27	18,6	€ 1.007	28.761	27.197	17.477	15.732	2	500	12.942



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEEA-140-36	77	61	52	56	44	51
GEEA-140-46	77	61	52	56	44	51
GEEA-140-56	77	61	59	56	51	51
GEEA-140-66	77	61	59	56	51	51
GEEA-145-36	92	77	56	72	44	66
GEEA-145-46	92	77	56	72	44	66
GEEA-145-56	92	77	62	72	51	66
GEEA-145-66	92	77	62	72	51	66
GEEA-150-36	92	77	56	72	44	66
GEEA-150-46	92	77	56	72	44	66
GEEA-150-56	92	77	62	72	51	66
GEEA-150-66	92	77	62	72	51	66
GEEA-150-56-E2	104	85	62	80	55	75
GEEA-150-66-E2	104	85	62	80	55	75
GEEA-240-36	128	61	52	56	44	99
GEEA-240-46	128	61	52	56	44	99
GEEA-240-56	128	61	59	56	51	99
GEEA-240-66	128	61	59	56	51	99
GEEA-245-36	158	79	56	74	49	129
GEEA-245-46	158	79	56	74	49	129
GEEA-245-56	158	79	62	74	55	129
GEEA-245-66	158	79	62	74	55	129
GEEA-250-36	158	79	56	74	49	129
GEEA-250-46	158	79	56	74	49	129
GEEA-250-56	158	79	62	74	55	129
GEEA-250-66	158	79	62	74	55	129
GEEA-250-56-E2	176	85	62	80	55	147
GEEA-250-66-E2	176	85	62	80	55	147



GEEA Serisi | GEEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"





Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEEA-340-36	23,76	6,2	€ 425	10.218	9.528	5.715	4.778	3	400	9.350
GEEA-340-46	31,68	8,3	€ 512	12.516	11.604	7.251	6.579	3	400	8.588
GEEA-340-56	39,60	10,4	€ 611	15.636	14.763	8.616	7.724	3	400	7.944
GEEA-340-66	47,52	12,5	€ 695	17.045	15.987	12.306	9.231	3	400	7.409
GEEA-345-36	41,58	10,8	€ 761	18.486	17.502	9.123	8.105	3	450	14.424
GEEA-345-46	55,43	14,6	€ 919	22.107	22.085	16.431	10.578	3	450	13.638
GEEA-345-56	69,29	18,2	€ 1.095	26.201	24.594	19.815	12.815	3	450	12.887
GEEA-345-66	83,15	21,8	€ 1.216	29.601	28.959	22.391	14.847	3	450	12.218
GEEA-350-36	41,58	10,8	€ 761	20.457	19.328	15.611	13.440	3	500	21.165
GEEA-350-46	55,43	14,6	€ 919	26.396	25.056	17.256	17.682	3	500	19.569
GEEA-350-56	69,29	18,2	€ 1.100	31.352	29.799	22.157	21.000	3	500	18.183
GEEA-350-66	83,15	21,8	€ 1.237	35.489	33.719	25.749	23.568	3	500	17.006
GEEA-350-56-E2	89,09	23,3	€ 1.237	37.652	35.567	22.364	20.498	3	500	20.486
GEEA-350-66-E2	106,91	27,9	€ 1.437	43.142	40.796	26.216	23.598	3	500	19.413
GEEA-440-36	31,68	8,2	€ 560	13.624	12.704	7.620	6.370	4	400	12.466
GEEA-440-46	42,24	11,0	€ 664	16.688	15.472	9.668	8.772	4	400	11.450
GEEA-440-56	52,80	13,8	€ 785	20.848	19.684	11.488	10.298	4	400	10.592
GEEA-440-66	63,36	16,6	€ 889	22.726	21.316	16.408	12.308	4	400	9.878
GEEA-445-36	55,44	14,4	€ 939	24.648	23.336	12.164	10.806	4	450	19.232
GEEA-445-46	73,90	19,4	€ 1.120	29.476	29.446	21.908	14.104	4	450	18.184
GEEA-445-56	92,38	24,2	€ 1.359	34.934	32.792	26.420	17.086	4	450	17.182
GEEA-445-66	110,86	29,0	€ 1.550	39.468	38.612	29.854	19.796	4	450	16.290
GEEA-450-36	55,44	14,4	€ 939	27.276	25.770	20.814	17.920	4	500	28.220
GEEA-450-46	73,90	19,4	€ 1.120	35.194	33.408	23.008	23.576	4	500	26.092
GEEA-450-56	92,38	24,2	€ 1.359	41.802	39.732	29.542	28.000	4	500	24.244
GEEA-450-66	110,86	29,0	€ 1.550	47.318	44.958	34.332	31.424	4	500	22.674
GEEA-450-56-E2	118,78	31,0	€ 1.604	50.202	47.422	29.818	27.330	4	500	27.314
GEEA-450-66-E2	142,54	37,2	€ 1.855	57.522	54.394	34.954	31.464	4	500	25.884



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEEA-340-36	176	63	56	58	49	147
GEEA-340-46	176	63	56	58	49	147
GEEA-340-56	176	63	62	58	55	147
GEEA-340-66	176	63	62	58	55	147
GEEA-345-36	221	79	56	74	49	192
GEEA-345-46	221	79	56	74	49	192
GEEA-345-56	221	79	62	74	55	192
GEEA-345-66	221	79	62	74	55	192
GEEA-350-36	221	79	56	74	49	192
GEEA-350-46	221	79	56	74	49	192
GEEA-350-56	221	79	62	74	55	192
GEEA-350-66	221	79	62	74	55	192
GEEA-350-56-E2	248	85	62	80	55	219
GEEA-350-66-E2	248	85	62	80	55	219
GEEA-440-36	224	63	56	58	49	195
GEEA-440-46	224	63	56	58	49	195
GEEA-440-56	224	63	62	58	55	195
GEEA-440-66	224	63	62	58	55	195
GEEA-445-36	284	79	56	74	49	255
GEEA-445-46	284	79	56	74	49	255
GEEA-445-56	284	79	62	74	55	255
GEEA-445-66	284	79	62	74	55	255
GEEA-450-36	284	79	56	74	49	255
GEEA-450-46	284	79	56	74	49	255
GEEA-450-56	284	79	62	74	55	255
GEEA-450-66	284	79	62	74	55	255
GEEA-450-56-E2	320	85	62	80	55	291
GEEA-450-66-E2	320	85	62	80	55	291



GEEA Serisi | GEEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"





Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEEA-140-38	6,12	2,1	€ 187	2.780	2.544	1.696	1.947	1	400	2.906
GEEA-140-48	8,16	2,8	€ 219	3.851	3.643	2.164	1.970	1	400	3.005
GEEA-140-58	10,20	3,5	€ 264	4.405	4.134	2.738	3.049	1	400	2.813
GEEA-140-68	12,23	4,2	€ 296	5.194	4.921	3.077	3.871	1	400	2.624
GEEA-145-38	10,71	3,6	€ 277	5.036	4.741	2.706	2.417	1	450	4.931
GEEA-145-48	14,27	4,9	€ 323	6.446	6.079	3.562	3.165	1	450	4.697
GEEA-145-58	17,84	6,1	€ 385	7.664	7.227	4.342	3.853	1	450	4.474
GEEA-145-68	21,41	7,3	€ 436	8.717	8.206	5.055	4.483	1	450	4.268
GEEA-150-38	10,71	3,6	€ 277	6.021	5.732	3.012	2.669	1	500	7.304
GEEA-150-48	14,27	4,9	€ 323	7.297	7.344	5.478	3.509	1	500	6.829
GEEA-150-58	17,84	6,1	€ 385	8.785	8.304	6.734	4.283	1	500	6.397
GEEA-150-68	21,41	7,3	€ 436	10.068	9.529	7.773	5.005	1	500	6.013
GEEA-150-58-E2	22,94	7,8	€ 469	10.862	10.278	7.840	7.128	1	500	7.108
GEEA-150-68-E2	27,53	9,3	€ 533	12.541	11.870	9.343	8.373	1	500	6.785
GEEA-240-38	12,23	4,1	€ 298	5.560	5.087	3.391	3.894	2	400	5.812
GEEA-240-48	16,31	5,5	€ 353	7.701	7.285	4.327	3.939	2	400	6.010
GEEA-240-58	20,39	6,9	€ 424	8.810	8.268	5.476	6.097	2	400	5.626
GEEA-240-68	24,46	8,3	€ 480	10.387	9.842	6.154	7.742	2	400	5.248
GEEA-245-38	21,41	7,2	€ 480	10.072	9.481	5.412	4.834	2	450	9.861
GEEA-245-48	28,54	9,7	€ 566	12.891	12.157	7.123	6.330	2	450	9.393
GEEA-245-58	35,68	12,1	€ 693	15.327	14.453	8.684	7.706	2	450	8.947
GEEA-245-68	42,81	14,5	€ 769	17.433	16.412	10.110	8.966	2	450	8.535
GEEA-250-38	21,41	7,2	€ 480	12.041	11.464	6.024	5.337	2	500	14.607
GEEA-250-48	28,54	9,7	€ 566	14.593	14.687	10.955	7.018	2	500	13.657
GEEA-250-58	35,68	12,1	€ 693	17.569	16.608	13.468	8.565	2	500	12.793
GEEA-250-68	42,81	14,5	€ 769	20.135	19.057	15.546	10.010	2	500	12.026
GEEA-250-58-E2	45,87	15,5	€ 817	21.724	20.555	15.680	14.256	2	500	14.215
GEEA-250-68-E2	55,05	18,6	€ 926	25.082	23.739	18.686	16.745	2	500	13.570



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEEA-140-38	77	61	52	56	44	51
GEEA-140-48	77	61	52	56	44	51
GEEA-140-58	77	61	59	56	51	51
GEEA-140-68	77	61	59	56	51	51
GEEA-145-38	92	77	56	72	44	66
GEEA-145-48	92	77	56	72	44	66
GEEA-145-58	92	77	62	72	51	66
GEEA-145-68	92	77	62	72	51	66
GEEA-150-38	92	77	56	72	44	66
GEEA-150-48	92	77	56	72	44	66
GEEA-150-58	92	77	62	72	51	66
GEEA-150-68	92	77	62	72	51	66
GEEA-150-58-E2	104	85	62	80	55	75
GEEA-150-68-E2	104	85	62	80	55	75
GEEA-240-38	128	61	52	56	44	99
GEEA-240-48	128	61	52	56	44	99
GEEA-240-58	128	61	59	56	51	99
GEEA-240-68	128	61	59	56	51	99
GEEA-245-38	158	79	56	74	49	129
GEEA-245-48	158	79	56	74	49	129
GEEA-245-58	158	79	62	74	55	129
GEEA-245-68	158	79	62	74	55	129
GEEA-250-38	158	79	56	74	49	129
GEEA-250-48	158	79	56	74	49	129
GEEA-250-58	158	79	62	74	55	129
GEEA-250-68	158	79	62	74	55	129
GEEA-250-58-E2	176	85	62	80	55	147
GEEA-250-68-E2	176	85	62	80	55	147



GEEA Serisi | GEEA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"





Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEEA-340-38	18,35	6,2	€ 408	8.340	7.631	5.087	5.841	3	400	8.718
GEEA-340-48	24,47	8,3	€ 485	11.552	10.928	6.491	5.909	3	400	9.015
GEEA-340-58	30,59	10,4	€ 578	13.215	12.402	8.214	9.146	3	400	8.439
GEEA-340-68	36,69	12,5	€ 660	15.581	14.763	9.231	11.613	3	400	7.872
GEEA-345-38	32,12	10,8	€ 730	15.108	14.222	8.118	7.251	3	450	14.792
GEEA-345-48	42,81	14,6	€ 878	19.337	18.236	10.685	9.495	3	450	14.090
GEEA-345-58	53,52	18,2	€ 1.044	22.991	21.680	13.026	11.559	3	450	13.421
GEEA-345-68	64,22	21,8	€ 1.154	26.150	24.618	15.165	13.449	3	450	12.803
GEEA-350-38	32,12	10,8	€ 730	18.062	17.196	9.036	8.006	3	500	21.911
GEEA-350-48	42,81	14,6	€ 876	21.890	22.031	16.433	10.527	3	500	20.486
GEEA-350-58	53,52	18,2	€ 1.033	26.354	24.912	20.202	12.848	3	500	19.190
GEEA-350-68	64,22	21,8	€ 1.175	30.203	28.586	23.319	15.015	3	500	18.039
GEEA-350-58-E2	68,81	23,3	€ 1.197	32.586	30.833	23.520	21.384	3	500	21.323
GEEA-350-68-E2	82,58	27,9	€ 1.376	37.623	35.609	28.029	25.118	3	500	20.355
GEEA-440-38	24,46	8,2	€ 537	11.120	10.174	6.782	7.788	4	400	11.624
GEEA-440-48	32,62	11,0	€ 633	15.402	14.570	8.654	7.878	4	400	12.020
GEEA-440-58	40,78	13,8	€ 746	17.620	16.536	10.952	12.194	4	400	11.252
GEEA-440-68	48,92	16,6	€ 842	20.774	19.684	12.308	15.484	4	400	10.496
GEEA-445-38	42,82	14,4	€ 898	20.144	18.962	10.824	9.668	4	450	19.722
GEEA-445-48	57,08	19,4	€ 1.065	25.782	24.314	14.246	12.660	4	450	18.786
GEEA-445-58	71,36	24,2	€ 1.291	30.654	28.906	17.368	15.412	4	450	17.894
GEEA-445-68	85,62	29,0	€ 1.468	34.866	32.824	20.220	17.932	4	450	17.070
GEEA-450-38	42,82	14,4	€ 898	24.082	22.928	12.048	10.674	4	500	29.214
GEEA-450-48	57,08	19,4	€ 1.065	29.186	29.374	21.910	14.036	4	500	27.314
GEEA-450-58	71,36	24,2	€ 1.291	35.138	33.216	26.936	17.130	4	500	25.586
GEEA-450-68	85,62	29,0	€ 1.489	40.270	38.114	31.092	20.020	4	500	24.052
GEEA-450-58-E2	91,74	31,0	€ 1.507	43.448	41.110	31.360	28.512	4	500	28.430
GEEA-450-68-E2	110,10	37,2	€ 1.738	50.164	47.478	37.372	33.490	4	500	27.140



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEEA-340-38	176	63	56	58	49	147
GEEA-340-48	176	63	56	58	49	147
GEEA-340-58	176	63	62	58	55	147
GEEA-340-68	176	63	62	58	55	147
GEEA-345-38	221	79	56	74	49	192
GEEA-345-48	221	79	56	74	49	192
GEEA-345-58	221	79	62	74	55	192
GEEA-345-68	221	79	62	74	55	192
GEEA-350-38	221	79	56	74	49	192
GEEA-350-48	221	79	56	74	49	192
GEEA-350-58	221	79	62	74	55	192
GEEA-350-68	221	79	62	74	55	192
GEEA-350-58-E2	248	85	62	80	55	219
GEEA-350-68-E2	248	85	62	80	55	219
GEEA-440-38	224	63	56	58	49	195
GEEA-440-48	224	63	56	58	49	195
GEEA-440-58	224	63	62	58	55	195
GEEA-440-68	224	63	62	58	55	195
GEEA-445-38	284	79	56	74	49	255
GEEA-445-48	284	79	56	74	49	255
GEEA-445-58	284	79	62	74	55	255
GEEA-445-68	284	79	62	74	55	255
GEEA-450-38	284	79	56	74	49	255
GEEA-450-48	284	79	56	74	49	255
GEEA-450-58	284	79	62	74	55	255
GEEA-450-68	284	79	62	74	55	255
GEEA-450-58-E2	320	85	62	80	55	291
GEEA-450-68-E2	320	85	62	80	55	291



GEEB Serisi | GEEB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"





Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEEB-140-38	5,97	3,3	€ 193	3.399	3.184	2.569	1.691	1	400	3.053
GEEB-140-48	7,96	4,4	€ 228	3.978	3.667	2.438	2.898	1	400	2.795
GEEB-140-58	9,95	5,5	€ 291	4.917	4.610	3.728	2.605	1	400	2.577
GEEB-140-68	11,93	6,6	€ 326	5.670	5.354	4.469	3.101	1	400	2.396
GEEB-145-38	10,44	5,8	€ 310	5.834	5.477	4.596	2.773	1	450	4.747
GEEB-145-48	13,92	7,7	€ 369	7.216	6.768	5.608	5.311	1	450	4.463
GEEB-145-58	17,40	9,6	€ 449	8.368	7.822	6.399	5.825	1	450	4.207
GEEB-145-68	20,88	11,5	€ 508	9.697	9.129	6.984	7.130	1	450	3.981
GEEB-145-88	27,85	15,3	€ 644	11.380	10.724	8.461	8.322	1	450	3.616
GEEB-150-38	10,44	5,8	€ 310	7.032	6.671	4.637	4.379	1	500	6.916
GEEB-150-48	13,92	7,7	€ 369	8.694	8.236	5.986	5.192	1	500	6.366
GEEB-150-58	17,40	9,6	€ 449	10.078	9.530	7.040	7.290	1	500	5.900
GEEB-150-68	20,88	11,5	€ 508	11.243	10.594	8.773	7.809	1	500	5.512
GEEB-150-88	27,85	15,3	€ 644	13.375	12.642	9.871	9.448	1	500	4.897
GEEB-150-58-E2	22,38	12,3	€ 546	12.308	11.608	8.973	8.792	1	500	6.689
GEEB-150-68-E2	26,85	14,8	€ 621	13.849	13.057	10.205	9.732	1	500	6.323
GEEB-240-38	11,93	6,6	€ 339	6.798	6.368	5.137	3.381	2	400	6.106
GEEB-240-48	15,91	8,8	€ 404	7.955	7.334	4.875	5.796	2	400	5.590
GEEB-240-58	19,89	10,9	€ 489	9.834	9.219	7.456	5.209	2	400	5.153
GEEB-240-68	23,86	13,1	€ 556	11.340	10.708	8.937	6.202	2	400	4.792
GEEB-245-38	20,88	11,5	€ 553	11.668	10.954	9.191	5.546	2	450	9.494
GEEB-245-48	27,84	15,3	€ 671	14.432	13.535	11.216	10.622	2	450	8.925
GEEB-245-58	34,80	19,1	€ 805	16.735	15.644	12.797	11.649	2	450	8.413
GEEB-245-68	41,76	23,0	€ 941	19.394	18.258	13.967	14.260	2	450	7.962
GEEB-245-88	55,69	30,6	€ 1.187	22.760	21.447	16.922	16.643	2	450	7.232
GEEB-250-38	20,88	11,5	€ 553	14.064	13.341	9.274	8.758	2	500	13.831
GEEB-250-48	27,84	15,3	€ 674	17.388	16.472	11.971	10.384	2	500	12.732
GEEB-250-58	34,80	19,1	€ 808	20.156	19.060	14.080	14.580	2	500	11.800
GEEB-250-68	41,76	23,0	€ 945	22.486	21.187	17.545	15.618	2	500	11.023
GEEB-250-88	55,69	30,6	€ 1.187	26.749	25.283	19.742	18.896	2	500	9.794
GEEB-250-58-E2	44,75	24,6	€ 961	24.615	23.215	17.946	17.584	2	500	13.378
GEEB-250-68-E2	53,70	29,5	€ 1.131	27.697	26.113	20.409	19.463	2	500	12.645
GEEB-340-38	17,90	9,9	€ 478	10.197	9.552	7.706	5.072	3	400	9.159
GEEB-340-48	23,87	13,2	€ 578	11.933	11.001	7.313	8.694	3	400	8.385
GEEB-340-58	29,84	16,4	€ 696	14.751	13.829	11.184	7.814	3	400	7.730
GEEB-340-68	35,79	19,7	€ 796	17.010	16.062	13.406	9.303	3	400	7.188
GEEB-345-38	31,32	17,3	€ 804	17.502	16.431	13.787	8.319	3	450	14.241
GEEB-345-48	41,76	23,0	€ 968	21.648	20.303	16.824	15.933	3	450	13.388
GEEB-345-58	52,20	28,7	€ 1.163	25.103	23.466	19.196	17.474	3	450	12.620
GEEB-345-68	62,64	34,5	€ 1.352	29.091	27.387	20.951	21.390	3	450	11.943
GEEB-345-88	83,54	45,9	€ 1.706	34.140	32.171	25.383	24.965	3	450	10.848
GEEB-350-38	31,32	17,3	€ 804	21.096	20.012	13.911	13.137	3	500	20.747
GEEB-350-48	41,76	23,0	€ 968	26.082	24.708	17.957	15.576	3	500	19.098
GEEB-350-58	52,20	28,7	€ 1.163	30.234	28.590	21.120	21.870	3	500	17.700
GEEB-350-68	62,64	34,5	€ 1.352	33.729	31.781	26.318	23.427	3	500	16.535
GEEB-350-88	83,54	45,9	€ 1.706	40.124	37.925	29.613	28.344	3	500	14.691
GEEB-350-58-E2	67,13	36,9	€ 1.412	36.923	34.823	26.919	26.376	3	500	20.067
GEEB-350-68-E2	80,55	44,3	€ 1.621	41.546	39.170	30.614	29.195	3	500	18.968



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEEB-140-38	77	61	52	56	44	51
GEEB-140-48	77	61	52	56	44	51
GEEB-140-58	77	61	59	56	51	51
GEEB-140-68	77	61	59	56	51	51
GEEB-145-38	92	77	56	72	44	66
GEEB-145-48	92	77	56	72	44	66
GEEB-145-58	92	77	62	72	51	66
GEEB-145-68	92	77	62	72	51	66
GEEB-145-88	92	77	71	72	61	66
GEEB-150-38	92	77	56	72	44	66
GEEB-150-48	92	77	56	72	44	66
GEEB-150-58	92	77	62	72	51	66
GEEB-150-68	92	77	62	72	51	66
GEEB-150-88	92	77	71	72	61	66
GEEB-150-58-E2	104	85	62	80	55	75
GEEB-150-68-E2	104	85	62	80	55	75
GEEB-240-38	128	61	52	56	44	99
GEEB-240-48	128	61	52	56	44	99
GEEB-240-58	128	61	59	56	51	99
GEEB-240-68	128	61	59	56	51	99
GEEB-245-38	158	79	56	74	49	129
GEEB-245-48	158	79	56	74	49	129
GEEB-245-58	158	79	62	74	55	129
GEEB-245-68	158	79	62	74	55	129
GEEB-245-88	158	79	71	74	63	129
GEEB-250-38	158	79	56	74	49	129
GEEB-250-48	158	79	56	74	49	129
GEEB-250-58	158	79	62	74	55	129
GEEB-250-68	158	79	62	74	55	129
GEEB-250-88	158	79	71	74	63	129
GEEB-250-58-E2	176	85	62	80	55	147
GEEB-250-68-E2	176	85	62	80	55	147
GEEB-340-38	176	63	56	58	49	147
GEEB-340-48	176	63	56	58	49	147
GEEB-340-58	176	63	62	58	55	147
GEEB-340-68	176	63	62	58	55	147
GEEB-345-38	221	79	56	74	49	192
GEEB-345-48	221	79	56	74	49	192
GEEB-345-58	221	79	62	74	55	192
GEEB-345-68	221	79	62	74	55	192
GEEB-345-88	221	79	71	74	63	192
GEEB-350-38	221	79	56	74	49	192
GEEB-350-48	221	79	56	74	49	192
GEEB-350-58	221	79	62	74	55	192
GEEB-350-68	221	79	62	74	55	192
GEEB-350-88	221	79	71	74	63	192
GEEB-350-58-E2	248	85	62	80	55	219
GEEB-350-68-E2	248	85	62	80	55	219



GEEB Serisi | GEEB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"





Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m²	dm³	Euro	W	W	W	W	pcs	mm	m³/h
GEEB-440-38	23,86	13,2	€ 608	13.596	12.736	10.274	6.762	4	400	12.212
GEEB-440-48	31,82	17,6	€ 738	15.910	14.668	9.750	11.592	4	400	11.180
GEEB-440-58	39,78	21,8	€ 887	19.668	18.438	14.912	10.418	4	400	10.306
GEEB-440-68	47,72	26,2	€ 1.018	22.680	21.416	17.874	12.404	4	400	9.584
GEEB-445-38	41,76	23,0	€ 1.060	23.336	21.908	18.382	11.092	4	450	18.988
GEEB-445-48	55,68	30,6	€ 1.288	28.864	27.070	22.432	21.244	4	450	17.850
GEEB-445-58	69,60	38,2	€ 1.569	33.470	31.288	25.594	23.298	4	450	16.826
GEEB-445-68	83,52	46,0	€ 1.797	38.788	36.516	27.934	28.520	4	450	15.924
GEEB-445-88	111,38	61,2	€ 2.299	45.520	42.894	33.844	33.286	4	450	14.464
GEEB-450-38	41,76	23,0	€ 1.060	28.128	26.682	18.548	17.516	4	500	27.662
GEEB-450-48	55,68	30,6	€ 1.288	34.776	32.944	23.942	20.768	4	500	25.464
GEEB-450-58	69,60	38,2	€ 1.569	40.312	38.120	28.160	29.160	4	500	23.600
GEEB-450-68	83,52	46,0	€ 1.797	44.972	42.374	35.090	31.236	4	500	22.046
GEEB-450-88	111,38	61,2	€ 2.299	53.498	50.566	39.484	37.792	4	500	19.588
GEEB-450-58-E2	89,50	49,2	€ 1.853	49.230	46.430	35.892	35.168	4	500	26.756
GEEB-450-68-E2	107,40	59,0	€ 2.144	55.394	52.226	40.818	38.926	4	500	25.290
GEEB-545-38	52,20	28,8	€ 1.286	29.170	27.385	22.978	13.865	5	450	23.735
GEEB-545-48	69,60	38,3	€ 1.568	36.080	33.838	28.040	26.555	5	450	22.313
GEEB-545-58	87,00	47,8	€ 1.904	41.838	39.110	31.993	29.123	5	450	21.033
GEEB-545-68	104,40	57,5	€ 2.185	48.485	45.645	34.918	35.650	5	450	19.905
GEEB-545-88	139,23	76,5	€ 2.796	56.900	53.618	42.305	41.608	5	450	18.080
GEEB-550-38	52,20	28,8	€ 1.286	35.160	33.353	23.185	21.895	5	500	34.578
GEEB-550-48	69,60	38,3	€ 1.568	43.470	41.180	29.928	25.960	5	500	31.830
GEEB-550-58	87,00	47,8	€ 1.904	50.390	47.650	35.200	36.450	5	500	29.500
GEEB-550-68	104,40	57,5	€ 2.185	56.215	52.968	43.863	39.045	5	500	27.558
GEEB-550-88	139,23	76,5	€ 2.796	66.873	63.208	49.355	47.240	5	500	24.485
GEEB-550-58-E2	111,88	61,5	€ 2.313	61.538	58.038	44.865	43.960	5	500	33.445
GEEB-550-68-E2	134,25	73,8	€ 2.677	69.243	65.283	51.023	48.658	5	500	31.613



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEEB-440-38	224	63	56	58	49	195
GEEB-440-48	224	63	56	58	49	195
GEEB-440-58	224	63	62	58	55	195
GEEB-440-68	224	63	62	58	55	195
GEEB-445-38	284	79	56	74	49	255
GEEB-445-48	284	79	56	74	49	255
GEEB-445-58	284	79	62	74	55	255
GEEB-445-68	284	79	62	74	55	255
GEEB-445-88	284	79	71	74	63	255
GEEB-450-38	284	79	56	74	49	255
GEEB-450-48	284	79	56	74	49	255
GEEB-450-58	284	79	62	74	55	255
GEEB-450-68	284	79	62	74	55	255
GEEB-450-88	284	79	71	74	63	255
GEEB-450-58-E2	320	85	62	80	55	291
GEEB-450-68-E2	320	85	62	80	55	291
GEEB-545-38	347	79	56	74	49	318
GEEB-545-48	347	79	56	74	49	318
GEEB-545-58	347	79	62	74	55	318
GEEB-545-68	347	79	62	74	55	318
GEEB-545-88	347	79	71	74	63	318
GEEB-550-38	347	79	56	74	49	318
GEEB-550-48	347	79	56	74	49	318
GEEB-550-58	347	79	62	74	55	318
GEEB-550-68	347	79	62	74	55	318
GEEB-550-88	347	79	71	74	63	318
GEEB-550-58-E2	392	85	62	80	55	363
GEEB-550-68-E2	392	85	62	80	55	363



GEDA Serisi | GEDA Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"







Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 4 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEDA-140-34	11,52	2,1	€ 265	3.840	3.410	2.031	1.660	1	400	2.914
GEDA-140-44	15,36	2,8	€ 301	5.357	5.017	3.913	2.307	1	400	2.632
GEDA-140-54	19,21	3,4	€ 337	6.168	5.218	5.087	2.915	1	400	2.974
GEDA-140-64	23,05	4,1	€ 373	6.454	5.976	5.851	3.117	1	400	2.243
GEDA-145-64	40,33	7,2	€ 540	12.043	11.353	6.008	5.389	1	450	3.772
GEDA-150-64	40,33	7,2	€ 542	13.565	12.749	10.050	8.836	1	500	5.163
GEDA-240-34	23,04	4,2	€ 388	7.680	6.820	4.062	3.320	2	400	5.828
GEDA-240-44	30,72	5,6	€ 453	10.714	10.034	7.826	4.614	2	400	5.264
GEDA-240-54	38,42	6,8	€ 534	12.336	10.436	10.174	5.830	2	400	5.948
GEDA-240-64	46,10	8,2	€ 599	12.908	11.952	11.702	6.234	2	400	4.486
GEDA-245-64	80,66	14,4	€ 884	24.086	22.706	12.016	10.778	2	450	7.544
GEDA-250-64	80,66	14,4	€ 908	27.130	25.498	20.100	17.672	2	500	10.326
GEDA-340-34	34,56	6,3	€ 546	11.520	10.230	6.093	4.980	3	400	8.742
GEDA-340-44	46,08	8,4	€ 640	16.071	15.051	11.739	6.921	3	400	7.896
GEDA-340-54	57,63	10,2	€ 735	18.504	15.654	15.261	8.745	3	400	8.922
GEDA-340-64	69,15	12,3	€ 829	19.362	17.928	17.553	9.351	3	400	6.729
GEDA-345-64	120,99	21,6	€ 1.267	36.129	34.059	18.024	16.167	3	450	11.316
GEDA-350-64	120,99	21,6	€ 1.283	40.695	38.247	30.150	26.508	3	500	15.489
GEDA-440-34	46,08	8,4	€ 655	15.360	13.640	8.124	6.640	4	400	11.656
GEDA-440-44	61,44	11,2	€ 778	21.428	20.068	15.652	9.228	4	400	10.528
GEDA-440-54	76,84	13,6	€ 902	24.672	20.872	20.348	11.660	4	400	11.896
GEDA-440-64	92,20	16,4	€ 1.026	25.816	23.904	23.404	12.468	4	400	8.972
GEDA-445-64	161,32	28,8	€ 1.597	48.172	45.412	24.032	21.556	4	450	15.088
GEDA-450-64	161,32	28,8	€ 1.612	54.260	50.996	40.200	35.344	4	500	20.652



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEDA-140-34	82	43	100	33	92	51
GEDA-140-44	82	43	100	33	92	51
GEDA-140-54	82	43	110	33	102	51
GEDA-140-64	82	43	110	33	102	51
GEDA-145-64	96	51	126	41	118	66
GEDA-150-64	96	51	126	41	118	66
GEDA-240-34	130	43	100	33	92	99
GEDA-240-44	130	43	100	33	92	99
GEDA-240-54	130	43	110	33	102	99
GEDA-240-64	130	43	110	33	102	99
GEDA-245-64	160	51	126	41	118	129
GEDA-250-64	160	51	126	41	118	129
GEDA-340-34	178	43	100	33	92	147
GEDA-340-44	178	43	100	33	92	147
GEDA-340-54	178	43	110	33	102	147
GEDA-340-64	178	43	110	33	102	147
GEDA-345-64	223	51	126	41	118	192
GEDA-350-64	223	51	126	41	118	192
GEDA-440-34	226	43	100	33	92	195
GEDA-440-44	226	43	100	33	92	195
GEDA-440-54	226	43	110	33	102	195
GEDA-440-64	226	43	110	33	102	195
GEDA-445-64	286	51	126	41	118	255
GEDA-450-64	286	51	126	41	118	255



GEDA Serisi | GEDA Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"







Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEDA-140-36	7,92	2,1	€ 253	2.809	2.431	1.767	1.467	1	400	3.128
GEDA-140-46	10,56	2,8	€ 284	4.172	2.868	2.417	2.034	1	400	2.862
GEDA-140-56	13,20	3,4	€ 317	5.210	4.921	2.749	2.574	1	400	2.646
GEDA-140-66	15,84	4,1	€ 348	6.042	5.741	3.274	3.077	1	400	2.466
GEDA-145-66	27,72	7,2	€ 496	9.867	9.255	7.464	7.143	1	450	4.073
GEDA-150-66	27,72	7,2	€ 499	11.830	11.240	9.367	8.864	1	500	5.669
GEDA-240-36	15,84	4,2	€ 364	5.618	4.862	3.534	2.934	2	400	6.256
GEDA-240-46	21,12	5,6	€ 420	8.344	5.736	4.834	4.068	2	400	5.724
GEDA-240-56	26,40	6,8	€ 478	10.420	9.842	5.498	5.148	2	400	5.292
GEDA-240-66	31,68	8,2	€ 535	12.084	11.482	6.548	6.154	2	400	4.932
GEDA-245-66	55,44	14,4	€ 798	19.734	18.510	14.928	14.286	2	450	8.146
GEDA-250-66	55,44	14,4	€ 821	23.660	22.480	18.734	17.728	2	500	11.338
GEDA-340-36	23,76	6,3	€ 509	8.427	7.293	5.301	4.401	3	400	9.384
GEDA-340-46	31,68	8,4	€ 590	12.516	8.604	7.251	6.102	3	400	8.586
GEDA-340-56	39,60	10,2	€ 673	15.630	14.763	8.247	7.722	3	400	7.938
GEDA-340-66	47,52	12,3	€ 755	18.126	17.223	9.822	9.231	3	400	7.398
GEDA-345-66	83,16	21,6	€ 1.138	29.601	27.765	22.392	21.429	3	450	12.219
GEDA-350-66	83,16	21,6	€ 1.157	35.490	33.720	28.101	26.592	3	500	17.007
GEDA-440-36	31,68	8,4	€ 606	11.236	9.724	7.068	5.868	4	400	12.512
GEDA-440-46	42,24	11,2	€ 712	16.688	11.472	9.668	8.136	4	400	11.448
GEDA-440-56	52,80	13,6	€ 820	20.840	19.684	10.996	10.296	4	400	10.584
GEDA-440-66	63,36	16,4	€ 927	24.168	22.964	13.096	12.308	4	400	9.864
GEDA-445-66	110,88	28,8	€ 1.424	39.468	37.020	29.856	28.572	4	450	16.292
GEDA-450-66	110,88	28,8	€ 1.443	47.320	44.960	37.468	35.456	4	500	22.676



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEDA-140-36	82	43	100	33	92	51
GEDA-140-46	82	43	100	33	92	51
GEDA-140-56	82	43	110	33	102	51
GEDA-140-66	82	43	110	33	102	51
GEDA-145-66	96	51	126	41	118	66
GEDA-150-66	96	51	126	41	118	66
GEDA-240-36	130	43	100	33	92	99
GEDA-240-46	130	43	100	33	92	99
GEDA-240-56	130	43	110	33	102	99
GEDA-240-66	130	43	110	33	102	99
GEDA-245-66	160	51	126	41	118	129
GEDA-250-66	160	51	126	41	118	129
GEDA-340-36	178	43	100	33	92	147
GEDA-340-46	178	43	100	33	92	147
GEDA-340-56	178	43	110	33	102	147
GEDA-340-66	178	43	110	33	102	147
GEDA-345-66	223	51	126	41	118	192
GEDA-350-66	223	51	126	41	118	192
GEDA-440-36	226	43	100	33	92	195
GEDA-440-46	226	43	100	33	92	195
GEDA-440-56	226	43	110	33	102	195
GEDA-440-66	226	43	110	33	102	195
GEDA-445-66	286	51	126	41	118	255
GEDA-450-66	286	51	126	41	118	255



GEDB Serisi | GEDB Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"






Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 6 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEDB-140-46	10,21	4,4	€ 277	4.033	3.399	2.518	2.118	1	400	2.656
GEDB-140-56	12,76	5,5	€ 323	5.166	4.728	3.123	2.665	1	400	2.430
GEDB-140-66	15,32	6,6	€ 361	6.009	5.592	4.320	3.164	1	400	2.251
GEDB-145-66	26,81	11,5	€ 517	10.678	10.006	8.202	5.307	1	450	3.786
GEDB-150-66	26,81	11,5	€ 520	12.906	12.211	6.503	7.734	1	500	5.172
GEDB-240-46	20,42	8,8	€ 433	8.066	6.798	5.036	4.236	2	400	5.312
GEDB-240-56	25,52	11,0	€ 506	10.332	9.456	6.246	5.330	2	400	4.860
GEDB-240-66	30,64	13,2	€ 573	12.018	11.184	8.640	6.328	2	400	4.502
GEDB-245-66	53,62	23,0	€ 859	21.356	20.012	16.404	10.614	2	450	7.572
GEDB-250-66	53,62	23,0	€ 862	25.812	24.422	13.006	15.468	2	500	10.344
GEDB-340-46	30,63	13,2	€ 577	12.099	10.197	7.554	6.354	3	400	7.968
GEDB-340-56	38,28	16,5	€ 680	15.498	14.184	9.369	7.995	3	400	7.290
GEDB-340-66	45,96	19,8	€ 775	18.027	16.776	12.960	9.492	3	400	6.753
GEDB-345-66	80,43	34,5	€ 1.195	32.034	30.018	24.606	15.921	3	450	11.358
GEDB-350-66	80,43	34,5	€ 1.197	38.718	36.633	19.509	23.202	3	500	15.516



Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEDB-140-46	78	38	100	28	92	51
GEDB-140-56	78	38	110	28	102	51
GEDB-140-66	78	38	110	28	102	51
GEDB-145-66	96	51	126	41	118	66
GEDB-150-66	96	51	126	41	118	66
GEDB-240-46	130	38	100	28	92	99
GEDB-240-56	130	38	110	28	102	99
GEDB-240-66	130	38	110	28	102	99
GEDB-245-66	160	51	126	41	118	129
GEDB-250-66	160	51	126	41	118	129
GEDB-340-46	178	38	100	28	92	147
GEDB-340-56	178	38	110	28	102	147
GEDB-340-66	178	38	110	28	102	147
GEDB-345-66	223	51	126	41	118	192
GEDB-350-66	223	51	126	41	118	192



GEDB Serisi | GEDB Series


Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"






Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 8 mm

Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity				Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC10 Tin=+4 °C Tout= +8 °C (%25 Glycol) Tair= +16 °C (70% RH)	Special Condition Tin=-2 °C Tout= +2 °C (%25 Glycol) Tair= +10 °C (70% RH)	SC11 Tin= -10 °C Tout= -7 °C (%35 Glycol) Tair= 0 °C (85% RH)	Special Condition Tin= -8 °C Tout= -4 °C (%35 Glycol) Tair= +2 °C (85% RH)	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	W	W	pcs	mm	m ³ /h
GEDB-140-48	7,95	4,4	€ 271	3.328	2.446	2.285	2.250	1	400	2.807
GEDB-140-58	9,94	5,5	€ 316	4.427	3.986	2.843	2.440	1	400	2.585
GEDB-140-68	11,93	6,6	€ 352	5.255	4.896	3.344	2.907	1	400	2.402
GEDB-145-68	20,88	11,5	€ 497	9.308	8.681	6.983	4.858	1	450	3.984
GEDB-145-68	20,88	11,5	€ 500	11.243	10.594	8.773	5.452	1	500	5.512
GEDB-240-48	15,90	8,8	€ 422	1.664	1.223	1.143	1.125	2	400	1.404
GEDB-240-58	19,88	11,0	€ 492	2.214	1.993	1.422	1.220	2	400	1.293
GEDB-240-68	23,86	13,2	€ 556	2.628	2.448	1.672	1.454	2	400	1.201
GEDB-245-68	41,76	23,0	€ 829	4.654	4.341	3.492	2.429	2	450	1.992
GEDB-250-68	41,76	23,0	€ 832	5.622	5.297	4.387	2.726	2	500	2.756
GEDB-340-48	23,85	13,2	€ 560	9.984	7.338	6.855	6.750	3	400	8.421
GEDB-340-58	29,82	16,5	€ 658	13.281	11.958	8.529	7.320	3	400	7.755
GEDB-340-68	35,79	19,8	€ 750	15.765	14.688	10.032	8.721	3	400	7.206
GEDB-345-68	62,64	34,5	€ 1.150	27.924	26.043	20.949	14.574	3	450	11.952
GEDB-350-68	62,64	34,5	€ 1.150	33.729	31.782	26.319	16.356	3	500	16.536




Model Model	Boyutlar Dimensions					
	A	B	C	D	F	G
	cm	cm	cm	cm	cm	cm
GEDB-140-48	78	38	100	28	92	51
GEDB-140-58	78	38	110	28	102	51
GEDB-140-68	78	38	110	28	102	51
GEDB-145-68	96	51	126	41	118	66
GEDB-145-68	96	51	126	41	118	66
GEDB-240-48	130	38	100	28	92	99
GEDB-240-58	130	38	110	28	102	99
GEDB-240-68	130	38	110	28	102	99
GEDB-245-68	160	51	126	41	118	129
GEDB-250-68	160	51	126	41	118	129
GEDB-340-48	178	38	100	28	92	147
GEDB-340-58	178	38	110	28	102	147
GEDB-340-68	178	38	110	28	102	147
GEDB-345-68	223	51	126	41	118	192
GEDB-350-68	223	51	126	41	118	192



VİTRİN SOĞUTUCULARI SHOWCASE COOLERS





**EVA • EVY • EPA • EPDB • EVC • EVD • EVE • EVF • EVG
ERD • ERF • ERG • EAF • EAG • EYF**

Serisi / Series


15 EVA Serisi | 15 EVA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 6 mm



Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Fan Fiyatı Fan Price	Kapasite Capacity		Fanlar Fans		
					SC1 10°C/0°C (Watt)	SC2 0°C/ - 8°C (Watt)	Adet Qty	Çap Diameter (Ømm)	Hava Debisi Air Flow (m³/h)
15EVA 80	3,02	0,6	€ 68	€ 20	430	290	1	150	190
15EVA 90	3,57	0,7	€ 76	€ 20	467	316	1	150	190
15EVA 100	4,62	0,8	€ 85	€ 40	813	542	2	150	380
15EVA 110	4,66	0,9	€ 93	€ 40	860	578	2	150	380
15EVA 120	5,21	1,0	€ 101	€ 40	900	609	2	150	380
15EVA 130	5,76	1,2	€ 110	€ 40	936	636	2	150	380
15EVA 140	6,31	1,3	€ 118	€ 40	967	659	2	150	380
15EVA 150	6,86	1,4	€ 127	€ 40	996	680	2	150	380
15EVA 160	7,41	1,5	€ 135	€ 40	1.021	698	2	150	380
15EVA 170	7,96	1,6	€ 144	€ 60	1.360	928	3	150	570
15EVA 180	8,51	1,7	€ 152	€ 60	1.389	947	3	150	570
15EVA 190	9,05	1,8	€ 161	€ 60	1.414	964	3	150	570
15EVA 200	9,60	1,9	€ 169	€ 60	1.438	980	3	150	570
15EVA 210	10,15	2,0	€ 177	€ 60	1.460	994	3	150	570
15EVA 220	10,70	2,1	€ 186	€ 60	1.492	1.009	3	150	570
15EVA 230	11,25	2,2	€ 194	€ 60	1.521	1.030	3	150	570
15EVA 240	11,80	2,3	€ 203	€ 60	1.549	1.050	3	150	570
15EVA 250	12,35	2,5	€ 211	€ 60	1.574	1.068	3	150	570
15EVA 260	12,90	2,6	€ 220	€ 80	1.954	1.333	4	150	760
15EVA 270	13,44	2,7	€ 228	€ 80	1.982	1.354	4	150	760
15EVA 280	14,00	2,7	€ 237	€ 80	2.009	1.374	4	150	760
15EVA 290	14,54	2,9	€ 245	€ 80	2.035	1.393	4	150	760
15EVA 300	15,09	3,0	€ 254	€ 80	2.059	1.410	4	150	760
15EVA 310	15,64	3,1	€ 262	€ 100	2.422	1.651	5	150	950
15EVA 320	16,19	3,2	€ 270	€ 100	2.449	1.669	5	150	950
15EVA 330	16,74	3,3	€ 279	€ 100	2.475	1.687	5	150	950
15EVA 340	17,28	3,4	€ 287	€ 100	2.500	1.703	5	150	950
15EVA 350	17,83	3,5	€ 296	€ 100	2.523	1.718	5	150	950
15EVA 360	18,38	3,7	€ 304	€ 120	2.880	1.963	6	150	1.140
15EVA 370	18,93	3,8	€ 313	€ 120	2.910	1.986	6	150	1.140
15EVA 380	19,48	3,9	€ 321	€ 120	2.940	2.007	6	150	1.140
15EVA 390	20,03	4,0	€ 330	€ 120	2.968	2.028	6	150	1.140
15EVA 400	20,58	4,1	€ 338	€ 120	3.000	2.050	6	150	1.140

Boyutlar Dimensions			
A	B	C	D
(cm)	(cm)	(cm)	(cm)
80	18,5	43	14
90	18,5	43	14
100	18,5	43	14
110	18,5	43	14
120	18,5	43	14
130	18,5	43	14
140	18,5	43	14
150	18,5	43	14
160	18,5	43	14
170	18,5	43	14
180	18,5	43	14
190	18,5	43	14
200	18,5	43	14
210	18,5	43	14
220	18,5	43	14
230	18,5	43	14
240	18,5	43	14
250	18,5	43	14
260	18,5	43	14
270	18,5	43	14
280	18,5	43	14
290	18,5	43	14
300	18,5	43	14
310	18,5	43	14
320	18,5	43	14
330	18,5	43	14
340	18,5	43	14
350	18,5	43	14
360	18,5	43	14
370	18,5	43	14
380	18,5	43	14
390	18,5	43	14
400	18,5	43	14


20 EVA Serisi | 20 EVA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 6 mm



Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Fan Fiyatı Fan Price	Kapasite Capacity		Fanlar Fans		
					SC1 10°C/0°C	SC2 0°C/ - 8°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	(m²)	(dm³)	Euro	Euro	(Watt)	(Watt)	pcs	(Ømm)	(m³/h)
20EVA 80	3,02	0,6	€ 69	€ 23	650	417	1	200	355
20EVA 90	3,57	0,7	€ 78	€ 23	721	467	1	200	355
20EVA 100	4,62	0,8	€ 87	€ 46	1.190	803	2	200	700
20EVA 110	4,66	0,9	€ 95	€ 46	1.267	857	2	200	700
20EVA 120	5,21	1,0	€ 104	€ 46	1.330	904	2	200	700
20EVA 130	5,76	1,2	€ 113	€ 46	1.389	946	2	200	700
20EVA 140	6,31	1,3	€ 121	€ 46	1.441	983	2	200	700
20EVA 150	6,86	1,4	€ 130	€ 46	1.490	1.016	2	200	700
20EVA 160	7,41	1,5	€ 139	€ 46	1.531	1.046	2	200	700
20EVA 170	7,96	1,6	€ 147	€ 69	1.977	1.309	3	200	1.050
20EVA 180	8,51	1,7	€ 156	€ 69	2.048	1.368	3	200	1.050
20EVA 190	9,05	1,8	€ 165	€ 69	2.112	1.424	3	200	1.050
20EVA 200	9,60	1,9	€ 173	€ 69	2.139	1.457	3	200	1.050
20EVA 210	10,15	2,0	€ 182	€ 69	2.192	1.494	3	200	1.050
20EVA 220	10,70	2,1	€ 191	€ 69	2.242	1.528	3	200	1.050
20EVA 230	11,25	2,2	€ 199	€ 69	2.290	1.560	3	200	1.050
20EVA 240	11,80	2,3	€ 208	€ 69	2.334	1.590	3	200	1.050
20EVA 250	12,35	2,5	€ 217	€ 69	2.376	1.619	3	200	1.050
20EVA 260	12,90	2,6	€ 225	€ 91	2.878	1.959	4	200	1.400
20EVA 270	13,44	2,7	€ 234	€ 91	2.924	1.991	4	200	1.400
20EVA 280	14,00	2,7	€ 243	€ 91	2.972	2.021	4	200	1.400
20EVA 290	14,54	2,9	€ 251	€ 91	3.013	2.049	4	200	1.400
20EVA 300	15,09	3,0	€ 260	€ 91	3.053	2.075	4	200	1.400
20EVA 310	15,64	3,1	€ 269	€ 114	3.706	2.518	5	200	1.875
20EVA 320	16,19	3,2	€ 277	€ 114	3.763	2.557	5	200	1.875
20EVA 330	16,74	3,3	€ 286	€ 114	3.817	2.594	5	200	1.875
20EVA 340	17,28	3,4	€ 295	€ 114	3.858	2.630	5	200	1.875
20EVA 350	17,83	3,5	€ 303	€ 114	3.908	2.664	5	200	1.875
20EVA 360	18,38	3,7	€ 312	€ 137	4.420	3.003	6	200	2.250
20EVA 370	18,93	3,8	€ 321	€ 137	4.472	3.039	6	200	2.250
20EVA 380	19,48	3,9	€ 329	€ 137	4.523	3.074	6	200	2.250
20EVA 390	20,03	4,0	€ 338	€ 137	4.572	3.107	6	200	2.250
20EVA 400	20,58	4,1	€ 347	€ 137	4.619	3.139	6	200	2.250



Boyutlar Dimensions			
A	B	C	D
(cm)	(cm)	(cm)	(cm)
80	18,5	48	14
90	18,5	48	14
100	18,5	48	14
110	18,5	48	14
120	18,5	48	14
130	18,5	48	14
140	18,5	48	14
150	18,5	48	14
160	18,5	48	14
170	18,5	48	14
180	18,5	48	14
190	18,5	48	14
200	18,5	48	14
210	18,5	48	14
220	18,5	48	14
230	18,5	48	14
240	18,5	48	14
250	18,5	48	14
260	18,5	48	14
270	18,5	48	14
280	18,5	48	14
290	18,5	48	14
300	18,5	48	14
310	18,5	48	14
320	18,5	48	14
330	18,5	48	14
340	18,5	48	14
350	18,5	48	14
360	18,5	48	14
370	18,5	48	14
380	18,5	48	14
390	18,5	48	14
400	18,5	48	14

EVY Serisi | EVY Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 2522-3/8"

Bakır Boru / Copper Pipe : 3/8"




Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity	Fanlar Fans			Boyutlar Dimensions		
				SC1 10°C/0°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow	A	B	C
	(m ²)	(dm ³)	Euro	(Watt)	pcs	(Ømm)	(m ³ /h)	(cm)	(cm)	(cm)
12EVY107	2,23	0,4	€ 86	370	1	120	110	44	44	10
12EVY109	2,87	0,6	€ 97	410		120	110	44	49	10
12EVY110	3,19	0,7	€ 107	430		120	110	44	64	10
12EVY112	3,82	0,8	€ 117	450		120	110	44	64	10
12EVY207	2,23	0,4	€ 107	590	2	120	215	44	44	10
12EVY209	2,87	0,6	€ 119	660		120	215	44	49	10
12EVY210	3,19	0,7	€ 128	690		120	215	44	64	10
12EVY212	3,82	0,8	€ 138	740		120	215	44	64	10

EPA Serisi | EPA Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 2522-3/8"

Bakır Boru / Copper Pipe : 3/8"



Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity	Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC2 0°C/- 8°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	pcs	mm	m ³ /h
EPA-120-64	2,85	0,6	€ 110	476	1	200	214
EPA-220-64	5,70	1,2	€ 183	955	2	200	426
EPA-320-64	8,48	1,8	€ 265	1.461	3	200	639

Model Model	Boyutlar Dimensions		
	A	B	C
	(cm)	(cm)	(cm)
EPA-120-64	42	16	37,5
EPA-220-64	74	16	37,5
EPA-320-64	107	16	37,5


217

EPDB Serisi | EPDB Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"



Model Model	Yüzey Area	Boru Hacmi Tube Volume	Fiyat Price	Kapasite Capacity		Fanlar Fans 230V AC 1300-1400 d/d-rpm		
				SC1 10°C/0°C	SC2 0°C/- 8°C	Adet Qty	Çap Diameter	Hava Debisi Air Flow
	m ²	dm ³	Euro	W	W	pcs	mm	m ³ /h
EPDB-125-66	4,35	0,8	€ 184	1.280	875	1	250	496
EPDB-130-66	5,80	1,1	€ 205	1.920	1.281	1	300	832
EPDB-125-64	5,34	0,8	€ 191	1.390	945	1	250	480
EPDB-130-64	7,12	1,1	€ 211	2.040	1.360	1	300	783

Model Model	Boyutlar Dimensions		
	A	B	C
	(cm)	(cm)	(cm)
EPDB-125-66	88	15	47,5
EPDB-130-66	88	18	47,5
EPDB-125-64	88	15	47,5
EPDB-130-64	88	18	47,5



EVC Serisi | EVC Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 3228-3/8"

Bakır Boru / Copper Pipe : 3/8"

Hatve / Fin Spacing : 6 mm



Vitrin Soğutucuları Showcase Coolers					
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube
	Euro	(SC1)	(SC2)	(m²)	Geometri Geometry
100 EVC 1243	€ 44	1069	700	3,7	12
150 EVC 1243	€ 66	1653	1111	5,5	
200 EVC 1243	€ 88	2303	1506	7,3	
250 EVC 1243	€ 110	2898	1925	9,1	
100 EVC 1553	€ 55	1294	859	4,6	15
150 EVC 1553	€ 82	1931	1222	6,9	
200 EVC 1553	€ 110	2654	1761	9,1	
250 EVC 1553	€ 137	3386	2278	11,4	
100 EVC 1863	€ 66	1422	956	5,5	18
150 EVC 1863	€ 99	2162	1428	8,2	
200 EVC 1863	€ 131	2915	1958	11,0	
250 EVC 1863	€ 164	3691	2448	13,7	
100 EVC 2173	€ 77	1520	1033	6,4	21
150 EVC 2173	€ 115	2123	1477	9,6	
200 EVC 2173	€ 153	3135	2126	12,8	
250 EVC 2173	€ 192	4004	2680	16,0	
100 EVC 2483	€ 88	1597	1094	7,3	24
150 EVC 2483	€ 131	2521	1689	11,0	
200 EVC 2483	€ 175	3288	2239	14,6	
250 EVC 2483	€ 219	4260	2874	18,3	
100 EVC 2054	€ 73	1611	1087	6,1	20
150 EVC 2054	€ 110	2499	1660	9,1	
200 EVC 2054	€ 146	3311	2238	12,2	
250 EVC 2054	€ 183	4265	2851	15,2	
100 EVC 2464	€ 88	1727	1076	7,3	24
150 EVC 2464	€ 131	2735	1838	11,0	
200 EVC 2464	€ 175	3624	2416	14,6	
250 EVC 2464	€ 219	4615	3125	18,3	

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
100	12,8	8,4
150	12,8	84
200	12,8	84
250	12,8	84
100	16	84
150	16	84
200	16	84
250	16	84
100	19,2	84
150	19,2	84
200	19,2	84
250	19,2	84
100	22,4	84
150	22,4	84
200	22,4	84
250	22,4	84
100	25,6	84
150	25,6	84
200	25,6	84
250	25,6	84
100	16	11,2
150	16	112
200	16	112
250	16	112
100	19,2	112
150	19,2	112
200	19,2	112
250	19,2	112



EVD Serisi | EVD Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"

Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm



Vitrin Soğutucuları Showcase Coolers					
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube
	Euro	(SC1)	(SC2)	(m²)	
100 EVD 1262	€ 57	1025	537	4,3	12
150 EVD 1262	€ 86	1801	1084	6,5	
200 EVD 1262	€ 114	2439	1605	8,6	
250 EVD 1262	€ 143	3037	2032	10,7	
100 EVD 1243	€ 57	1136	583	4,3	12
150 EVD 1243	€ 86	1901	1165	6,5	
200 EVD 1243	€ 114	2591	1708	8,6	
250 EVD 1243	€ 143	3041	1676	10,8	
100 EVD 1553	€ 71	1408	769	5,4	15
150 EVD 1553	€ 107	2291	1504	8,1	
200 EVD 1553	€ 143	3028	2031	10,8	
250 EVD 1553	€ 178	3731	2280	13,4	
100 EVD 1863	€ 86	1639	969	6,5	18
150 EVD 1863	€ 128	2528	1681	9,7	
200 EVD 1863	€ 171	3286	1934	12,9	
250 EVD 1863	€ 214	4206	2749	16,1	
100 EVD 2173	€ 100	1814	1142	7,5	21
150 EVD 2173	€ 150	2734	1837	11,3	
200 EVD 2173	€ 200	3644	2274	15,0	
250 EVD 2173	€ 249	4638	3075	18,8	
100 EVD 2054	€ 95	1784	1109	7,2	20
150 EVD 2054	€ 143	2760	1853	10,7	
200 EVD 2054	€ 190	3579	2211	14,3	
250 EVD 2054	€ 238	4526	2994	17,9	
100 EVD 2464	€ 114	1987	1298	8,6	24
150 EVD 2464	€ 171	2911	1686	12,9	
200 EVD 2464	€ 228	4033	2639	17,2	
250 EVD 2464	€ 285	5007	3356	21,5	

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
100	24	7
150	24	7
200	24	7
250	24	7
100	16	10,5
150	16	10,5
200	16	10,5
250	16	10,5
100	20	10,5
150	20	10,5
200	20	10,5
250	20	10,5
100	24	10,5
150	24	10,5
200	24	10,5
250	24	10,5
100	28	10,5
150	28	10,5
200	28	10,5
250	28	10,5
100	20	14
150	20	14
200	20	14
250	20	14
100	24	14
150	24	14
200	24	14
250	24	14



EVE Serisi | EVE Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-5/8"

Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 8 mm



Vitrin Soğutucuları Showcase Coolers						
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube	Geometri Geometry
	Euro	(SC1)	(SC2)	(m²)		
100 EVE 1262	€ 71	853	472	4,2	12	6X2
150 EVE 1262	€ 106	1684	882	6,3		
200 EVE 1262	€ 141	2587	1451	8,4		
250 EVE 1262	€ 176	3325	2096	10,5		
100 EVE 1243	€ 71	945	517	4,2	12	4X3
150 EVE 1243	€ 106	1984	1010	6,3		
200 EVE 1243	€ 141	2985	1738	8,4		
250 EVE 1243	€ 176	3743	2426	10,5		
100 EVE 1553	€ 88	1268	663	5,3	15	5X3
150 EVE 1553	€ 132	2439	1329	7,9		
200 EVE 1553	€ 176	3375	2141	10,5		
250 EVE 1553	€ 221	4248	2817	13,1		
100 EVE 1863	€ 106	1549	827	6,3	18	6X3
150 EVE 1863	€ 159	2698	1591	9,5		
200 EVE 1863	€ 212	3673	2415	12,6		
250 EVE 1863	€ 265	4550	3054	15,8		
100 EVE 2173	€ 123	1767	973	7,4	21	7X3
150 EVE 2173	€ 185	2910	1816	11,0		
200 EVE 2173	€ 247	3903	2607	14,7		
250 EVE 2173	€ 309	4768	3230	18,4		
100 EVE 2483	€ 141	1951	1104	8,4	24	8X3
150 EVE 2483	€ 212	3084	1975	12,6		
200 EVE 2483	€ 282	4084	2749	16,8		
250 EVE 2483	€ 353	5091	3043	21,0		
100 EVE 2464	€ 141	2181	1223	8,4	24	6X4
150 EVE 2464	€ 212	3364	2188	12,6		
200 EVE 2464	€ 282	4426	2989	16,8		
250 EVE 2464	€ 353	5565	3398	21,0		

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
100	24	7
150	24	7
200	24	7
250	24	7
100	16	10,5
150	16	10,5
200	16	10,5
250	16	10,5
100	20	10,5
150	20	10,5
200	20	10,5
250	20	10,5
100	24	10,5
150	24	10,5
200	24	10,5
250	24	10,5
100	28	10,5
150	28	10,5
200	28	10,5
250	28	10,5
100	32	10,5
150	32	10,5
200	32	10,5
250	32	10,5
100	24	14
150	24	14
200	24	14
250	24	14



EVF Serisi | EVF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-1/2"

Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 8 mm



Vitrin Soğutucuları Showcase Coolers					
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube
	Euro	(SC1)	(SC2)	(m²)	
100 EVF 1052	€ 57	1069	610	6,7	10
150 EVF 1052	€ 85	1797	1127	12,0	
200 EVF 1052	€ 113	2467	1660	13,4	
250 EVF 1052	€ 141	3091	2103	16,7	
100 EVF 1262	€ 68	1256	726	8,0	12
150 EVF 1262	€ 102	2027	1353	12,0	
200 EVF 1262	€ 136	2739	1857	16,0	
250 EVF 1262	€ 170	3375	2314	20,0	
100 EVF 1243	€ 68	1411	815	8,0	12
150 EVF 1243	€ 102	2257	1514	12,0	
200 EVF 1243	€ 136	3039	2066	16,0	
250 EVF 1243	€ 170	3712	2557	20,0	
100 EVF 1553	€ 85	1658	1024	10,0	15
150 EVF 1553	€ 127	2567	1738	15,0	
200 EVF 1553	€ 170	3319	2042	20,0	
250 EVF 1553	€ 212	4263	2867	25,0	
100 EVF 1863	€ 102	1851	1211	12,0	18
150 EVF 1863	€ 153	2801	1911	18,0	
200 EVF 1863	€ 203	3712	2415	24,0	
250 EVF 1863	€ 254	4704	3182	30,0	

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
100	27,5	9,6
150	27,5	9,6
200	27,5	9,6
250	27,5	9,6
100	33	9,6
150	33	9,6
200	33	9,6
250	33	9,6
100	22	14,4
150	22	14,4
200	22	14,4
250	22	14,4
100	27,5	14,4
150	27,5	14,4
200	27,5	14,4
250	27,5	14,4
100	33	14,4
150	33	14,4
200	33	14,4
250	33	14,4



EVG Serisi | EVG Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"

Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 8 mm



Vitrin Soğutucuları Showcase Coolers					
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube
	Euro	(SC1)	(SC2)	(m²)	Geometri Geometry
100 EVG 842	€ 54	727	464	5,3	8
150 EVG 842	€ 81	1336	774	7,9	
200 EVG 842	€ 108	2145	1164	10,6	
250 EVG 842	€ 135	2895	1698	13,2	
100 EVG 1052	€ 68	926	562	6,6	10
150 EVG 1052	€ 102	1704	951	9,9	
200 EVG 1052	€ 135	2608	1500	13,2	
250 EVG 1052	€ 169	3362	2166	16,5	
100 EVG 1262	€ 81	1118	652	7,9	12
150 EVG 1262	€ 122	2032	1152	11,9	
200 EVG 1262	€ 162	2937	1809	15,9	
250 EVG 1262	€ 203	3740	2502	19,8	
100 EVG 1243	€ 81	1254	727	7,9	12
150 EVG 1243	€ 122	2346	1302	11,9	
200 EVG 1243	€ 162	3290	2101	15,9	
250 EVG 1243	€ 203	4181	2803	19,8	
100 EVG 1553	€ 102	1569	892	9,9	15
150 EVG 1553	€ 152	2728	1636	14,9	
200 EVG 1553	€ 203	3730	2500	19,8	
250 EVG 1553	€ 254	4653	3157	24,8	
100 EVG 1863	€ 122	1846	1065	11,9	18
150 EVG 1863	€ 183	3020	1930	17,8	
200 EVG 1863	€ 244	4064	2749	23,8	
250 EVG 1863	€ 305	4985	2915	29,7	

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
100	22	9,6
150	22	9,6
200	22	9,6
250	22	9,6
100	27,5	9,6
150	27,5	9,6
200	27,5	9,6
250	27,5	9,6
100	33	9,6
150	33	9,6
200	33	9,6
250	33	9,6
100	22	14,4
150	22	14,4
200	22	14,4
250	22	14,4
100	26	14,4
150	27,5	14,4
200	27,5	14,4
250	27,5	14,4
100	33	14,4
150	33	14,4
200	33	14,4
250	33	14,4



ERD Serisi | ERD Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 4035-1/2"

Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 12 mm



Vitrin Soğutucuları Showcase Coolers					
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube
	Euro	(SC1)	(SC2)	(m²)	Geometri Geometry
140 ERD 632	€ 35	316	183	2,1	6
200 ERD 632	€ 50	509	292	3,0	
260 ERD 632	€ 65	742	427	3,8	
140 ERD 842	€ 46	408	239	2,8	8
200 ERD 842	€ 66	641	377	4,0	
260 ERD 842	€ 86	914	545	5,2	
140 ERD 1052	€ 58	487	289	3,5	10
200 ERD 1052	€ 83	748	450	5,0	
260 ERD 1052	€ 108	1049	642	6,6	
140 ERD 1262	€ 70	553	333	4,2	12
200 ERD 1262	€ 99	835	512	6,1	
260 ERD 1262	€ 129	1161	722	7,9	
140 ERD 1472	€ 81	610	373	4,9	14
200 ERD 1472	€ 116	910	566	7,1	
260 ERD 1472	€ 151	1244	792	9,2	
140 ERD 1682	€ 93	660	407	5,6	16
200 ERD 1682	€ 132	974	612	8,1	
260 ERD 1682	€ 172	1309	850	10,5	
140 ERD 1243	€ 70	650	387	4,2	12
200 ERD 1243	€ 99	991	603	6,1	
260 ERD 1243	€ 129	1362	860	7,9	
140 ERD 1553	€ 87	748	455	5,3	15
200 ERD 1553	€ 124	1117	696	7,6	
260 ERD 1553	€ 161	1484	970	9,8	

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
140	12	9
200	12	9
260	12	9
140	16	9
200	16	9
260	16	9
140	20	9
200	20	9
260	20	9
140	24	9
200	24	9
260	24	9
140	28	9
200	28	9
260	28	9
140	32	9
200	32	9
260	32	9
140	16	12,5
200	16	12,5
260	16	12,5
140	20	12,5
200	20	12,5
260	20	12,5


ERF Serisi | ERF Series

Batarya Özellikleri / Heat Exchanger Specifications


Geometri / Geometry : 5548-1/2"

Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 12 mm



Vitrin Soğutucuları Showcase Coolers						Boyutlar Dimensions		
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube	Geometri Geometry	A	B
	Euro	(SC1)	(SC2)	(m²)			(cm)	(cm)
140 ERF 632	€ 40	409	253	3,9	6	3X2	140	16,5
200 ERF 632	€ 57	631	385	5,5			200	16,5
260 ERF 632	€ 73	896	544	7,2			260	16,5
140 ERF 842	€ 53	515	319	5,1	8	4X2	140	22
200 ERF 842	€ 75	783	484	7,3			200	22
260 ERF 842	€ 98	1099	681	9,5			260	22
140 ERF 1052	€ 66	604	377	6,4	10	5X2	140	27,5
200 ERF 1052	€ 94	907	567	9,2			200	27,5
260 ERF 1052	€ 122	1261	794	11,9			260	27,5
140 ERF 1262	€ 79	680	428	7,7	12	6X2	140	33
200 ERF 1262	€ 113	1010	639	11,0			200	33
260 ERF 1262	€ 147	1375	890	14,3			260	33
140 ERF 1472	€ 92	745	472	9,0	14	7X2	140	38,5
200 ERF 1472	€ 132	1098	701	12,8			200	38,5
260 ERF 1472	€ 171	1463	967	16,7			260	38,5
140 ERF 1682	€ 106	802	512	10,3	16	8X2	140	44
200 ERF 1682	€ 151	1172	755	14,7			200	44
260 ERF 1682	€ 196	1537	1026	19,1			260	44




ERG Serisi | ERG Series

Batarya Özellikleri / Heat Exchanger Specifications


Geometri / Geometry : 5548-5/8"

Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 12 mm



Vitrin Soğutucuları Showcase Coolers						Boyutlar Dimensions		
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube	Geometri Geometry	A	B
	Euro	(SC1)	(SC2)	(m²)			(cm)	(cm)
100 ERG 632	€ 35	263	168	2,7	6	3X2	100	16,5
150 ERG 632	€ 52	428	265	4,1			150	16,5
200 ERG 632	€ 70	622	376	5,5			200	16,5
250 ERG 632	€ 87	840	502	6,9			250	16,5
300 ERG 632	€ 104	1079	642	8,2			300	16,5
100 ERG 842	€ 46	330	209	3,7	8	4X2	100	22
150 ERG 842	€ 70	542	335	5,5			150	22
200 ERG 842	€ 93	785	479	7,3			200	22
250 ERG 842	€ 116	1053	639	9,1			250	22
300 ERG 842	€ 139	1340	815	11,0			300	22




EAF Serisi | EAF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-1/2"


Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 12 mm



Vitrin Soğutucuları Showcase Coolers					
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube
	Euro	(SC1)	(SC2)	(m ²)	
80 EAF 331	€ 11	107	73	1,1	3
100 EAF 331	€ 14	128	85	1,4	
120 EAF 331	€ 17	157	103	1,7	
150 EAF 331	€ 21	201	130	2,1	
170 EAF 331	€ 24	233	148	2,3	
200 EAF 331	€ 28	283	178	2,8	
220 EAF 331	€ 30	319	199	3,0	
250 EAF 331	€ 35	375	232	3,4	
270 EAF 331	€ 37	414	255	3,7	
80 EAF 441	€ 15	135	89	1,5	4
100 EAF 441	€ 18	161	105	1,8	
120 EAF 441	€ 22	197	127	2,2	
150 EAF 441	€ 28	255	163	2,8	
170 EAF 441	€ 31	296	187	3,1	
200 EAF 441	€ 37	362	226	3,7	
220 EAF 441	€ 41	408	253	4,0	
250 EAF 441	€ 46	480	296	4,6	
270 EAF 441	€ 50	530	326	5,0	

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
80	16,5	6,8
100	16,5	6,8
120	16,5	6,8
150	16,5	6,8
170	16,5	6,8
200	16,5	6,8
220	16,5	6,8
250	16,5	6,8
270	16,5	6,8
80	2,2	6,8
100	2,2	6,8
120	2,2	6,8
150	2,2	6,8
170	2,2	6,8
200	2,2	6,8
220	2,2	6,8
250	2,2	6,8
270	2,2	6,8




EAG Serisi | EAG Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-5/8"


Bakır Boru / Copper Pipe : 5/8"

Hatve / Fin Spacing : 12 mm



Vitrin Soğutucuları Showcase Coolers					
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube
	Euro	(SC1)	(SC2)	(m ²)	
80 EAG 331	€ 14	106	74	1,1	3
120 EAG 331	€ 21	154	103	1,6	
150 EAG 331	€ 26	196	129	2,1	
170 EAG 331	€ 29	225	147	2,3	
200 EAG 331	€ 34	272	175	2,7	
220 EAG 331	€ 38	304	194	3,0	
250 EAG 331	€ 43	355	223	3,4	
270 EAG 331	€ 46	390	243	3,7	
80 EAG 441	€ 14	133	89	1,5	4
120 EAG 441	€ 21	193	125	2,2	
150 EAG 441	€ 26	247	158	2,7	
170 EAG 441	€ 29	286	181	3,1	
200 EAG 441	€ 34	346	218	3,7	
220 EAG 441	€ 38	388	243	4,0	
250 EAG 441	€ 43	455	282	4,6	
270 EAG 441	€ 46	501	309	4,9	

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
80	16,5	6,8
120	16,5	6,8
150	16,5	6,8
170	16,5	6,8
200	16,5	6,8
220	16,5	6,8
250	16,5	6,8
270	16,5	6,8
80	2,2	6,8
120	2,2	6,8
150	2,2	6,8
170	2,2	6,8
200	2,2	6,8
220	2,2	6,8
250	2,2	6,8
270	2,2	6,8





EYF Serisi | EYF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-1/2"

Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 12 mm



Vitrin Soğutucuları Showcase Coolers						
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube	Geometri Geometry
	Euro	(SC1)	(SC2)	(m²)		
3 LÜ YAN SOĞUTUCULAR						
20 EYF 361	€ 6	61	45	0,6	6	6X1
25 EYF 361	€ 8	73	53	0,7		
30 EYF 361	€ 9	85	60	0,8		
35 EYF 361	€ 10	96	67	1,0		
40 EYF 361	€ 11	107	72	1,1		
45 EYF 361	€ 12	118	79	1,2		
50 EYF 361	€ 14	128	85	1,4		
55 EYF 361	€ 15	138	91	1,5		
60 EYF 361	€ 17	148	97	1,7		
4 LÜ YAN SOĞUTUCULAR						
20 EYF 481	€ 8	77	55	0,7	8	8X1
25 EYF 481	€ 10	93	65	0,9		
30 EYF 481	€ 12	107	73	1,1		
35 EYF 481	€ 13	122	81	1,3		
40 EYF 481	€ 15	135	89	1,5		
45 EYF 481	€ 17	148	97	1,7		
50 EYF 481	€ 18	161	105	1,8		
55 EYF 481	€ 20	173	112	2,0		
60 EYF 481	€ 22	185	120	2,2		
5 Lİ YAN SOĞUTUCULAR						
20 EYF 5101	€ 10	93	65	0,9	10	10X1
25 EYF 5101	€ 13	111	75	1,1		
30 EYF 5101	€ 15	128	85	1,4		
35 EYF 5101	€ 16	145	95	1,6		
40 EYF 5101	€ 18	161	105	1,8		
45 EYF 5101	€ 21	176	115	2,1		
50 EYF 5101	€ 23	191	125	2,3		
55 EYF 5101	€ 25	204	135	2,5		
60 EYF 5101	€ 28	218	145	2,8		
6 Lİ YAN SOĞUTUCULAR						
20 EYF 6121	€ 12	107	73	1,1	12	12X1
25 EYF 6121	€ 15	128	85	1,4		
30 EYF 6121	€ 19	148	97	1,7		
35 EYF 6121	€ 19	167	109	1,9		
40 EYF 6121	€ 22	185	120	2,2		
45 EYF 6121	€ 25	202	131	2,5		
50 EYF 6121	€ 28	218	141	2,8		
55 EYF 6121	€ 30	233	151	3,0		
60 EYF 6121	€ 33	248	160	3,3		

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
20	33	5,5
25	33	5,5
30	33	5,5
35	33	5,5
40	33	5,5
45	33	5,5
50	33	5,5
55	33	5,5
60	33	5,5
20	44	5,5
25	44	5,5
30	44	5,5
35	44	5,5
40	44	5,5
45	44	5,5
50	44	5,5
55	44	5,5
60	44	5,5
20	55	5,5
25	55	5,5
30	55	5,5
35	55	5,5
40	55	5,5
45	55	5,5
50	55	5,5
55	55	5,5
60	55	5,5
20	66	5,5
25	66	5,5
30	66	5,5
35	66	5,5
40	66	5,5
45	66	5,5
50	66	5,5
55	66	5,5
60	66	5,5



EYF Serisi | EYF Series

Batarya Özellikleri / Heat Exchanger Specifications

Geometri / Geometry : 5548-1/2"

Bakır Boru / Copper Pipe : 1/2"

Hatve / Fin Spacing : 12 mm




Vitrin Soğutucuları Showcase Coolers						
Model Model	Fiyat Price	Kapasite (Watt) Capacity		Yüzey Area	Boru Sayısı N. of Copper Tube	Geometri Geometry
	Euro	(SC1)	(SC2)	(m²)		
7 Lİ YAN SOĞUTUCULAR						
20 EYF 7141	€ 14	122	81	1,3	14	14X1
25 EYF 7141	€ 18	145	95	1,6		
30 EYF 7141	€ 22	167	109	1,9		
35 EYF 7141	€ 23	188	122	2,2		
40 EYF 7141	€ 26	207	134	2,6		
45 EYF 7141	€ 29	225	146	2,9		
50 EYF 7141	€ 32	243	157	3,2		
55 EYF 7141	€ 35	259	167	3,5		
60 EYF 7141	€ 39	275	177	3,9		
8 Lİ YAN SOĞUTUCULAR						
20 EYF 8161	€ 17	135	89	1,5	16	16X1
25 EYF 8161	€ 21	161	105	1,8		
30 EYF 8161	€ 25	185	120	2,2		
35 EYF 8161	€ 26	200	134	2,6		
40 EYF 8161	€ 30	228	147	2,9		
45 EYF 8161	€ 33	248	160	3,3		
50 EYF 8161	€ 37	266	172	3,7		
55 EYF 8161	€ 41	283	183	4,0		
60 EYF 8161	€ 44	300	193	4,4		
9 LU YAN SOĞUTUCULAR						
30 EYF 9181	€ 28	216	139	2,5	18	18X1
35 EYF 9181	€ 29	243	156	2,9		
40 EYF 9181	€ 33	268	172	3,3		
45 EYF 9181	€ 37	292	187	3,7		
50 EYF 9181	€ 41	314	187	4,1		
55 EYF 9181	€ 46	335	215	4,5		
60 EYF 9181	€ 50	355	228	4,9		
10 LU YAN SOĞUTUCULAR						
30 EYF 10201	€ 31	238	153	2,8	20	20X1
35 EYF 10201	€ 32	267	171	3,2		
40 EYF 10201	€ 37	295	189	3,7		
45 EYF 10201	€ 41	320	205	4,1		
50 EYF 10201	€ 46	344	220	4,6		
55 EYF 10201	€ 51	367	235	5,0		
60 EYF 10201	€ 55	388	249	5,5		

Boyutlar Dimensions		
A	B	C
(cm)	(cm)	(cm)
20	77	5,5
25	77	5,5
30	77	5,5
35	77	5,5
40	77	5,5
45	77	5,5
50	77	5,5
55	77	5,5
60	77	5,5
20	88	5,5
25	88	5,5
30	88	5,5
35	88	5,5
40	88	5,5
45	88	5,5
50	88	5,5
55	88	5,5
60	88	5,5
30	99	5,5
35	99	5,5
40	99	5,5
45	99	5,5
50	99	5,5
55	99	5,5
60	99	5,5
30	110	5,5
35	110	5,5
40	110	5,5
45	110	5,5
50	110	5,5
55	110	5,5
60	110	5,5

VİTRİN SOĞUTUCULAR | GRAVITY COOLERS

TAM BORU VİTRİN SOĞUTUCULAR FİYAT LİSTESİ (Euro/m.boru)					
THE PRICES OF GRAVITY COOLERS (Euro/m.tube)					
	554858	554812	403558	403512	322838
SÜTLÜK Forced Air Gravity Coolers	€ 6,77	€ 5,65	€ 5,88	€ 4,75	€ 3,65
REYON Two Rows Gravity Coolers	€ 5,80	€ 4,71	€ 5,29	€ 4,14	€ 3,26
ANKASTRE One Row Gravity Coolers	€ 5,74	€ 4,61	--	--	--
YAN 20/25/30cm One Row Side Gravity Coolers	€ 6,43	€ 5,16	--	--	--
YAN 35cm ve ÜZERİ One Row Side Gravity Coolers	€ 5,74	€ 4,61	--	--	--
EKSİK BORU VİTRİN SOĞUTUCULAR FİYAT LİSTESİ (Euro/m.boru)					
THE PRICES OF GRAVITY COOLERS WITH INCOMPLETE TUBES (Euro/m.tube)					
	554858	554812	403558	403512	322838
ÖZEL SÜTLÜK Private Forced Air Gravity Coolers	€ 8,87	€ 7,34	€ 7,23	€ 5,60	€ 4,60
REYON Private Two Rows Gravity Coolers	€ 7,54	€ 5,84	€ 6,51	€ 4,93	€ 3,65




NOTLAR | NOTES

NOTLAR | NOTES

NOTLAR | NOTES

EVACOND



EVACOND

ISI DEĞİŞTİRİCİLER | HEAT EXCHANGERS


Tatlıcak Mah. Arakiyye Sk.
No:22 Karatay / Konya / Türkiye


+90 332 301 0 382
EVC


www.evacond.com


info@evacond.com

Online Catalogue

